

*Technical Report No. 32-694*

*Ranger VII Flight Path and Its  
Determination From Tracking Data*

*W. R. Wollenhaupt  
D. W. Trask  
W. L. Sjogren  
E. G. Piaggi  
D. W. Curkendall  
R. A. Winneberger  
A. S. Liu  
A. L. Berman*

*T W Hamilton*

T. W. Hamilton, Chief  
Systems Analysis Section

**JET PROPULSION LABORATORY  
CALIFORNIA INSTITUTE OF TECHNOLOGY  
PASADENA, CALIFORNIA**

December 15, 1964

Copyright © 1964  
Jet Propulsion Laboratory  
California Institute of Technology

Prepared Under Contract No. NAS 7-100  
National Aeronautics & Space Administration

## CONTENTS

<b>I. Introduction</b>	1
D. W. Trask	1
<b>II. Analysis of DSIF Transponder Tracking Data</b>	2
W. R. Wollenhaupt, W. L. Sjogren, D. W. Trask	2
A. Introduction	2
B. Summary of Data Used in Orbit Determination	8
C. Data weighting and error sources	12
D. Premaneuver Orbit Based on Premaneuver Tracking Only	26
E. Postmaneuver Orbit Based on Postmaneuver Tracking Only	38
F. Combined Estimates Based on Premaneuver and Postmaneuver Tracking	38
1. Method of Combining Premaneuver and Postmaneuver Data	40
2. Results of Combining Premaneuver and Postmaneuver Data	44
3. Observations and Conclusions	48
4. Limitations	48
<b>III. Midcourse and Terminal Maneuver Analysis</b>	55
E. G. Piaggi, D. W. Curkendall	55
A. Introduction	55
1. Mission	55
2. Spacecraft and Geometry	58
B. Inflight Maneuver Considerations	60
C. Comparison of Commanded and Actual Maneuver	62
<b>IV. Trajectory</b>	62
R. A. Winneberger	62
A. Launch Phase	62
B. Premaneuver Cruise Phase	63
C. Midcourse Maneuver Phase	65
D. Postmaneuver Cruise Phase	68
E. Encounter Phase	74
<b>V. Analysis of ETR Tracking Data</b>	74
A. S. Liu	74
A. Introduction	74
B. Acquisition Information	75
C. Analysis of Parking Orbit Data	77
D. Analysis of Agena Preretro Transfer Orbit Data	79
E. Analysis of Agena Postretro Data	80
F. Conclusions	80

## CONTENTS (Cont'd)

<b>VI. DSIF Tracking of <i>Ranger VII</i></b>	
A. L. Berman . . . . .	82
A. Introduction . . . . .	82
B. Transponder Tracking . . . . .	83
1. Premaneuver Phase . . . . .	83
2. Maneuver Phase . . . . .	83
3. Postmaneuver Phase . . . . .	83
C. Determination of Impact Time . . . . .	84
<b>Appendixes . . . . .</b>	88
A. Definition of the Miss Parameter <b>B</b> . . . . .	88
B. <i>Ranger VII</i> Space Trajectory for Premaneuver Orbit . . . . .	89
C. <i>Ranger VII</i> Space Trajectory for Postmaneuver Orbit . . . . .	96
D. Tables Related to Trajectory Printout . . . . .	111
E. <i>Ranger VII</i> Premaneuver ODP Printout . . . . .	119
F. <i>Ranger VII</i> Postmaneuver ODP Printout . . . . .	141
G. ODP Format Description . . . . .	183
<b>References . . . . .</b>	186

## TABLES

1. Summary of data used in orbit determination. . . . .	7
2. Sensitivity coefficients $g_i$ for HA, Dec and two-way doppler . . . . .	9
3. Contribution from individual error sources to total weight for <i>Ranger VII</i> mission . . . . .	10
4. Statistics on premaneuver data . . . . .	12
5. Estimated parameter statistics . . . . .	15
6. Values of estimated parameters . . . . .	22
7. Impact parameter estimates . . . . .	23
8. Statistics in the B plane system . . . . .	23
9. Correlation matrix on premaneuver data at injection epoch . . . . .	24
10. Correlation matrix on premaneuver data at maneuver epoch . . . . .	25
11. Data statistics on postmaneuver data . . . . .	26
12. Positions at maneuver epoch . . . . .	38
13. Correlation matrix on postmaneuver data at maneuver epoch with no a priority . . . . .	39



## TABLES (Cont'd)

14. Correlation matrix on premaneuver data at injection epoch with postmaneuver data as a priority . . . . .	41
15. Correlation matrix on premaneuver data at maneuver epoch with postmaneuver data as a priority . . . . .	42
16. Correlation matrix on postmaneuver data at maneuver epoch with premaneuver data as a priority . . . . .	43
17. <i>Ranger VII</i> maneuver estimate based on constrained solutions . . . . .	45
18. Station location statistics . . . . .	46
19. Station location comparison . . . . .	46
20. Physical constants estimates . . . . .	47
21. Lunar elevation results ( <i>Ranger</i> impact point from center-of-gravity) . . . . .	48
22. Limitations of <i>Ranger VII</i> analysis which will be overcome for <i>Ranger Block III Summary Analysis</i> . . . . .	53
23. Physical constant statistics: comparison between <i>Ranger VII</i> analysis and <i>Ranger Block III Summary Analysis</i> . . . . .	54
24. Maneuver target conditions . . . . .	58
25. Expected target dispersions from orbit determination and midcourse maneuver execution errors . . . . .	58
26. Commanded maneuver . . . . .	59
27. Data used in maneuver error computations . . . . .	60
28. <i>Ranger VII</i> maneuver execution error estimates . . . . .	60
29. <i>Ranger VII</i> premidcourse orbit . . . . .	66
30. Definition of terms . . . . .	66
31. Postmidcourse orbit of <i>Ranger VII</i> . . . . .	66
32. ETR and NASA station locations . . . . .	74
33. Tracking station data coverage . . . . .	74
34. Parking orbit parameter solutions . . . . .	75
35. Inflight parking orbit data statistics . . . . .	75
36. Postflight parking orbit data statistics . . . . .	76
37. Bermuda station coordinate solutions . . . . .	77
38. Transfer orbit and postretro <i>Agna</i> orbit parameter solutions . . . . .	77
39. Preretro orbit data statistics . . . . .	77
40. Postretro orbit data statistics . . . . .	79
41. DSIF station locations . . . . .	82
42. Nominal view periods vs actual tracking at DSIF stations . . . . .	82

## TABLES (Cont'd)

43. Ground station tracking modes . . . . .	83
44. Ground commands from DSIF to <i>Ranger VII</i> . . . . .	84
D-1. <i>Ranger VII</i> trajectory key . . . . .	111
D-2. <i>Ranger VII</i> trajectory key definition . . . . .	113
D-3. <i>Ranger VII</i> trajectory constants and conversion factors . . . . .	118

## FIGURES

1. <i>Ranger VII</i> tracking station view periods and data coverage . . . . .	3
2. Station 12 trajectory trace . . . . .	4
3. Station 41 trajectory trace . . . . .	5
4. Station 51 trajectory trace . . . . .	6
5. Station 41 doppler variation during Sun acquisition . . . . .	11
6. Station 41 angular residuals . . . . .	13
7. Station 51 angular residuals . . . . .	14
8. Station 12 premaneuver pass No. 1 two-way doppler residuals . . . . .	16
9. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 17:53 GMT) . . . . .	17
10. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 23:53 GMT) . . . . .	18
11. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 21:53 GMT) . . . . .	19
12. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 03:53 GMT) . . . . .	20
13. Station 59 premaneuver pass No. 1 two-way doppler residuals . . . . .	21
14. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 10:41 GMT) . . . . .	27
15. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 16:41 GMT) . . . . .	28
16. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 07:18 GMT) . . . . .	29
17. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 13:18 GMT) . . . . .	30
18. Station 12 postmaneuver pass No. 3 two-way doppler residuals . . . . .	31

## FIGURES (Cont'd)

19. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 18:46 GMT) . . . . .	32
20. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 00:46 GMT) . . . . .	33
21. Station 41 postmaneuver pass No. 2 two-way doppler residuals . . . . .	34
22. Station 51 postmaneuver pass No. 1 two-way doppler residuals . . . . .	35
23. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 23:44 GMT) . . . . .	36
24. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 05:44 GMT) . . . . .	37
25. $X_1, X_2, X_3$ coordinate system . . . . .	45
26. Advance unedited proof of <i>Ranger VII</i> lunar chart RLC 2 . . . . .	49
27. Unedited sectional detail of <i>Ranger VII</i> lunar chart RLC 2 . . . . .	50
28. Advance unedited proof of <i>Ranger VII</i> lunar chart RLC 3 . . . . .	51
29. Unedited sectional detail of <i>Ranger VII</i> lunar chart RLC 3 . . . . .	52
30. <i>Ranger</i> midcourse maneuver . . . . .	56
31. <i>Ranger</i> terminal maneuver . . . . .	57
32. Capability ellipse of target parameter 16 hr after injection . . . . .	57
33. <i>Ranger VII</i> constraints mapped onto the B plane . . . . .	58
34. Approach geometry with no terminal maneuver . . . . .	59
35. Ascent trajectory profile . . . . .	62
36. Sequence of events to Earth acquisition . . . . .	63
37. Date and time chart of significant events . . . . .	64
38. Probe geocentric radius vs time from launch . . . . .	65
39. Probe geocentric velocity vs time from launch . . . . .	65
40. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe- Moon (EPM) angle vs time from launch . . . . .	65
41. Geocentric spatial trace <i>Ranger VII</i> trajectory . . . . .	67
42. Lunar gravitational affect on <i>Ranger VII</i> trajectory near encounter . . . . .	68
43. Trace of <i>Ranger VII</i> trajectory on the lunar surface. . . . .	69
44. Traces of lunar trajectory for premidcourse and postmidcourse orbits . . . . .	70
45. Geocentric distance of probe vs GMT at lunar encounter . . . . .	72
46. Geocentric inertial speed of probe vs GMT at lunar encounter . . . . .	72
47. Selenocentric altitude of probe vs GMT at lunar encounter . . . . .	72

**FIGURES (Cont'd)**

48. Selenocentric inertial speed of probe vs GMT at lunar encounter . . .	73
49. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe-Moon (EPM) angle vs GMT at lunar encounter . . . . .	73
50. Antigua parking orbit residuals . . . . .	75
51. Ascension Island parking orbit residuals . . . . .	76
52. Bermuda parking orbit residuals . . . . .	77
53. Pretoria preretro residuals (start 17:21 GMT) . . . . .	78
54. Pretoria preretro residuals (start 17:26 GMT) . . . . .	79
55. Pretoria postretro residuals (start 17:30 GMT) . . . . .	80
56. Pretoria postretro residuals (start 17:35 GMT) . . . . .	81
57. Doppler during midcourse maneuver . . . . .	84
58. Station 12 impact recording . . . . .	85
59. Station 12 analog of selected receiver functions at lunar impact . . .	86
60. Station 11 analog of selected receiver functions at lunar impact . . .	87
A-1. Definition of B·T, B·R system . . . . .	88

**ABSTRACT**

13279

This Report describes the current best estimate of the *Ranger VII* spacecraft flight path and the way in which it was determined. Deep Space Instrumentation Facility tracking of the spacecraft was virtually continuous from injection to lunar impact. Dramatic TV photos of the lunar surface were received at the Goldstone tracking station during the last 17 min before impacting the Moon, in what was later to be named the lunar "Mare Cognitum." This event marked the first time that man has succeeded in obtaining closeup photographs of the front side of the Moon. Postflight analysis of the tracking data resulted in valuable determinations of the masses of the Earth and the Moon, tracking station locations, lunar ephemeris scale factor, and lunar radius to the *Ranger VII* impact point, to within 0.4 km.

author

**I. INTRODUCTION**

This Report describes the current best estimate of the *Ranger VII* spacecraft flight path and the way in which it was determined. Deep Space Instrumentation Facility (DSIF) tracking of the spacecraft was virtually continuous from injection to lunar impact. Postflight analysis of the tracking data resulted in valuable determinations of the masses of the Earth and the Moon, tracking station locations, lunar ephemeris scale factor, and radius of the Moon at the *Ranger VII* impact point. The impact location of *Ranger VII* is known to within 1.0 km, using the standard deviation as a measure of uncertainty.

The primary objective of the *Ranger* Block III (*Ranger* 6 through 9) flights is to obtain TV pictures of the lunar surface which will be of benefit to both the scientific

program and the U.S. manned lunar flight program. The *Ranger VII* spacecraft, which was launched from Cape Kennedy on July 20, 1964, and 68 hr 36 min later impacted the Moon on target on July 31, accomplished its primary objective. This flight, as did *Ranger VI*, dramatically demonstrated the capabilities of Earth-based radio guidance. The *Ranger VII* postflight analysis provided significant determinations of the physical constants mentioned above, which are in excellent agreement with similar determinations realized from the *Ranger VI* postflight analysis.

During the launch phase the *Atlas* and *Agena* stages performed within tolerance and injected the spacecraft into a grazing, backside impact trajectory with the Moon.

The Sea of Storms was selected as the general area of impact, since it was the most favorable location for the prevailing lunar surface lighting conditions. Seventeen hours after launch a near perfect midcourse maneuver was executed. The resultant impact point was only 13 km from the center of the chosen target area. This difference is well within the bound expected and is a combination of the errors in the orbit at the time the desired maneuver was determined plus the tolerances of the spacecraft guidance hardware.

Section II of this Report describes the DSIF transponder orbit determination. Comparisons are made among determinations based on premaneuver tracking only, postmaneuver tracking only, and combined estimates based on premaneuver and postmaneuver tracking. Solutions for the masses of the Earth and the Moon, lunar ephemeris scale factor, and tracking station locations are compared to determinations based upon the *Mariner II* (Venus) and previous *Ranger* missions. The determination of the lunar radius at the *Ranger VII* impact point is also presented. The final TV pictures serve as an independent check on the lunar impact point as estimated from the orbit determination process.

Section III discusses the operational considerations associated with the midcourse maneuver policy and the

execution of the maneuver. The postflight evaluation described in this Section shows that the response of the spacecraft to the maneuver turn and velocity increment commands was well within the expected tolerances.

Section IV summarizes the key spacecraft events for the mission, and it describes the *Ranger VII* orbit in terms of its trajectory parameters near the Earth, in translunar flight, and near the Moon.

Section V describes the Air Force Eastern Test Range (AFETR) tracking of the *Agena* launch vehicle. The Eastern Test Range (ETR) orbit analysis is divided into three parts: (1) the parking orbit; (2) the postinjection but preretrorocket phases, during which the spacecraft was still attached to the *Agena*; and (3) the postretro-rocket orbit of the *Agena*.

Section VI summarizes the key events in the DSIF tracking of the *Ranger VII* mission and gives a general description of the DSIF stations and tracking modes. The determination of the lunar radius at the *Ranger VII* impact point is a direct function of the "recorded" time of impact. The recordings of this event time, as measured by the DSIF Goldstone tracking stations, are presented and discussed.

## II. ANALYSIS OF DSIF TRANSPONDER TRACKING DATA

### A. Introduction

The purpose of this Section is to present the techniques used to determine the best estimate of the *Ranger VII* spacecraft flight path, and other significant results obtained from the DSIF tracking data. Not only was it possible to determine the spacecraft flight path to a high degree of accuracy, but, in addition, certain physical constants and station location parameters were derived. The 0.06 sec time difference between predicted and observed landing time, and the close agreement between the predicted and observed landing point are both excellent measures of the accuracy of the estimated flight path.

The tracking data are divided into two logical blocks: (1) data taken prior to midcourse maneuver execution, and (2) data taken after midcourse maneuver execution. Consistent answers are obtained when these blocks are analyzed either independently or combined. In the latter, the uncertainties are significantly smaller. The Orbit Determination Program (ODP) of the Jet Propulsion Laboratory (JPL) (Ref. 1) is the principal analysis tool. This Program utilizes an iterative, modified-least-squares technique to find the initial conditions at injection epoch which causes the weighted sum of squares of the residuals (observed minus computed) to be minimized. The

term "modified" is used to indicate that the weighting of individual data types is accomplished in a different manner than in the usual least-squares method.

The initial real-time estimate of the *Ranger VII* spacecraft orbital elements, and initial DSIF acquisition information were provided by ETR. These elements were obtained from tracking the *Agena* vehicle C-band transponder during the period from injection into lunar transfer orbit to *Agena*-spacecraft separation by the ETR tracking stations. ETR tracking data were not used for the flight path determination results presented in this Section. A complete discussion of the ETR data may be found in Section V.

### B. Summary of Data Used in Orbit Determination

The DSIF tracking stations provided continuous tracking data from shortly after transfer orbit injection until lunar impact. Figure 1 summarizes the tracking station view periods and their data coverage for the entire mission. Figures 2, 3 and 4 are tracking station stereographic projections which show the trace of the spacecraft trajectory for the view periods shown in Fig. 1. A more complete sequence of tracking events and ground station tracking modes may be found in Section VI.

Table 1 summarizes the tracking data used for both the inflight and postflight orbital calculations and analyses. This Table provides a general picture of the performance of the data recording and handling systems. The JPL Tracking Data Editing Program (TDEP) (Ref. 2)

is used to edit all incoming tracking data, and to prepare a data tape for input to the ODP. The total number of data points received are shown in column 3, and the number of points rejected by the editing program are shown in columns 5, 6, and 7. The points in column 5 are the result of applying a doppler differencing test to detect gross errors. Hence, whenever a bad point is found, the following point will automatically fail the difference test and be rejected. It should be noted that during flight operations, no attempt is made to reconstruct data points which were rejected for bad format. A data point is given a bad data condition code when automatic detectors, at the tracking stations, sense that the data would be unusable. These detectors have manual overrides which are used whenever an equipment malfunction is suspected, and during periods when the transmitter is being retuned prior to sending commands to the spacecraft or transferring transmitting assignment to another station. The reason for the excessive number of points shown in column 7 for the first pass for Stations 51 and 59 is given in Section VI. Otherwise, the number of rejected points shown in columns 5, 6, and 7 appear reasonable.

The blunder points shown in column 8 result from applying the rejection limits seen in column 9. These limits are based on experience gained in previous missions, and on the philosophy that it is better to immediately reject questionable points, which could create difficulties in converging to an orbit, than to attempt to salvage every point. This is particularly true when very few data are available during the early phase of the mission. The data shown in column 10 were obtained from the data tapes punched at the stations and mailed to JPL at the conclusion of each tracking pass.




Fig. 1. *Ranger VII* tracking station view periods and data coverage




Fig. 2. Station 12 trajectory trace






Fig. 3. Station 41 trajectory trace




Fig. 4. Station 51 trajectory trace

Table 1. Summary of data used in orbit determination

Station (1)	Data type (2)	Points received (3)	Number of points used in real time/ (% of received) (4)	Bad format/ (% of received) (5)	Points lost due to bad adjacent point/ (% of received) (6)	Bad data condition code/ (% of received) (7)	Blunder points/ (% of received) (8)	Rejection limits on blunder points (9)	Points used in postflight analysis, obtained from station tapes <sup>a</sup> (10)
Premidcourse									
12 Pass No. 1	2-way doppler	335 <sup>b</sup>	66/(19.7)	0/(0.0)	1/(0.3)	5/(1.5)	0/(0.0)	0.2 cps	158
41 Pass No. 1	2-way doppler	323	267/(82.7)	2/(0.6)	12/(3.7)	36/(11.1)	6/(1.9)	0.2 cps	258
	HA	399	325/(81.4)	5/(1.3)	0/(0.0)	9/(2.3)	60/(15.0)	1 deg	0
	Dec	399	325/(81.4)	5/(1.3)	0/(0.0)	9/(2.3)	60/(15.0)	0.1 deg	0
51 Pass No. 1	2-way doppler	78	0/(0.0)	0/(0.0)	4/(5.1)	65/(83.3)	9/(11.5)	0.2 cps	0
	HA	162	23/(14.2)	0/(0.0)	0/(0.0)	127/(78.4) <sup>c</sup>	12/(7.4)	0.3 deg	0
	Dec	162	24/(14.8)	0/(0.0)	0/(0.0)	127/(78.4) <sup>c</sup>	11/(6.8)	0.1 deg	0
51 Pass No. 2	2-way doppler	493	420/(85.2)	15/(3.0)	15/(3.0)	36/(7.3)	7/(1.4)	0.2 cps	428
	HA <sup>c</sup>	700	80/(11.4)	23/(3.3)	0/(0.0)	16/(2.3)	17/(2.4)	0.3 deg	0
	Dec <sup>c</sup>	700	79/(11.3)	23/(3.3)	0/(0.0)	16/(2.3)	18/(2.6)	0.1 deg	0
59 <sup>d</sup> Pass No. 1	2-way doppler	71	5/(7.0)	0/(0.0)	1/(1.4)	29/(40.8)	36/(50.7)	0.4 cps	5
Postmidcourse									
12 Pass No. 1	2-way doppler	485	414/(85.4)	8/(1.6)	26/(5.4)	0/(0.0)	37/(7.6)	0.2 cps	414
12 Pass No. 2	do.	721	688/(95.4)	5/(0.7)	3/(0.4)	8/(1.1)	17/(2.4)	do.	687
12 Pass No. 3	do.	675	236/(35.0) <sup>e</sup>	14/(2.1)	15/(2.2)	18/(2.7)	1/(0.1)	do.	634
41 Pass No. 1	do.	447	356/(79.6)	5/(1.1)	32/(7.2)	34/(7.6)	20/(4.5)	do.	355
41 Pass No. 2	do.	295	264/(89.5)	3/(1.0)	6/(2.0)	18/(6.1)	4/(1.4)	do.	251
51 Pass No. 1	do.	329	256/(77.8)	13/(4.0)	15/(4.6)	38/(11.6)	7/(2.1)	do.	256
51 Pass No. 2	do.	474	365/(77.0)	20/(4.2)	35/(7.4)	34/(7.2)	20/(4.2)	do.	381
<sup>a</sup> Data points are obtained from station data tapes to avoid transmission errors. <sup>b</sup> Includes 161 points of 10-sec data taken during spacecraft reorientation prior to midcourse motor ignition. These data were not included in postflight orbital computations. <sup>c</sup> Approximately 564 angle pairs were ignored during real-time computations. <sup>d</sup> Not scheduled to provide tracking data after pass No. 1. <sup>e</sup> Includes 43 angle pairs taken while spacecraft was below station horizon. <sup>f</sup> The last real-time orbit was calculated approximately 1 hr before impact. Hence, 378 good doppler points were not used during flight operations.									

### C. Data Weighting and Error Sources

In the modified-least-squares method used in the ODP, the weighting values for the individual data points are determined by the expected (or measured) "effective variances."<sup>1</sup> The weighting scheme used in the program developed by T. W. Hamilton<sup>2</sup> considers all known error sources to determine the "effective variance." Two classes of error sources are associated with the data used in the *Ranger VII* orbital calculations namely: (1) two-way doppler, and (2) hour angle (HA) and declination (Dec).

The error sources for two-way doppler are:

1. Trajectory computation errors due to rounding errors in the Cowell integration (Ref. 5).
2. Doppler counter rounding errors due to "start" and "stop" gate pulses not occurring at times such that an integral number of cycles has passed, or by variations between "start" and "stop" pulses.
3. Ground station transmitter reference frequency errors either in absolute frequency or reference oscillator frequency drift. The reference frequency is controlled by a temperature stabilized, voltage controlled oscillator (VCO) at Stations 41, 51 and 59, and by either a VCO or a frequency synthesizer (SYNTHESIZER) driven by a rubidium frequency standard at Station 12. The drift rate is 1 part in  $10^8/15$  min for the VCO, and 3 parts in  $10^{11}/\text{hr}$  for the rubidium standard.
4. Doppler counter error due to dropped or added cycles in the presence of a low signal-to-noise ratio.
5. Refraction correction errors due to the difference between the atmospheric model in the ODP and the actual atmosphere at a given time.
6. Spacecraft antenna motion caused by spacecraft tumbling or stabilization motion.

<sup>1</sup>This approach was first used at JPL by A. R. M. Noton in "Effect of Correlated Data in Orbit Determination From Radio Tracking Data," August 1959 (internal communication). Further discussion was given by A. R. M. Noton, E. Cutting, and F. Barnes (Ref. 3). T. A. Magness and J. B. McGuire have developed mathematical expressions to contrast the performance of least-squares, modified-least-squares, and minimum covariance estimators in terms of the eigenvalues and eigenvectors of the data noise covariance matrix (Ref. 4).

<sup>2</sup>T. W. Hamilton, "Apriori Weighting Coefficients," April 12, 1962 (internal communication).

The error sources associated with angular (HA and Dec) are:

1. Angle jitter or variation about the aiming point caused by the antenna drive servomechanisms.
2. Angle correction errors caused by differences between the empirical correction model, which is based on the antenna optical axis, and the RF pointing axis.
3. Angular encoder readout errors caused by inaccuracies in compensation cams. Resolution is plus or minus one count which corresponds to 0.002 deg.
4. Refraction correction errors due to the difference between the atmospheric model used in the ODP and the actual atmosphere at a given time.

The manner in which the error sources enter into the weighting scheme may be seen in the following expression which is used to compute the effective variance  $\sigma^2$  for weighting a given data point

$$\sigma^2 = \sum_{i=1}^6 s_i^2 g_i^2 \text{ Max} \left\{ 1, \frac{T_{\text{correlation}}}{T_{\text{sample}}} \right\}$$

where

$i$  = basic error source

$s_i^2$  = variance of the basic error source

$g_i$  = sensitivity coefficient

$T_{\text{correlation}}$  = "correlation width," in seconds, of the basic error source

$T_{\text{sample}}$  = sample spacing, in seconds

Table 2 shows the functional form of the sensitivity coefficients associated with HA, Dec, and two-way doppler. These coefficients are computed in the ODP, and  $T_{\text{correlation}}$ ,  $T_{\text{sample}}$ , and the variances ( $s_i^2$ ) are on the data input record supplied by the TDEP. Specifically,  $T_{\text{sample}}$  is obtained directly from the sample time indicated in the tracking data.  $T_{\text{correlation}}$  and  $s_i^2$  are obtained from control cards read into the TDEP in a single-weight code word<sup>3</sup> by the orbit engineer. The numerical values used for  $T_{\text{correlation}}$  and  $s_i^2$  are based on a priori knowledge of the individual tracking stations gained from previous

<sup>3</sup>Two-way doppler data for Station 12 requires the use of two-weight codes to reflect the two methods of controlling the transmitter reference frequency; i.e., VCO and SYNTHESIZER.

**Table 2. Sensitivity coefficients,  $g_i$ , for HA, Dec and two-way doppler**

Error source	Sensitivity coefficient		
	Hour angle	Declination	Two-way doppler
1	$1/\cos(\text{Dec})$	1	1
2	1	1	$1/T_c$
3	1	1	$\rho/c$
4	$\Delta r(\text{HA})$	$\Delta r(\text{Dec})$	$1/\sqrt{3T_c}$
5	—	—	$\Delta r \dot{\rho}$
6	—	—	1

$$\Delta r(\text{HA}) = \frac{\cos \phi \sin^2(\text{HA})}{\cos^2 \gamma \sin \sigma} (\Delta r \gamma)$$

$$\Delta r(\text{Dec}) = \frac{\cos \gamma \sin \phi - \sin \gamma \cos \phi \cos \sigma}{\cos(\text{Dec})} (\Delta r \gamma)$$

$\phi$  = geocentric latitude of tracking station  
 $\gamma$  = elevation angle  
 $\sigma$  = azimuth angle  
 $\Delta r \gamma$  = refraction correction for elevation angle  
 $= 57.2957795 n b_1 b_2 / 340.0$ , for  $\gamma < 0.3$  rad  
 $= 57.2957795 n \times 10^{-6} \cot \gamma$ , for  $\gamma \geq 0.3$  rad  
 $n$  = index of refraction, nominally 340.0  
 $b_1 = 1.0 - (1.216 \times 10^5 b_2 \gamma) - (51.0 - 300.0 \gamma) \sqrt{b_2}$   
 $b_2 = [7.0 \times 10^{-4} / (0.0589 + \gamma)] - 1.26 \times 10^{-3}$   
 $b_3 = 1/10^3 (r - RE)$   
 $r$  = geocentric radius to spacecraft  
 $RE$  = Earth's radius  
 $\Delta r \dot{\rho} = 0.0018958 [(\sin A + 0.06483)^{-1.4} - (\sin B + 0.06483)^{-1.4}] n / 340.0$   
 $A = \gamma + T_c \dot{\gamma} / 2$   
 $B = \gamma - T_c \dot{\gamma} / 2$   
 $T_c$  = doppler count interval, sec  
 $\rho$  = range from station to spacecraft

of usable data from Station 41. Figure 4 presents a dramatic example of doppler sensitivity to spacecraft motion. The doppler residuals seen in the Figure were observed at Station 41 during Sun Acquisition sequence. The residuals to the left of 18:00:00 GMT show spacecraft tumbling prior to exit from the Earth's shadow, and those to the right show the motion of the spacecraft while it was searching for the Sun. When the spacecraft was in the cruise mode maintaining Sun-Earth lock, the maximum change in doppler phase due to the limit cycle was 0.1 cycles.

In Table 2 it may be seen that the effect on the total weight for the doppler counter error sources (rounding and added or dropped cycles) may be minimized by using a long counting base. This is accomplished at the DSIF stations by taking continuous count doppler with a dual counter system. That is, one counter continuously counts cycles that have passed from some start time. When it receives a pulse to supply a doppler sample, it transfers its contents to another counter without interrupting its counting action. The contents of the second are then translated from binary-coded decimal (BCD) to decimal and punched on paper tape. Doppler refraction correction (error source 5) is not a predominant error source except possibly for the early part of a mission when the elevation angle rates are high. For this mission, only 30 sec of early usable doppler data were available from Station 59. The transmitter reference frequency drift (error source 3) is a major contributor to the total doppler weight for stations using the VCO; but is negligible for Station 12 when using the SYNTHESIZER. For example, near lunar encounter where the contribution from this source is a maximum, the error attributed to the frequency drift for the SYNTHESIZER is  $\sigma^2 = 0.03756 \times 10^{-4}$ , and for the VCO it is  $\sigma^2 = 375.6 \times 10^{-4}$ .

missions and on error models for the various error sources. Table 3 presents values of  $g_i$ ,  $S_i^2$ ,  $T_{\text{correlation}}$ , and the resulting contribution to the total weight from each basic error source computed at two different times along the trajectory. The individual data weights for the entire trajectory for a given orbital calculation may be seen in the tracking data residual listings in Appendix E. It is interesting to note the change in data weight when the transmitter was switched from SYNTHESIZER to VCO at 08:41:32 GMT on July 29th in the premaneuver orbit.

The contribution to the total weight due to spacecraft tumbling was considered to be zero since the only tumbling occurred between injection at 17:20:01 and Sun acquisition at 18:06:52 GMT. During this period 30 sec of usable data were received from Station 59, and 8 min

For the angular data types (HA, Dec), the predominant error sources are angle correction errors and encoder errors. During *Ranger VII* correction errors of 0.1 deg and encoder errors of approximately 0.02 deg peak-to-peak were noted. Plots of these errors may be seen in Figs. 5 and 6 in which the residuals represent the error remaining after the angle corrections had been applied. Due to these large errors, angular data were not used in the orbit calculations except during the early phase of the mission. They were very helpful in obtaining the first orbital estimates since there was a scarcity of usable data during the first two hours after injection. The contribution due to refraction correction errors was relatively small and was not used for local elevation angles greater than 17 deg. The affect of angle jitter errors on

Table 3. Contribution from individual error sources to total weight for Ranger VII mission

Error source	Early doppler (range = 55,000 km)				Late doppler (range = 383,000 km)			
	$g_i^2$	$s_i^2$	Correlation width, sec	$\sigma_i^2$ , cps <sup>2</sup>	$g_i^2$	$s_i^2$	Correlation width, sec	$\sigma_i^2$ , cps <sup>2</sup>
(1) Computing error	1	$1.1 \times 10^{-5}$	36,000	$65.6 \times 10^{-4}$	1	$1.1 \times 10^{-6}$	36,000	$65.6 \times 10^{-4}$
(2) Counter rounding error	$2.78 \times 10^{-4}$	0.16	1	$0.47 \times 10^{-4}$	$2.78 \times 10^{-4}$	0.16	1	$0.47 \times 10^{-4}$
(3) Transmitter reference frequency error	0.0189	$0.41 \times 10^{-3}$	600	$7.76 \times 10^{-4}$ (for VCO)	0.917	$0.41 \times 10^{-2}$ (VCO) $0.41 \times 10^{-6}$ (SYNTHESIZER)	600	$376.1 \times 10^{-4}$ (VCO) $0.03761 \times 10^{-4}$ (SYNTHESIZER)
(4) Dropped or added cycles	$5.56 \times 10^{-3}$	0.96	1	$5.43 \times 10^{-4}$	$5.56 \times 10^{-3}$	0.96	1	$5.34 \times 10^{-4}$
(5) Refraction correction error	$1.11 \times 10^{-4}$	0.04	1,000	$0.007 \times 10^{-4}$	$3.92 \times 10^{-4}$	0.04	1,000	$0.026 \times 10^{-4}$
(6) Spacecraft motion			Zero for Ranger VII				Zero for Ranger VII	
Total				$\sum_{i=1}^6 \sigma_i^2 = 79.24 \times 10^{-4}$ $\sigma = 0.089$				$\sum_{i=1}^6 \sigma_i^2 = 446.6 \times 10^{-4}$ (VCO) $= 71.5 \times 10^{-4}$ (SYNTHESIZER) $\sigma = 0.211$ (VCO) $= 0.085$ (SYNTHESIZER)
Error source	Early angles (range = 55,000 km)				Late angles (range = 383,000 km)			
	$g_i^2$	$s_i^2$	Correlation width, sec	$\sigma_i^2$ , deg <sup>2</sup>	$g_i^2$	$s_i^2$	Correlation width, sec	$\sigma_i^2$ , deg <sup>2</sup>
(1) Angle jitter	Dec = 1 HA = 1.026	$9.0 \times 10^{-6}$	1	Dec = $0.09 \times 10^{-4}$ HA = $0.0924 \times 10^{-4}$	Dec = 1 HA = 1.008	$9.0 \times 10^{-6}$	1	Dec = $0.09 \times 10^{-4}$ HA = $0.0907 \times 10^{-4}$
(2) Angle correction error	1	$1.0 \times 10^{-4}$	20,000	$333.33 \times 10^{-4}$	1	$1.0 \times 10^{-4}$	20,000	$333.33 \times 10^{-4}$
(3) Angle encoder error	1	$1.44 \times 10^{-6}$	1	$0.0144 \times 10^{-4}$	1	$1.44 \times 10^{-6}$	1	$0.0144 \times 10^{-4}$
(4) Refraction correction error	Dec = $1.26 \times 10^{-4}$ HA = $2.48 \times 10^{-4}$	$4.0 \times 10^{-2}$	1,000	Dec = $0.84 \times 10^{-4}$ HA = $1.65 \times 10^{-4}$	Dec = $4.12 \times 10^{-4}$ HA = $2.44 \times 10^{-4}$	$4.0 \times 10^{-2}$	1,000	Dec = $2.75 \times 10^{-4}$ HA = $1.63 \times 10^{-4}$
Total				$\sum_{i=1}^4 \sigma_i^2 = 334.27 \times 10^{-4}$ (Dec) $= 335.06 \times 10^{-4}$ (HA) $\sigma = 0.183$ (Dec) $= 0.183$ (HA)				$\sum_{i=1}^4 \sigma_i^2 = 336.18 \times 10^{-4}$ (Dec) $= 335.06 \times 10^{-4}$ (HA) $\sigma = 0.183$ (Dec) $= 0.183$ (HA)
Note: sample rate = count time = 60 sec								
$\sigma = \left[ \sum_{i=1}^6 \sigma_i^2 \right]^{1/2} = \left[ \sum_{i=1}^6 g_i^2 s_i^2 \text{Max} \left\{ 1, \frac{T_{\text{correlation}}}{T_{\text{sample}}} \right\} \right]^{1/2}$								




Fig. 5. Station 41 doppler variation during Sun acquisition

the total HA weight was determined by the declination angles seen during the mission. For *Ranger VII*, declination angles ranged between 349 and 7.8 deg. In Table 2 it may seem that this error source contributes very heavily to total HA weight for declination angles near 90 and 270 deg.

For both doppler and angular data, an additional error source exists; namely, the differences in absolute time between the station clocks. For *Ranger VII*, an experimental method was used to determine these differences to within 1 msec during flight operations. This method is based on two stations measuring the time of a specific telemetered event (occurring when both stations have the spacecraft in view) and correcting these times for differences in station-probe range. The event measured was a telemetry synchronization pulse which occurred every 1000 sec. At the stations the event time was measured using an analog recorder operating at a paper speed of 60 in./sec. In addition to the synchronization pulse, a BCD time code and a 100 pps timing reference was recorded. It was assumed that the signal transit time through the equipment (i.e., from antenna to recording device) was the same for all stations. Results of these measurements indicate a 6 msec difference between the clocks at Stations 12 and 41, and a 3 msec difference between Stations 12 and 51. The detailed affect of these biases on the estimate of the *Ranger VII* flight path is small but is being carefully investigated.

The sample spacing to be used at the tracking stations is determined by the tradeoff between doppler counter rounding errors and truncation errors occurring in the

doppler frequency computations. The expression used in the ODP for these computations is

$$f(t_{ob}) = \int_{T - \frac{1}{2}\tau}^{T + \frac{1}{2}\tau} \ddot{F}(t) dt$$

where  $f(t_{ob})$  = the integrated doppler frequency, which should be observed by a station at time  $t_{ob}$ .

$$T = t_{ob} - \frac{1}{2}\tau$$

$\tau$  = sample spacing

$F(t)$  = the instantaneous frequency of the doppler shift which should have been observed at time  $t$ .

This integral is evaluated by expanding a Taylor series about  $T$  and integrating term by term leading to

$$f(t_{ob}) = \tau F(T) + \frac{\tau^3}{24} \ddot{F}(T) + O(F^{iv})$$

Thus, the truncation error is a function of  $\tau$  and the fourth derivative of the frequency (which is, in turn, dependent on the fifth derivative of range). For this mission sample spacing had to be reduced during three phases of the flight: (1) near Earth, (2) during maneuver motor thrusting, and (3) near lunar encounter. For these phases sample spacings of 5, 10, and 10 sec, respectively, were used. At all other times a sample spacing of 60 sec was used.

It is believed that the total weight applied to angular and two-way doppler data is somewhat conservative, and that all error sources which contribute a measurable amount of the total weight have been taken into account.

#### D. Premaneuver Orbit Based on Premaneuver Tracking Only

Table 4 summarizes the data used for the postflight analysis of the premaneuver data, and presents the statistics pertaining to these data. It will be noted that only two-way doppler data were used in the orbit calculation. Angular data were not used because of biases due to the inadequacy of the angular correction model. These biases may be seen in Figs. 6 and 7, and the correction model errors will be explained more fully in Section VI. From Table 4 it may be seen that the noise level for all stations except Station 59 varied between 0.001 and 0.022 m/sec. At Station 59 the noise level was higher (0.031 m/sec), since a higher sample rate of 1/5 sec was required due to high spacecraft acceleration. Residual plots for the premaneuver data may be seen in Figs. 8 through 13. It should be noted that these plots do not pertain to this particular calculation; but, as will be pointed out in the section on combined results, they deviate by an insignificant amount from the residuals of this orbit.

Table 5, columns 1 through 3, shows the parameters which were estimated and the a priori information used. For this orbital calculation, large a priori uncertainties were placed on all parameters so that the final solution would be determined solely by the tracking data. For the station location uncertainties, the  $X_1$ ,  $X_2$ ,  $X_3$  coordinate system (centered at the tracking station) was used. In this system,  $X_1$  and  $X_2$  are in the equatorial plane with  $X_2$  in the longitude direction and  $X_1$  normal to the Earth's spin axis.  $X_3$  is in the direction of the Earth's spin axis. A 1- $\sigma$  a priori of 500, 500, and 100 m was used for  $X_1$ ,  $X_2$ , and  $X_3$ , respectively, and then rotated into the station spherical coordinate system (radius, latitude, and longitude) for input into the ODP.

Column 4 of the Table contains the statistics associated with this orbital calculation at injection epoch, maneuver epoch, and lunar impact. At injection epoch, the smallest uncertainty in the Cartesian orbital elements appears in the X direction, and the largest in the Z direction. This is as expected since the spacecraft orbital plane is almost coincident with the X-Y plane, and the spacecraft motion is predominantly in the X direction. The doppler measurement is also in this direction; therefore, X and Y should be well determined. Since Z is normal to the doppler measurement, it will not be as well determined. The uncertainty in the universal gravitational constant times the mass of Earth ( $GM_\oplus$ ) was re-

Table 4. Statistics on premaneuver data

Station	Number of doppler points	No a priori from postmaneuver			With postmaneuver as a priority		With postmaneuver as a priority plus REM constraint	
		Standard deviation*, cps	Mean, cps	Remarks <sup>b</sup>	Standard deviation, cps	Mean, cps	Standard deviation, cps	Mean, cps
12	61	0.0079	+0.0031	Data taken below 17-deg elevation using rubidium frequency standard	0.0082	0.0018	0.0079	-0.0003
	23	0.0105	-0.0055	Data taken above 17-deg elevation using rubidium frequency standard	0.0105	-0.0040	0.0102	-0.0041
	74	0.0142	+0.0036	Data taken above 17-deg elevation using voltage controlled osc (VCO)	0.0142	-0.0023	0.0141	0.0000
41	252	0.0100	+0.0012	Data taken above 17-deg elevation using VCO	0.0102	-0.0003	0.0100	-0.0006
	6	0.0059	-0.0016	do.	0.0060	-0.0003	0.0060	-0.0041
51	428	0.0100	-0.0019	do.	0.0102	0.0026	0.0100	-0.0010
59	5	0.2010	-0.0203	do.	0.1980	-0.0080	0.1970	0.1390

\*In the Ranger VII station configuration for L-band frequency, 1 counted doppler cycle  $\cong$  0.156 m.

<sup>b</sup>Remarks concerning rubidium frequency standard and VCO refer to method used to provide ground station transmitter reference frequency.






Fig. 6. Station 41 angular residuals




Fig. 7. Station 51 angular residuals

Table 5. Estimated parameter statistics

Estimated parameter (1)	Units (2)	A priority (one sigma) (3)		Standard deviations on parameters using premaneuver data only (4)				Standard deviation on parameters using premaneuver data with a priority from postmaneuver data (5)				Standard deviations with REM constraint applied to premaneuver orbit (using postmaneuver data as a priority) at injection epoch (6)	Standard deviations on parameters using postmaneuver data only (7)		Standard deviations on parameters using postmaneuver data with a priority from premaneuver data (8)		Standard deviations with REM constraint applied to postmaneuver orbit at impact epoch (9)
		Actually used <sup>d</sup>	Presently accepted <sup>a</sup>	Injection epoch	Maneuver epoch	Impact epoch	Injection epoch	Maneuver epoch	Impact epoch	Injection epoch	Maneuver epoch	Impact epoch	Maneuver epoch	Impact epoch	Maneuver epoch	Impact epoch	
$\chi^b$	km	$1 \times 10^4$	5	0.240	3.498	29.713	0.068	0.550	2.671	0.054	2.528	2.382	0.554	0.277	0.554	0.277	0.216
Y	km	$1 \times 10^4$	5	0.318	8.838	45.244	0.109	1.887	4.340	0.102	3.946	3.719	1.891	1.577	1.891	1.577	0.270
Z	km	$1 \times 10^4$	5	0.465	19.809	24.532	0.150	3.675	4.299	0.136	8.500	6.435	3.616	4.335	3.616	4.335	0.834
DX	m/sec	$1 \times 10^4$	10	0.588	0.059	13.292	0.076	0.007	1.162	0.074	0.016	0.666	0.006	0.411	0.006	0.411	0.076
DY	m/sec	$1 \times 10^4$	10	0.679	0.082	35.636	0.323	0.016	3.170	0.295	0.029	1.918	0.018	1.212	0.018	1.212	0.195
DZ	m/sec	$1 \times 10^4$	10	1.788	0.157	12.264	0.463	0.033	3.417	0.372	0.061	3.134	0.035	2.044	0.035	2.044	0.376
GM <sub>⊕</sub>	km <sup>3</sup> /sec <sup>2</sup>	10	4	6.315			1.531			1.402	8.746		1.530		1.530		1.401
GM <sub>☾</sub>	km <sup>3</sup> /sec <sup>2</sup>	5	0.3	4.999			0.167			0.156	0.402		0.167		0.167		0.154
REM	m	50	20	50.000			36.300			7.341	44.948		36.230		36.230		7.339
G8	—	0.3	0.2	0.300			0.300			0.300	0.300		0.300		0.300		0.300
Station 12																	
Radius	m			133			58			58	59		58		58		57
Latitude	deg			0.00107			0.00074			0.00074	0.00074		0.00074		0.00074		0.00074
Longitude	deg			0.00348			0.00062			0.00026	0.00098		0.00062		0.00062		0.00026
Station 41																	
Radius	m			96			58			57	64		58		58		56
Latitude	deg			0.00093			0.00077			0.00077	0.00079		0.00077		0.00077		0.00077
Longitude	deg			0.00375			0.00064			0.00032	0.00107		0.00064		0.00064		0.00032
Station 51																	
Radius	m			75			25			24	44		25		25		23
Latitude	deg			0.00346			0.00062			0.00028	0.00101		0.00062		0.00062		0.00028
Station 59 <sup>c</sup>																	
Radius	m			439			320			320	452		320		320		320
Longitude	deg			0.00420			0.00148			0.00148	0.00499		0.00148		0.00148		0.00148

<sup>a</sup>Indicates approximate known uncertainty before estimate, which in most cases is a magnitude smaller than a priority actually used.<sup>b</sup>Space-fixed geocentric equatorial Cartesian coordinates.<sup>c</sup>Station 59 provided only 30 sec (5 points) of early data and was not scheduled to provide tracking data during subsequent view periods.<sup>d</sup>These a priori values were used in the orbital calculations for premaneuver data only (column 4), and postmaneuver data only (column 7).

NOTE: All impact statistics are in geocentric coordinate system rather than selenocentric.




Fig. 8. Station 12 premaneuver pass No. 1 two-way doppler residuals




Fig. 9. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 17:53 GMT)




Fig. 10. Station 41 premaneuver pass No. 1 two-way doppler residuals (start 23:53 GMT)

INITIAL  
ELEVATION  $\cong$  18 deg




Fig. 11. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 21:53 GMT)




Fig. 12. Station 51 premaneuver pass No. 2 two-way doppler residuals (start 03:53 GMT)






Fig. 13. Station 59 premaneuver pass No. 1 two-way doppler residuals

duced below the input a priority; however, the reduction was not as great as that in *Ranger VI* where it dropped from 10 to 4.25 km<sup>3</sup>/sec<sup>2</sup>. This is because only 30 sec of usable early data were available for *Ranger VII*; whereas in *Ranger VI*, approximately 2 min of early data were available. Station radius uncertainties were appreciably below the input a priority for all stations except Station 59 where only 5 data points were available.

Numerical values of the estimated parameters are presented in Table 6, column 4. The encounter conditions obtained by mapping the trajectory forward to impact may be seen in Table 7, column 3. For certain parameters, the **B** plane system (defined in Appendix A) is

used (Ref. 6). The statistics associated with the encounter parameters are given in Table 8, column 1. In this Table, the semimajor axis (SMAA) and the semiminor axis (SMIA) define the dispersion ellipse in which impact will occur. *DEL T* is the uncertainty in linearized time of flight along the incoming asymptote. Other terms used in this Table are defined in Appendix G. The correlation matrices at injection and maneuver epochs are presented in Tables 9 and 10.

The conclusions of the premaneuver data analysis are that a good fit was made to all the doppler data, and that the solutions for the physical constants are consistent with presently accepted values.

Table 6. Values of estimated parameters<sup>a</sup>

Estimated parameters (1)	Units (2)	Nominal (3)	Premaneuver — no a priority from postmaneuver (4)	Premaneuver with a priority from postmaneuver (5)	With REM constraint applied to column (5) solution (6)	Postmaneuver — no a priority from premaneuver (7)	Postmaneuver with a priority from postmaneuver (8)	With REM constraint applied to column (8) solution (9)
X <sup>b</sup>	km		-4833.5892	-4833.6123	-4833.6187	156675.56	156674.52	156674.59
Y	km		-4206.2476	-4206.2479	-4206.2420	63040.265	63041.633	63041.361
Z	km		-1441.2768	-1441.3998	-1441.4092	8080.9613	8077.6773	8078.2511
DX	m/sec		7.0599831	7.0601073	7.0601102	1434.2599	1434.2616	1434.2624
DY	m/sec		-6.8710693	-6.8712135	-6.8712333	972.56744	972.57020	972.56707
DZ	m/sec		-4.7802324	-4.7797462	-4.7797043	281.16677	281.16151	281.16743
GM <sub>B</sub>	km <sup>3</sup> /sec <sup>2</sup>	398603.20	398601.77	398601.46	398601.36	398602.35	398601.38	398601.28
REM	km	6378.3254	6378.3253	6378.3100	6378.3153	6378.3292	6378.3080	6378.3144
GB	—	0.40	0.40007859	0.38294392	0.38309627	0.39878235	0.39224036	0.39241809
GM <sub>C</sub>	km <sup>3</sup> /sec <sup>2</sup>	4902.7779	4902.7693	4902.6957	4902.6865	4902.6064	4902.5900	4902.5801
Station 12								
Radius	km	6372.0164	6371.8724	6371.9891	6371.9902	6371.9857	6371.8802	6371.8816
Latitude	deg	35.116540	35.117447	35.118841	35.118834	35.118650	35.117430	35.117422
Longitude	deg	243.19539	243.19473	243.19465	243.19456	243.19417	243.19448	243.19438
Station 41								
Radius	km	6372.6076	6372.5922	6372.5850	6372.5865	6372.6095	6372.6016	6372.6033
Latitude	deg	-31.212360	-31.212461	-31.211878	-31.211866	-31.212158	-31.212264	-31.212250
Longitude	deg	136.88617	136.88810	136.88773	136.88764	136.88736	136.88756	136.88746
Station 51								
Radius	km	6375.5503	6375.4628	6375.4826	6375.4839	6375.4951	6375.4784	6375.4799
Longitude	deg	27.685588	27.685950	27.685600	27.685516	27.685035	27.685339	27.685241
Station 59								
Radius	km	6375.6602	6375.6696	6375.6523	6375.6513	6375.7122	6375.6449	6375.6438
Longitude	deg	27.704570	27.704883	27.705576	27.705564	27.706088	27.705178	27.705165

<sup>a</sup> Maneuver epoch (end of midcourse motor burn) occurred on July 29, 1964 at 10:27:58 GMT.

<sup>b</sup> Space-fixed geocentric equatorial Cartesian coordinates.

Note: Differences between premaneuver and postmaneuver solution values for both position and velocity are a result of the midcourse maneuver. Premaneuver values refer to the time prior to midcourse motor ignition, whereas the postmaneuver values refer to the time after the end of the midcourse motor burn.

Table 7. Impact parameter estimates

Parameter <sup>a</sup> (1)	Units (2)	Premaneuver data only (3)	Postmaneuver data only (4)	Premaneuver as a priority for postmaneuver (5)	postmaneuver as a priority for premaneuver (6)	Best impact location (to date) and time of impact (7)
B • TT	km	-3797.4251	1624.5096	1623.9820	-3801.1085	-10.62°  -20.59°  13:25:48.799 <sup>f</sup>
B • TT	km	755.19018	800.90869	803.61322	745.15017	
TF <sup>b</sup>	hr	67.393811	50.964119	50.964090	67.395797	
Selenocentric latitude	deg	-12.300271	-10.649078	-10.701728	-12.166415	
Selenocentric longitude	deg	203.80992	-20.66196	-20.66850	203.40361	
GMT	hms	12:43:33.722 <sup>d</sup>	13:25:48.833 <sup>e</sup>	13:25:48.728 <sup>e</sup>	12:43:40.875 <sup>e</sup>	

<sup>a</sup> See Appendixes A and G for definitions.<sup>b</sup> Time of flight for closest approach or impact.<sup>c</sup> Preliminary values based on analyses of lunar TV photos and Air Force lunar maps.<sup>d</sup> Based on the nominal lunar radius of 1738.09 km (Ref. 12).<sup>e</sup> Based on a lunar radius of 1735.6 km.<sup>f</sup> Time at which Station 12 recorded loss of signal from spacecraft corrected for signal transmit time.Resolution of recording measurements is  $\pm 1$  msec.

Table 8. Statistics in the B plane system

Premaneuver data only (1)					Postmaneuver data only (2)					Premaneuver as a priority for postmaneuver (3)				
Standard deviation	Correlation matrix				Standard deviation	Correlation matrix				Standard deviation	Correlation matrix			
		B • R	B • T	TL			B • R	B • T	TL			B • R	B • T	TL
34.6399 km	B • R	1.000	0.361	−0.310	11.556 km	B • R	1.000	−0.889	−0.746	5.707 km	B • R	1.000	−0.977	0.505
20.9206 km	B • T		1.000	−0.795	4.286 km	B • T		1.000	0.363	3.217 km	B • T		1.000	−0.670
14.603 sec	TL			1.000	1.213 sec	TL			1.000	0.196 sec	TL			1.000
SMAA = 35.793 km SMIA = 18.880 km DEL T = 14.603 sec $\theta^b = 107.240$ deg					SMAA = 12.184 km SMIA = 1.860 km DEL T = 1.213 sec $\theta^b = 71.296$ deg					SMAA = 6.523 km SMIA = 0.605 km DEL T = 0.196 sec $\theta^b = 60.888$ deg				
Postmaneuver as a priority for premaneuver (4)					With constraint on REM <sup>a</sup> (lunar scale factor) (5)									
Standard deviation	Correlation matrix				Standard deviation	Correlation matrix								
		B • R	B • T	TL			B • R	B • T	TL					
10.391 km	B • R	1.000	−0.782	−0.807	1.578 km	B • R	1.000	−0.467	−0.970					
5.184 km	B • T		1.000	0.701	0.410 km	B • T		1.000	0.256					
3.042 sec	TL			1.000	0.189 sec	TL			1.000					
SMAA = 11.221 km SMIA = 2.990 km DEL T = 3.042 sec $\theta^b = 66.950$ deg					SMAA = 1.590 km SMIA = 0.360 km DEL T = 0.189 sec $\theta^b = 82.699$ deg									
<sup>a</sup> Based on the postmaneuver orbit using premaneuver data as a priority. REM constraint is applied and results converted to selenocentric coordinate system. All other results are in geocentric coordinate system.														
<sup>b</sup> $\theta$ is measured counterclockwise from lunar equator to SMAA.														

Table 9. Correlation matrix on premaneuver data at injection epoch

Standard deviation	Correlation coefficients														
	X	Y	Z	DX	DY	DZ	GM $\oplus$	REM	G	GM	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)
X 0.240 km	1.000	-0.778	0.321	0.379	0.620	-0.240	0.192	0.0	0.0	0.020	0.154	0.489	0.247	0.193	0.937
Y 0.318 km		1.000	0.289	-0.620	-0.491	-0.106	-0.384	0.0	0.0	0.004	-0.037	-0.861	0.110	-0.086	-0.642
Z 0.465 km			1.000	-0.592	0.290	-0.706	0.236	0.0	0.0	0.017	0.318	-0.665	-0.497	0.390	0.417
DX 0.588 m/sec				1.000	-0.228	0.782	-0.397	0.0	0.0	-0.003	0.243	0.838	0.541	-0.425	0.239
DY 0.679 m/sec					1.000	-0.755	0.527	0.0	-0.001	-0.001	-0.489	0.219	-0.552	0.434	0.668
DZ 1.788 m/sec						1.000	-0.565	0.0	0.0	-0.010	0.331	0.459	0.721	-0.567	-0.360
GM $\oplus$ 6.315 km <sup>2</sup> /sec <sup>2</sup>							1.000	0.0	0.002	0.020	-0.018	-0.015	-0.742	0.583	0.263
REM 0.050 km								1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G 0.300 —									1.000	0.0	0.0	0.0	0.0	0.0	0.0
GM $\oplus$ 4.99 km <sup>2</sup> /sec <sup>2</sup>										1.000	0.0	0.0	0.0	0.0	0.0
RI(1) 439 km											1.000	0.0	0.001	-0.001	-0.018
LO(1) 0.00420 deg												1.000	0.102	-0.080	0.130
RI(3) 0.133 km													0.239	-0.188	0.355
LA(3) 0.00101														1.000	-0.360
LO(3) 0.00348 deg															1.000
RI(4) 0.096 km															1.000
LA(4) 0.0093 deg															1.000
LO(4) 0.00375 deg															1.000
RI(5) 0.075 km															1.000
LO(5) 0.00346 deg															1.000

	R	$\phi$	$\lambda$	V	$\gamma$	$\sigma$
R 0.233 km	1.000	-0.917	0.181	-0.901	0.310	0.589
$\phi$ 0.00373 deg		1.000	-0.035	0.970	-0.390	-0.727
$\lambda$ 0.00331 deg			1.000	-0.039	-0.079	-0.039
V 0.243 m/sec				1.000	-0.207	-0.842
$\gamma$ 0.00227 deg					1.000	-0.269
$\sigma$ 0.01078 deg						1.000

Table 10. Correlation matrix on premaneuver data at maneuver epoch

Standard deviation	Correlation coefficients														
	X	Y	Z	DX	DY	DZ	GM <sub>B</sub>	REM	G	GM <sub>C</sub>	R(1)	LO(1)	R(3)	LA(3)	LO(3)
X 3.498 km	1.000	-0.942	-0.120	0.941	-0.989	-0.090	0.228	0.0	0.001	0.0	-0.160	-0.637	-0.156	0.123	-0.794
Y 8.838 km		1.000	-0.216	-0.789	0.953	-0.241	-0.021	0.0	-0.001	0.005	0.141	0.453	-0.803	0.065	0.919
Z 19.809 km			1.000	-0.407	0.068	0.988	-0.584	0.0	0.0	-0.014	0.067	0.535	0.737	-0.579	-0.417
DX 0.059 m/sec				1.000	-0.926	-0.372	0.264	0.0	0.004	0.018	-0.230	-0.790	-0.302	0.238	-0.625
DY 0.082 m/sec					1.000	0.022	-0.174	0.0	-0.005	-0.004	0.275	0.587	0.129	-0.102	0.817
DZ 0.157 m/sec						1.000	-0.545	0.0	-0.001	-0.017	-0.077	0.572	0.709	-0.557	-0.434
GM <sub>B</sub> 6.315 km <sup>2</sup> /sec <sup>2</sup>							1.000	-0.001	0.002	0.020	0.018	-0.015	-0.742	0.583	0.283
REM 0.050 km								1.000	0.0	0.0	0.0	0.0	0.0	0.0	0.0
G 0.300									1.000	0.0	0.0	0.0	0.0	0.0	0.0
GM <sub>C</sub> 5.000 km <sup>2</sup> /sec <sup>2</sup>										1.000	0.0	-0.001	0.001	-0.001	-0.018
R(1) 0.439 km											1.000	-0.154	0.102	-0.080	0.130
LO(1) 0.004 deg												1.000	0.239	-0.188	0.355
R(3) 0.133 km													1.000	-0.360	-0.285
LA(3) 0.001 deg														1.000	0.225
LO(3) 0.003 deg															1.000
R(4) 0.096 km															
LA(4) 0.001 deg															
LO(4) 0.004 deg															
R(5) 0.076 km															
LO(5) 0.003 deg															

	R	φ	λ	V	γ	σ
R 0.219 km	1.000	-0.701	0.132	0.758	-0.647	0.627
φ 0.00672 deg		1.000	-0.171	-0.990	0.959	-0.881
λ 0.00320 deg			1.000	0.166	-0.109	0.064
V 0.111 m/sec				1.000	-0.935	0.912
γ 0.00012 deg					1.000	-0.888
σ 0.00025 deg						1.000

### E. Postmaneuver Orbit Based on Postmaneuver Tracking Only

Table 11 summarizes the data used for the postflight analysis of the postmaneuver data, and presents the statistics pertaining to these data. The noise level in the postmaneuver data varied between 0.001 and 0.003 m/sec, except for the last entry shown for Station 12. The noise level for this block of data was higher, 0.008 m/sec, since a higher sample rate of 1/10 sec was required due to a higher spacecraft acceleration near lunar encounter. Residual plots for the postmaneuver data

may be seen in Figs. 14 through 24. It should be noted that these plots do not pertain to this particular calculation; but, as will be pointed out in the section on combined results, they deviate by an insignificant amount from the residuals of this orbit. The difference in noise characteristics between the two methods of controlling the transmitter reference frequency (i.e., VCO or SYNTHESIZER) may clearly be seen in both the residual plots and the standard deviations of Table 11. For example, in Fig. 14 Station 12 was using the VCO for approximately the first 48 min and then switched to the SYNTHESIZER for the remainder of the view period.

Table 11. Data statistics on postmaneuver data

Station	Number of doppler points	No a priority from premaneuver			With premaneuver data as a priority		With premaneuver data as a priority plus REM constraint	
		Standard deviation, <sup>a</sup> cps	Mean, cps	Remarks <sup>b</sup>	Standard deviation, cps	Mean, cps	Standard deviation, cps	Mean, cps
12	31	0.0116	-0.0008	Data taken above 17-deg elevation using VCO	0.0116	-0.0008	0.0115	-0.0003
	341	0.0086	0.0009	Data taken above 17-deg elevation using rubidium frequency standard	0.0085	0.0011	0.0086	0.0013
	42	0.0093	-0.0090	Data taken below 17-deg elevation using rubidium frequency standard	0.0095	-0.0127	0.0096	-0.0128
	62	0.0104	0.0045	Data taken below 17-deg elevation using rubidium frequency standard	0.0104	0.0038	0.0112	0.0040
	564	0.0089	-0.0002	Data taken above 17-deg elevation using rubidium frequency standard	0.0089	-0.0001	0.0089	0.0002
	61	0.0093	-0.0036	Data taken below 17-deg elevation using rubidium frequency standard	0.0092	-0.0024	0.0093	-0.0020
	46	0.0096	0.0017	Data taken below 17-deg elevation using rubidium frequency standard	0.0097	0.0030	0.0097	0.0033
	151	0.0088	0.0001	Data taken above 17-deg elevation using rubidium frequency standard	0.0088	0.0005	0.0088	0.0008
	74	0.0334	-0.0088	Data taken above 17-deg elevation using VCO	0.0334	-0.0069	0.0334	-0.0069
	58 <sup>c</sup>	0.0522	-0.0043	Data taken above 17-deg elevation at 10-sec sample rate using VCO	0.0511	0.0048	0.0511	0.0070
41	290	0.0172	0.0003	Data taken above 17-deg elevation using VCO	0.0170	0.0026	0.0170	0.0026
	61	0.0152	-0.0009	Data taken below 17-deg elevation using VCO	0.0151	-0.0027	0.0151	-0.0027
	224	0.0183	-0.0003	Data taken above 17-deg elevation using VCO	0.0183	0.0017	0.0183	0.0020
51	256	0.0141	-0.0009	Data taken above 17-deg elevation using VCO	0.0140	-0.0016	0.0140	-0.0013
	357	0.0155	0.0007	Data taken above 17-deg elevation using VCO	0.0156	-0.0027	0.0156	-0.0019

<sup>a</sup> In the Ranger VII station configuration for L-band frequency, 1 counted doppler cycle  $\cong$  0.156 m.

<sup>b</sup> Remarks concerning rubidium frequency standard and VCO refer to method used to provide ground station transmitter reference frequency.

<sup>c</sup> These data taken at a 10-sec sample rate and compressed to 60 sec; all other statistics refer to 60-sec sample rate data.




Fig. 14. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 10:41 GMT)




Fig. 15. Station 12 postmaneuver pass No. 1 two-way doppler residuals (start 16:41 GMT)






Fig. 16. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 07:18 GMT)




Fig. 17. Station 12 postmaneuver pass No. 2 two-way doppler residuals (start 13:18 GMT)




Fig. 18. Station 12 postmaneuver pass No. 3 two-way doppler residuals




Fig. 19. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 18:46 GMT)




Fig. 20. Station 41 postmaneuver pass No. 1 two-way doppler residuals (start 00:46 GMT)




Fig. 21. Station 41 postmaneuver pass No. 2 two-way doppler residuals




Fig. 22. Station 51 postmaneuver pass No. 1 two-way doppler residuals




Fig. 23. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 23:44 GMT)






Fig. 24. Station 51 postmaneuver pass No. 2 two-way doppler residuals (start 05:44 GMT)

The noise level for the VCO period was 0.002 m/sec versus a noise level of 0.001 m/sec for the SYNTHESIZER period.

The a priori information for this orbital calculation was the same as that used for the premaneuver study. Statistics associated with the estimated parameters are displayed in Table 5, column 7. The orbital Cartesian uncertainties have been reduced by as much as a factor of 2 from the uncertainties at maneuver epoch based on the premaneuver data only. An even greater reduction may be noted in the statistics at impact epoch. Station location statistics are considered smaller, and the uncertainty in the universal gravitational constant times the mass of the Moon ( $GM_L$ ) has been reduced in magnitude from  $\pm 4.999$  to  $\pm 0.402$  km<sup>3</sup>/sec<sup>2</sup>. The statistics on the scalar for lunar ephemeris ( $REM$ ) and  $GM_\oplus$  indicate a rather weak solution for these parameters.

Numerical values for the estimated parameters are given in Table 6, column 7. A consistency check between the premaneuver and postmaneuver orbits was made using the position vector at maneuver epoch. This was accomplished by correcting the premaneuver position vector by an amount determined by the velocity change due to maneuver execution, and comparing this new value with the postmaneuver value. Results of these computations are shown in Table 12. The solutions are well within the 1- $\sigma$  uncertainties and assure consistency.

Encounter conditions for this orbit are shown in Table 7, column 4. Of significant interest is the fact that the impact time is based on a lunar radius of 1735.6 km.

Table 12. Positions at maneuver epoch

Premaneuver only <sup>a</sup>		Postmaneuver only	Postmaneuver-premaneuver
X	156674.70		
$\Delta X$	-0.61		
$X + \Delta X$	$156674.09 \pm 3.5$	$156675.56 \pm 2.5$	1.5 km
Y	63043.938		
$\Delta Y$	-0.371		
$Y + \Delta Y$	$63043.567 \pm 8.8$	$63040.365 \pm 3.9$	-3.3 km
Z	8073.3712		
$\Delta Z$	-0.152		
$Z + \Delta Z$	$8073.2192 \pm 19.8$	$8080.9613 \pm 8.5$	7.7 km

<sup>a</sup> $\Delta$ 's are the positional changes during maneuver motor burn from the relationship  $\Delta X = \frac{1}{2} a_x t^2 = \frac{\dot{v}_x t}{2}$ ,  $\Delta X \rightarrow \Delta Y \rightarrow \Delta Z$ .


This value was indicated by the results of the *Ranger VI* postflight analysis. During flight operations, using a value based on this, predicted impact was within 0.06 sec of observed impact. It is significant to note that this prediction was made 1 hr before impact. The basis for this lunar radius will be examined in greater detail in a later section. B plane statistics associated with the encounter conditions are given in Table 8, column 2. It can be seen that the size of the dispersion ellipse has been considerably reduced from that of the premaneuver orbit. Table 13 shows the correlation matrix of the postmaneuver data at maneuver epoch.

Conclusions based on the analysis of the postmaneuver data are: (1) good fit was made to all data, (2) the solution vector for the physical constants showed a reduction in uncertainties, except for  $REM$  and  $GM_\oplus$  in which a weak solution still exists, and (3) the orbital solution is consistent with that obtained from the premaneuver data.

## F. Combined Estimates Based on Premaneuver and Postmaneuver Tracking

### 1. Method of Combining Premaneuver and Postmaneuver Data

In order to obtain a better estimate on the postmaneuver orbit, the solution vector and its associated covariance matrix from the premaneuver data were used as a priority for the postmaneuver data. The same was done for the premaneuver orbit where the postmaneuver data were used as an a priori covariance matrix for the premaneuver data. The method used for obtaining the premaneuver estimate using postmaneuver data is<sup>4</sup>



$$\Delta \mathbf{q}_1^* = (\mathbf{A}_1^T \mathbf{W} \mathbf{A}_1 + \Lambda_{21}^{-1})^{-1} [\mathbf{A}_1^T \mathbf{W} (\mathbf{O}_1 - \mathbf{C}_1) + \Lambda_{21}^{-1} (\mathbf{q}_{21} - \mathbf{q}_1)]$$

<sup>4</sup>This method was applied by W. L. Sjogren during the postflight analysis of *Ranger VI* tracking data.

Table 13. Correlation matrix on postmaneuver data at maneuver epoch with no a priority

Standard deviation	Correlation coefficients														
	X	Y	Z	DX	DY	DZ	GM <sub>B</sub>	REM	G	GM <sub>C</sub>	R(1)	LO(1)	R(3)	LA(3)	LO(3)
X 2.5283 km	1.000	0.293	0.390	-0.754	0.510	-0.576	0.803	0.519	-0.022	0.683	0.0	0.0	0.045	-0.026	0.269
Y 3.9455 km		1.000	-0.177	-0.679	0.696	-0.811	0.616	-0.296	-0.010	0.755	0.0	0.0	-0.165	0.094	0.939
Z 8.4990 km			1.000	-0.389	-0.355	-0.049	-0.174	0.742	-0.001	0.295	0.0	0.0	0.174	-0.063	-0.324
DX 0.0161 m/sec				1.000	-0.697	0.921	-0.641	-0.102	-0.014	-0.897	0.0	0.0	0.025	-0.022	-0.670
DY 0.0288 m/sec					1.000	-0.878	0.778	-0.457	0.018	0.619	0.0	0.0	-0.128	0.067	0.824
DZ 0.0608 m/sec						1.000	-0.666	0.252	0.026	-0.813	0.0	0.0	0.095	-0.063	-0.846
GM <sub>B</sub> 8.746 km <sup>3</sup> /sec <sup>2</sup>							1.000	0.094	0.0	0.702	0.0	0.0	-0.080	0.036	0.624
REM 0.0449 km								1.000	-0.001	0.156	0.0	0.0	0.163	-0.079	-0.489
G 0.3000 —									1.000	0.014	0.0	0.0	0.001	-0.001	-0.004
GM <sub>C</sub> 0.4018 km <sup>3</sup> /sec <sup>2</sup>										1.000	0.0	0.0	-0.037	0.036	0.703
R(1) 0.452 km											1.000	0.0	0.0	0.0	0.0
LO(1) 0.00498 deg												1.000	0.0	0.0	0.0
R(3) 0.059 km													1.000	0.929	-0.171
LA(3) 0.00074 deg														1.000	0.095
LO(3) 0.00098 deg															1.000
R(4) 0.064 km															1.000
LA(4) 0.00079 deg															1.000
LO(4) 0.00107 deg															1.000
R(5) 0.044 km															1.000
LO(5) 0.0010 deg															1.000

	R	φ	λ	V	γ	σ
R 3.221 km	1.000	0.313	0.432	0.982	-0.994	-0.725
φ 0.00287 deg		1.000	-0.300	0.178	-0.226	-0.808
λ 0.00119 deg			1.000	0.574	-0.495	-0.175
V 0.218 m/sec				1.000	-0.993	-0.631
γ 0.00016 deg					1.000	0.666
σ 0.00052 deg						1.000

and

$$\mathbf{q}_1^* = \mathbf{q}_{2_1} + \Delta \mathbf{q}_1^* = \text{best maneuver estimate}$$

where

$$\Lambda_{2_1} = U (\Lambda_2 + \Lambda_M) U^T$$

$$\Lambda_2 = (A_2^T W A_2 + \tilde{\Lambda}^{-1})^{-1}$$

$U$  = matrix which maps  $(\mathbf{q}_2 - \mathbf{q}_m)$  to injection

$\tilde{\Lambda}$  = a priori covariance

$$A_2 = \frac{\partial \text{observable in block (2) (postmaneuver)}}{\partial \text{estimated parameter}}$$

$$\mathbf{q}_{2_1} = U (\mathbf{q}_2 - \mathbf{q}_m)$$

$\mathbf{q}_2$  = solution vector of estimated parameters from block (2) data only

$\Lambda_2 = (A_2^T W A_2)^{-1}$  = covariance on estimated parameters from block (2) data only

$W$  = diagonal weighting matrix on observables

$O - C$  = residuals (i.e., observed data minus calculated data)

$\Lambda_M$  = covariance on maneuver (diagonal purposely set to a very pessimistic value of 100 m/sec)

$\mathbf{q}_m$  = nominal inflight maneuver estimate

The following expression for the postmaneuver estimate using premaneuver data is very similar

$$\Delta \mathbf{q}_2^* = (A_2^T W A_2 + \Lambda_{1_2}^{-1})^{-1} [A_2^T W (O_2 - C_2) + \Lambda_{1_2}^{-1} (\mathbf{q}_{1_2} - \mathbf{q}_2)]$$

$$\text{and } \mathbf{q}_2^* = \Delta \mathbf{q}_2^* + \mathbf{q}_m$$

## 2. Results of Combining Premaneuver and Postmaneuver Data

The estimated parameter statistics based on combining the postmaneuver data with the premaneuver estimate are given in Table 5, column 5. It may be seen that the uncertainties have been significantly reduced from those based on the premaneuver data only. A stronger solution for  $GM_\oplus$ ,  $GM_\epsilon$ , and  $REM$  is now indicated. Numerical values for the estimated parameters are shown in Table 6, column 6. The differences between the solution vectors of the premaneuver-data-only orbit and this orbit are well within the uncertainties seen in column 5 of Table 5, except for radius and latitude of Station 12. It may be seen in Table 14 that a high correlation (0.966) exists between the radius  $RI(3)$  and latitude  $LA(3)$  of Station 12. A comparison based on computing the term  $R \cos$  (latitude) for the two solutions shows a difference of

6.3 m. From this it may be concluded that the two solutions for Station 12 location are consistent. Encounter conditions seen in Table 7, column 6, indicate a predicted impact time difference of 7.15 sec between the two premaneuver estimates. This is accounted for by the fact that a different lunar radius was used for the two calculations. That is, without correction, the spacecraft would impact the dark side of the Moon on a grazing trajectory; therefore, the difference in lunar radius is significant. A comparison of the **B** plane statistics (Table 7, columns 1 and 4) reveals a significant reduction in the statistics and the dispersion ellipse for the combined estimate. The correlation matrix for the premaneuver data at maneuver epoch is given in Table 15. The trajectory and the ODP printout, including the data weights and the doppler residuals, for this orbital estimate may be seen in Appendixes B, C, E, and F. Explanations of the printout forms are given in Appendixes D and G.

For the postmaneuver orbit, using premaneuver data as a priority, the estimated parameter statistics (Table 5, column 8) reveal a significant reduction in the uncertainties when compared with the orbit obtained from postmaneuver data only. It may be seen that the uncertainties on the physical constants and the station locations are the same as those obtained by using the postmaneuver data as a priority for the premaneuver estimate. This indicates that the method of combining the two blocks of data was consistent. The differences between the parameter values of the orbit based on postmaneuver data only and this orbit (Table 6, columns 7 and 8) are again well within the uncertainties except for Station 12. The explanation for this is the same as in the preceding paragraph. Encounter conditions (Table 7, column 5) show good agreement with those obtained from the postmaneuver data only, and the **B** plane statistics (Table 8, column 3) are reduced by almost a factor of 2. The correlation matrix from this orbital calculation at maneuver epoch is given in Table 16. The trajectory and the ODP printout, including the data weights and the doppler residuals, for this orbital estimate may be seen in Appendixes C and F, respectively.

The differences between the estimated physical constants and station locations, using the  $r \cos \phi$  relationship for Station 12, for the above orbits are well within the respective uncertainties. This, plus the fact that the statistics for these orbits were identical, gives assurance that a better estimate has been obtained for both the premaneuver and postmaneuver orbit. In addition,  $GM_\oplus$  and  $GM_\epsilon$  are measured at least a factor of 2 better than each separate estimate, and  $REM$  by a factor of 1.25.

Table 14. Correlation matrix on premaneuver data at injection epoch with postmaneuver data as a priority

Standard deviation	Correlation coefficients																		
	X	Y	Z	DX	DY	DZ	GM <sub>⊕</sub>	REM	G	GM <sub>⊙</sub>	LO(1)	RI(1)	LA(3)	LO(3)	RI(4)	LA(4)	LO(4)	RI(5)	LO(5)
X 0.068 km	1.000	-0.849	0.030	0.401	0.497	-0.423	0.539	-0.541	0.025	0.367	-0.524	-0.524	0.607	0.642	0.225	-0.436	0.583	-0.204	0.621
Y 0.109 km		1.000	0.306	-0.375	-0.671	0.496	-0.667	0.224	-0.037	-0.286	0.237	0.237	-0.796	-0.378	-0.197	0.525	-0.294	0.154	-0.369
Z 0.150 km			1.000	-0.021	-0.591	0.400	0.151	-0.415	-0.038	0.047	0.806	0.806	-0.758	0.394	-0.083	0.173	0.337	0.252	0.350
DX 0.076 m/sec				1.000	-0.268	0.539	0.002	0.286	0.109	0.366	0.327	0.327	0.286	-0.154	0.524	-0.343	-0.118	0.280	-0.118
DY 0.323 m/sec					1.000	-0.930	0.337	-0.358	0.003	0.197	-0.757	-0.757	0.768	0.432	-0.178	-0.218	0.412	-0.526	0.447
DZ 0.463 m/sec						1.000	-0.379	0.556	0.033	-0.115	0.658	0.658	-0.519	-0.026	0.351	0.057	-0.542	0.545	-0.575
GM <sub>⊕</sub> 1.532 km <sup>2</sup> /sec <sup>2</sup>							1.000	-0.211	0.014	0.053	0.114	0.114	0.262	0.333	-0.227	-0.067	0.161	0.143	0.262
REM 0.036 km								1.000	0.009	-0.353	0.003	0.003	0.007	-0.896	0.141	0.093	-0.882	0.394	-0.888
G 0.300 —									1.000	0.089	-0.006	-0.006	0.048	0.016	0.006	0.008	0.023	0.011	0.025
GM <sub>⊙</sub> 0.167 km <sup>2</sup> /sec <sup>2</sup>										1.000	-0.006	-0.006	0.194	0.008	-0.039	-0.023	0.516	-0.128	0.516
RI(1) 0.00148 deg											1.000	0.000	0.018	0.008	0.158	0.019	-0.044	0.468	-0.025
RI(3) 0.058 km												1.000	-0.016	0.021	0.083	0.204	-0.416	0.082	0.102
LA(3) 0.00074 deg													1.000	0.966	-0.105	0.035	0.011	-0.099	0.043
LO(3) 0.00062 deg														1.000	0.072	-0.015	-0.013	0.064	-0.025
RI(4) 0.057 km															1.000	-0.163	-0.098	0.927	-0.361
LA(4) 0.00077 deg																1.000	-0.770	-0.210	0.077
LO(4) 0.00064 deg																	1.000	-0.094	0.096
RI(5) 0.025 km																		1.000	-0.412
LO(5) 0.00062 deg																			1.000

	R	φ	λ	V	γ	σ
R 0.063 km	1.000	-0.855	0.437	-0.890	0.680	-0.366
φ 0.00123 deg		1.000	-0.167	0.898	-0.814	0.288
λ 0.00109 deg			1.000	-0.126	0.131	-0.513
V 0.052 m/sec				1.000	-0.601	0.029
γ 0.00155 deg					1.000	-0.702
σ 0.00270 deg						1.000

Table 15. Correlation matrix on premaneuver data at maneuver epoch with postmaneuver data as a priority

Standard deviation	Correlation coefficients														
	X	Y	Z	DX	DY	DZ	GM <sub>ij</sub>	REM	G	GM <sub>ij</sub>	R(1)	LO(1)	R(3)	LA(3)	LO(3)
X 0.550 km	1.000	-0.940	0.580	0.858	-0.853	0.445	-0.136	0.694	-0.049	-0.653	-0.069	-0.164	0.064	-0.090	-0.838
Y 1.887 km		1.000	-0.805	-0.741	0.895	-0.657	0.427	-0.765	0.018	0.540	-0.023	0.199	-0.099	0.084	0.906
Z 3.675 km			1.000	0.284	-0.667	0.868	-0.678	0.801	0.053	-0.145	-0.042	-0.102	0.159	-0.034	-0.841
DX 0.007 m/sec				1.000	-0.871	0.368	-0.066	0.415	-0.074	-0.734	-0.272	0.016	0.007	-0.089	-0.601
DY 0.016 m/sec					1.000	-0.745	0.386	-0.636	0.010	0.559	0.371	-0.058	-0.062	0.087	0.792
DZ 0.033 m/sec						1.000	-0.604	0.703	0.046	-0.114	-0.492	0.250	0.128	-0.027	-0.729
GM <sub>ij</sub> 1.53 km <sup>2</sup> /sec <sup>2</sup>							1.000	-0.211	0.014	0.053	0.114	0.262	-0.108	0.014	0.333
REM 0.036 km								1.000	0.009	-0.353	0.003	0.007	0.114	-0.056	-0.896
G 0.300 —									1.000	0.089	-0.006	0.048	0.002	0.0	0.016
GM <sub>ij</sub> 0.167 km <sup>2</sup> /sec <sup>2</sup>										1.000	-0.006	0.194	0.008	0.037	0.475
R(1) 0.320 km											1.000	-0.695	0.018	0.004	0.008
LO(1) 0.0014 deg												1.000	-0.016	0.021	0.083
R(3) 0.058 km													1.000	0.966	-0.105
LA(3) 0.00074 deg														1.000	0.072
LO(3) 0.00062 deg															1.000
R(4) 0.057 km															1.000
LA(4) 0.00077 deg															1.000
LO(4) 0.00064 deg															1.000
R(5) 0.025 km															1.000
LO(5) 0.00062 deg															1.000
R 0.128 km	1.000	-0.738	0.622	0.820	-0.700	0.342									
$\phi$ 0.00125 deg		1.000	-0.786	-0.938	0.951	-0.476									
$\lambda$ 0.00066 deg			1.000	0.787	-0.643	0.451									
$\gamma$ 0.026 m/sec				1.000	-0.911	0.695									
$\gamma$ 0.00002 deg					1.000	-0.538									
$\sigma$ 0.00009 deg						1.000									

Table 16. Correlation matrix on postmaneuver data at maneuver epoch with premaneuver data as a priority

Standard deviation	Correlation coefficients														
	X	Y	Z	DX	DY	DZ	GM <sub>⊕</sub>	REM	G	GM <sub>C</sub>	RI(1)	LO(1)	RI(3)	LA(3)	LO(3)
X 0.554 km	1.000	-0.941	0.579	0.633	-0.570	0.633	-0.136	0.696	-0.047	-0.658	0.080	-0.176	0.064	-0.089	-0.840
Y 1.891 km		1.000	-0.802	-0.612	0.670	-0.712	0.425	-0.763	0.018	0.550	-0.028	0.208	-0.098	0.084	0.906
Z 3.616 km			1.000	0.558	-0.784	0.726	-0.680	0.796	0.053	-0.157	-0.054	-0.104	0.157	-0.034	-0.838
DX 0.018 m/sec				1.000	-0.913	0.936	0.075	0.934	-0.113	-0.475	0.013	0.060	0.070	-0.045	-0.791
DY 0.018 m/sec					1.000	-0.978	0.259	-0.978	0.037	0.299	0.015	-0.010	-0.108	0.050	0.809
DZ 0.035 m/sec						1.000	-0.127	0.984	0.010	-0.330	0.017	0.013	0.093	-0.066	-0.826
GM <sub>⊕</sub> 1.530 km <sup>3</sup> /sec <sup>2</sup>							1.000	-0.208	0.014	0.056	0.116	0.264	-0.107	0.013	0.330
REM 0.036 km								1.000	0.009	-0.366	0.002	0.0	0.112	-0.056	-0.895
G 0.300									1.000	0.088	-0.005	0.047	0.002	0.0	0.016
GM <sub>C</sub> 0.167 km <sup>3</sup> /sec <sup>2</sup>										1.000	-0.013	0.197	0.006	0.038	0.486
RI(1) 0.320 km											1.000	-0.701	0.017	0.004	0.006
LO(1) 0.00148 deg												1.000	-0.018	0.021	0.091
RI(3) 0.058 km													1.000	0.966	-0.104
LA(3) 0.00074 deg														1.000	0.072
LO(3) 0.00062 deg															1.000
RI(4) 0.058 km															
LA(4) 0.00077 deg															
LO(4) 0.00064 deg															
RI(5) 0.025 km															
LO(5) 0.00062 deg															

R	φ	λ	V	γ	σ
1.000	-0.737	0.619	0.874	-0.799	0.648
	1.000	-0.784	-0.719	0.828	-0.415
		1.000	0.797	-0.696	0.131
			1.000	-0.872	0.654
				1.000	-0.710
					1.000

Up to this point,  $REM$  has been treated as an independent parameter within the ODP. In reality,  $REM$  is related to  $GM_{\oplus}$  and  $GM_{\zeta}$  by the following constraint (Refs. 7 and 8)

$$REM = 86.315745 (GM_{\oplus} + GM_{\zeta})^{1/3}$$

The  $REM$  value obtained from the above equation, using the ODP solutions for  $GM_{\oplus}$  and  $GM_{\zeta}$ , is 6378.3144 km, and the ODP solution is 6378.3080 km. The difference between these two values is well within the uncertainty; however, the estimated parameter statistics are corrupted by treating  $REM$  as an independent parameter. To show this, an approach by D. L. Cain<sup>5</sup> was used to apply the constraint to both the best premaneuver and postmaneuver solutions (i.e., the premaneuver orbit with postmaneuver data as a priority, and the postmaneuver orbit with premaneuver data as a priority). Briefly, this method sets the constraint equation equal to  $G$ ,

$$G = REM - 86.315745 (GM_{\oplus} + GM_{\zeta})^{1/3} = 0$$

and then uses the method of Lagrange multipliers to minimize the original function and constrain  $G$ . That is

$$\mathbf{q}_o = A^T W A$$

and

$$\mathbf{q}_c = A^T W A + \lambda G$$

where

$\mathbf{q}_o$  = original function

$\mathbf{q}_c$  = constrained function

$A$  = residual = observed value - computed value

$W$  = weight on data

$\lambda$  = vector of Lagrange multipliers

When the first order terms are collected after taking partials to minimize  $\mathbf{q}$ , the resulting solution can be expressed in terms of the original solution plus one additional term. The new solution vector  $\mathbf{q}_n$  is obtained by

$$\mathbf{q}_n = \mathbf{q}_o + \delta \mathbf{q}$$

where

$$\delta \mathbf{q} = \Lambda_o C^T (C \Lambda_o C^T)^{-1} D$$

$$C = \frac{\partial G}{\partial \mathbf{q}}$$

$D$  = the value of  $G$  when the estimates for  $REM$ ,  $GM_{\oplus}$ , and  $GM_{\zeta}$  from the original orbit solution are placed in the constraint equation

$\Lambda_o$  = covariance matrix from the orbit solution

The constrained statistics are

$$\Lambda_c = \Lambda_o - \Lambda_o C^T (C \Lambda_o C^T)^{-1} C \Lambda_o$$

The above computations were performed using the solutions from both the premaneuver orbit with postmaneuver data, and the postmaneuver orbit with premaneuver data. These results are presented in columns 6 and 9 of Table 5, in which it can be seen that the uncertainties in the Cartesian coordinates and the physical constants have been significantly reduced. Again note the consistency of the statistics in station locations and physical constants for the two cases.

It remains to be established that the orbit solution is not corrupted by treating  $REM$  as an independent parameter. This is most easily accomplished by passing the orbit defined by the constrained or new solution vector  $\mathbf{q}_n$  through the data. If the constraint does corrupt the orbit, the noise level in the data will increase. Figures 8 through 13 show the premaneuver doppler residuals based on the premaneuver orbit with postmaneuver data as a priority plus the constrained solution vector. Figures 14 through 24 show the residuals from the postmaneuver orbit with premaneuver data a priority plus the constraint. In both cases, deviations from the residuals seen in the previous orbital estimates were insignificant. This can be verified by comparing the residuals in the Figures to those listed in the ODP printouts in Appendixes E and F for the appropriate data block. It is to be noted that these listings pertain to previous orbit estimates and not the constrained solutions. Further verification can be obtained by referring to Tables 4 and 11. For both orbits, the data statistics are almost identical with those of other estimates.

The best estimate of the maneuver can now be obtained by using the constrained solutions. The numerical values are shown in Table 17, and a more complete discussion of the estimated maneuver is given in Section III C.

Conclusions based on the foregoing analysis are that the best estimates for both the premaneuver and postmaneuver orbits are obtained by combining the two data blocks for a given calculation. Further, the most realistic statistics for the estimated parameters are obtained by applying the  $REM$  constraint to the combined estimates.

### 3. Observations and Conclusions

**a. Station locations.** There is considerable information available in the tracking data for determining station

<sup>5</sup>D. L. Cain, "Least Squares With Side Constraints," January 2, 1963 (internal communication).



Table 17. *Ranger VII* maneuver estimate based on constrained solutions

Premaneuver position and velocity <sup>a</sup>	Postmaneuver position and velocity <sup>b</sup>	Position and velocity change due to maneuver (postmaneuver-premaneuver)
$X = 156674.69$ $\Delta X = -0.63$ $X + \Delta X = 156674.06 \pm 0.4$ $Y = 63042.780$ $\Delta Y = -0.381$ $Y + \Delta Y = 63042.399 \pm 1.8$ $Z = 8079.7165$ $\Delta Z = -0.1552$ $Z + \Delta Z = 8079.5613 \pm 3.3$ $DX = 1.4594170 \pm 0.0028$ $DY = 0.98778791 \pm 0.0046$ $DZ = 0.28737684 \pm 0.0165$	$156674.59 \pm 0.4$ $63041.361 \pm 1.6$ $8078.2511 \pm 4.3$ $1.4342624 \pm 0.0028$ $0.97256707 \pm 0.0046$ $0.28116743 \pm 0.0111$	$0.5 \text{ km}$ $-1.0 \text{ km}$ $-1.3 \text{ km}$ $-25.0546 \text{ m/sec}$ $-15.2208 \text{ m/sec}$ $-6.2094 \text{ m/sec}$
<sup>a</sup> Based on premaneuver orbit calculation using postmaneuver data as a priority and REM constraint applied. <sup>b</sup> Based on postmaneuver orbit calculation using premaneuver data as a priority and REM constraint applied. Note: $\Delta$ 's are the positional change during maneuver motor burn from the relationship $\Delta X = \frac{1}{2} a_x t^2 = \frac{\dot{v}_x t}{2}, \Delta X \rightarrow \Delta Y \rightarrow \Delta Z.$		

locations. This is not immediately obvious since examination of the correlation matrixes from the various orbit calculations indicate that there is only information on station longitude. However, if the  $X_1, X_2, X_3$  coordinate system<sup>6</sup> in Fig. 25 is used, it will show that another direction is determined better than longitude.

where  $X_1$  is in Earth's equator, station meridian, normal to Earth's spin axis (such as station longitude)

$X_2$  is East

$X_3$  is in direction of Earth's spin axis.

As previously mentioned,  $X_1$  and  $X_2$  may be well determined; but, since  $X_3$  is parallel with the Earth's spin axis, it is not well determined. This is very evident in Table 18 which shows the  $10 \times 10$  normalized covariance matrix on station locations rotated from the radius, latitude, longitude system into the  $X_1, X_2, X_3$  system. The  $1-\sigma$  a priority used in the initial estimation was 500, 500, and 100 m for  $X_1, X_2$ , and  $X_3$ , respectively. From the uncertainties in the final estimate, it can be seen that no new information was available on  $X_3$ . The best estimate of  $X_1$  and  $X_2$  was obtained from the Station 12 tracking data. This is due to the fact that this Station provided longer tracking coverage (essentially from horizon to horizon) and had the best data quality. Results of *Ranger VII* indicate an improvement in the station location solutions. Table 19 contains a summary of the solutions obtained from the tracking data taken during previous missions. All comparisons are made with respect to land survey locations designated as "old survey." The "new survey"

<sup>6</sup>D. L. Cain, "Tracking Station Coordinate System," June 24, 1964 (internal communication).




Fig. 25.  $X_1, X_2, X_3$  coordinate system

Table 18. Station location statistics

Standard deviations, m		X <sub>1</sub> (59)	X <sub>2</sub> (59)	X <sub>1</sub> (12)	X <sub>2</sub> (12)	X <sub>3</sub> (12)	X <sub>1</sub> (41)	X <sub>2</sub> (41)	X <sub>3</sub> (41)	X <sub>1</sub> (51)	X <sub>2</sub> (51)
288.294	X <sub>1</sub> (59)	1.000	-0.704	0.095	-0.035	0.008	0.301	-0.134	-0.034	0.503	-0.107
148.640	X <sub>2</sub> (59)		1.000	-0.153	0.091	0.009	-0.268	0.080	-0.367	-0.302	0.131
8.814	X <sub>1</sub> (12)			1.000	-0.130	-0.035	0.195	-0.045	-0.007	0.029	-0.205
23.491	X <sub>2</sub> (12)				1.000	0.044	-0.027	0.677	-0.008	-0.140	0.781
99.880	X <sub>3</sub> (12)					1.000	-0.007	0.028	-0.004	-0.005	0.015
29.225	X <sub>1</sub> (41)						1.000	-0.214	0.0	0.126	-0.001
30.913	X <sub>2</sub> (41)							1.000	0.028	-0.257	0.723
98.520	X <sub>3</sub> (41)								1.000	0.044	-0.037
21.564	X <sub>1</sub> (51)									1.000	-0.228
28.322	X <sub>2</sub> (51)										1.000

Table 19. Station location comparison

Station <sup>a</sup>	(12)	(41)	(51)	(12)- (41)	(12)- (51)	(41)- (51)
<b>Mariner II</b> $\Delta^b = (\text{Mariner II}) - (\text{old survey})$						
$\Delta X_1$	-157.8					
$\Delta X_2$	-93.2					
$\Delta X_3$	-110.4					
$\sigma X_1$	13.5					
$\sigma X_2$	44.0					
$\sigma X_3$	99.9					
<b>New survey</b> $\Delta = (\text{new survey}) - (\text{old survey})$						
$\Delta X_1$	-133.3	-63.5	-17.8			
$\Delta X_2$	-103.2	-3.3	0.0			
$\Delta X_3$	191.0	41.4	-16.1			
$\sigma X_1$	26.0	26.0	26.0	36.8	36.8	36.8
$\sigma X_2$	26.0	26.0	26.0	36.8	36.8	36.8
$\sigma X_3$	26.0	26.0	26.0	36.8	36.8	36.8
Station <sup>a</sup>	(12)	(41)	(51)	(12)- (41)	(12)- (51)	(41)- (51)
<b>Ranger VI</b> $\Delta = (\text{Ranger VI}) - (\text{old survey})$						
$\Delta X_1$	-169.5	25.0	-81.9	-194.5	-87.6	106.9
$\Delta X_2$	-123.2	122.1	-45.5	-245.3	-77.7	167.6
$\Delta X_3$	-1.6	48.3	-49.0	-49.9	47.4	97.3
$\sigma X_1$	9.6	38.0	19.0	39.2	21.6	43.6
$\sigma X_2$	35.5	43.3	40.0	21.5	18.8	22.2
$\sigma X_3$	99.8	83.0	92.0	128.4	135.9	111.3
<b>Ranger VII</b> $\Delta = (\text{Ranger VII}) - (\text{old survey})$						
$\Delta X_1$	-166.4	2.7	-63.4	-169.1	-103.0	66.1
$\Delta X_2$	-112.1	143.2	-38.9	-255.3	-73.2	182.1
$\Delta X_3$	2.7	-12.7	-30.6	15.4	33.3	17.9
$\sigma X_1$	8.8	29.2	21.6	30.5	23.3	36.3
$\sigma X_2$	23.5	30.9	28.3	22.9	17.7	22.2
$\sigma X_3$	99.9	98.5	100.0	140.3	141.4	140.4

<sup>a</sup> DSIF 12 — Goldstone Echo site, California.  
DSIF 41 — Woomera, Australia.  
DSIF 51 — Johannesburg, South Africa.

<sup>b</sup> All differences and uncertainties,  $\sigma$ 's, are in meters.

refers to a reevaluation<sup>7</sup> of locations required when the basic reference, the Clarke spheroid of 1866, was changed to the "Kaula" or "165" spheroid. In addition, new survey data for Station 41 (Woomera, Australia) was included. Stations 41 and 51 will soon use rubidium frequency standards which should bring their data quality up to that of Station 12. It will then be possible to use pseudo

<sup>7</sup>J. Heller and H. Kieffer, "DSIF Station Locations," May 1964 (internal communication).

two-way doppler<sup>8</sup> to obtain horizon to horizon data for each station. Hence, in future missions it should be possible to reduce the location uncertainties for these stations.

<sup>8</sup>This data type is obtained when one station is transmitting and another station is receiving. Thus one station is receiving two-way and the other pseudo two-way. For the *Ranger* missions the data quality of the pseudo two-way was too poor to use for location studies.

**b. Physical constants.** Excellent estimates of the physical constants  $GM_{\oplus}$ ,  $GM_{\zeta}$ , and  $REM$  were obtained from the tracking data. In Table 20 it may be seen that the uncertainty in  $GM_{\oplus}$  is only 38% of that estimated by the International Astronomical Union in 1961. Comparison between the *Ranger VI* and *VII* results show very close agreement. Results of *Ranger 3*, *4*, and *5* have been included to show the consistency obtained from the *Ranger* missions. Solution uncertainties for *Ranger 4* and *5* are large due to the limited amount of available data (first 8 hr of mission).

Table 20. Physical constants estimate

GM <sub>Earth</sub> estimates = GM <sub>⊕</sub>			
Source	Value, km <sup>3</sup> /sec <sup>2</sup>	Standard deviation, km <sup>3</sup> /sec <sup>2</sup>	Remarks
Nominal JPL <sup>a</sup>	398603.20	±4.0	
<i>Ranger 3</i>	398600.49	±4.1	4 days of tracking
<i>Ranger 4</i>	398601.87	±13.3	8 hr of tracking
<i>Ranger 5</i>	398599.20	±13.2	8 hr of tracking
<i>Ranger VI</i> <sup>b</sup>	398600.61	±1.1	65 hr of tracking
<i>Ranger VII</i> <sup>b</sup>	398601.28	±1.5	68 hr of tracking
GM <sub>Moon</sub> estimates = GM <sub>ζ</sub>			
Nominal JPL (Prior to <i>Mariner '62</i> )	4900.7589	±5.0	
Nominal JPL (After <i>Mariner '62</i> )	4902.7779	±0.3	Venus cruise data taken during <i>Mariner '62</i>
<i>Ranger VI</i> <sup>b</sup>	4902.6182	±0.14	65 hr of tracking
<i>Ranger VII</i> <sup>b</sup>	4902.5801	±0.17	68 hr of tracking
<sup>a</sup> Kaula, 1961 (adopted by the Ad Hoc NASA Standard Constants Committee, Ref. 12).			
<sup>b</sup> With $REM$ constraint applied.			

The uncertainty in the  $GM_{\zeta}$  solution for *Ranger VII* has been reduced to 57% of the nominal JPL value adopted after the *Mariner II* mission. Comparison between *Ranger VI* and *VII* shows even better agreement than that seen for the  $GM_{\oplus}$  uncertainties. The consistency between the two *Ranger* solutions and the *Mariner* solution is of significant interest since they were obtained by two different methods. That is, the *Mariner* solution was obtained by the 28-day periodic effect of the Moon in *Mariner's* cruise phase data (Ref. 9), whereas the *Ranger* solution was derived solely from the direct gravitational force of the Moon. Estimates for  $GM_{\zeta}$  were not made from *Ranger 3*, *4*, and *5* data.

Since large a priori values (uncertainties) were used for the physical constants in the initial estimations (Table 5), it may be stated that the solutions were truly determined from the tracking data. With the constrained estimates on  $GM_{\oplus}$  and  $GM_{\zeta}$ , an Earth-Moon mass ratio can be determined as follows:

$$\mu^{-1} = \frac{GM_{\oplus}}{GM_{\zeta}} = \frac{398601.28}{4902.5801} = 81.3044 \pm 0.0026$$

This value may be compared with the *Mariner* and *Ranger VI* results given below

$$\mu_{\text{Mariner}}^{-1} = 81.3015 \pm 0.0034 \text{ (Ref. 9)}$$

$$\mu_{\text{Ranger VI}}^{-1} = 81.3036 \pm 0.0023 \text{ (Ref. 10)}$$

**c. Impact point.** The 1.5 sec difference between the ODP-predicted and the station-observed impact time during *Ranger VI* (Ref. 10) caused an extensive reexamination of the JPL Trajectory Program and the ODP, the mathematical models used within these Programs, and the physical system at the observing station. No error sources were found which could account for this time difference. This led to the hypothesis that the actual lunar elevation at the impact point differed from that shown on Air Force Lunar Map LAC 60 (Ref. 11). To account for the time difference, a 3 km decrease in elevation would be required. An elevation of  $1735.3 \pm 0.2$  km resulted from subtracting 3 km from the 1738.3-km elevation shown on LAC 60. For *Ranger VII*, a time difference of 1.14 sec results from using the nominal lunar radius of 1738.09 km (Ref. 12). To account for this, a decrease in elevation of 2.7 km would be required. This amount, when subtracted from the 1737.9 km elevation shown on map LAC 76 (Ref. 13) gives a lunar elevation of  $1735.2 \pm 0.4$  km at the *Ranger VII* impact point. The *Ranger VI* and *VII* results (summarized in Table 21) are consistent. A comparison between the *Ranger VI* lunar radius and Yapple's measurements (Ref. 14) may be found in Ref. 10.

The best ODP estimate of the lunar latitude and longitude of the *Ranger VII* impact point is  $-10.70$  and  $-20.67$  deg (Table 7, column 5), respectively. The uncertainty on this point is bounded by the selenocentric dispersion ellipse having a SMAA of 1.59 km and a SMIA of 0.36 km (Table 8, column 5). Preliminary values of latitude and longitude, based on analysis of *Ranger VII* lunar TV photos and Air Force lunar maps, are  $-10.62$  and  $-20.59$  deg (Table 7, column 6), respectively.<sup>9</sup> In

<sup>9</sup>These are preliminary values obtained by personal communication with D. E. Willingham of JPL.

Table 21. Lunar elevation results (*Ranger* impact point from center of gravity)

Mission	Recorded impact time <sup>a</sup> , GMT	Calculated impact time <sup>b</sup> , GMT	$\Delta T$ = recorded minus calculated, sec	$VN$ = velocity normal to lunar surface	$VN \times \Delta T$ , km	Radius of Moon to match recorded time, km	Best radius $R_\zeta$ from Air Force lunar map, km	$R_\zeta$ (lunar map) minus $R_\zeta$ ( <i>Ranger</i> ), km	Latitude of impact, deg	Longitude of impact, deg
<i>Ranger VI</i>	09:24:31.86 ( $\pm 0.005^s$ )	09:24:30.29 ( $\pm 0.15^s$ )	1.57	1.80 km/sec	2.83 ( $\pm 0.3$ )	1735.3 ( $\pm 0.3$ )	1738.4	3.1	9.44	21.50
<i>Ranger VII</i>	13:25:48.80 ( $\pm 0.005^s$ )	13:25:47.66 ( $\pm 0.19^s$ )	1.14	2.35 km/sec	2.68 ( $\pm 0.4$ )	1735.2 ( $\pm 0.4$ )	1737.9	2.7	-10.70	-20.67

<sup>a</sup> Recorded impact time corrected for signal transit time.  
<sup>b</sup> ODP calculated impact time based on a lunar radius of 1738.09 km.

the TV records, the location of the impact point is well known with respect to surrounding topographic features. However, at control points located within a 2-deg circle of the impact point, there is a  $\frac{1}{2}$ -km uncertainty in the location of the grid lines. The difference between the ODP estimate and the TV estimate (ODP - TV) is -0.08 deg for both latitude and longitude. On the lunar surface, these differences are approximately equivalent to 2.4 km. Figures 26 and 28 are advance unedited proofs of new lunar charts based on *Ranger VII* TV records, and Figs. 27 and 29 are unedited sectional details of Figs. 26 and 28, respectively. All Figures show the trace of the TV camera lens reticles converging to the impact point. The numbers appearing near the traces are TV frame numbers. In Figs. 28 and 29 the spacecraft trajectory as determined from the TV photos (represented by the heavy dashed line in the upper left portion) is also shown converging to the impact point.

#### 4. Limitations

This section discusses the limitations of the *Ranger VII* flight path analysis described in this Report, and predicts the outcome to be expected from a more extensive analysis which will be undertaken after the completion of the *Ranger Block III* (*Ranger 6* through *9*) missions. The *Ranger Block III Summary Analysis* will be performed with the aid of the "next generation" ODP now being developed at JPL.

The ODP used for the *Ranger VII* analysis lacks certain desirable capabilities which will be incorporated in the next generation ODP. The principal items are summarized in Table 22. It is significant to note that errors introduced during computations due to interpolation and the buildup of roundoff error are the major contributions to the two-way doppler weighting sigma discussed in

Section II C. This means that the full potential of the DSIF tracking data has not been realized in the *Ranger VII* analysis. The two-way doppler weighting sigma (for one sample/min at Station 12 at lunar encounter) can be reduced from 0.013 m/sec to less than 0.005 m/sec if the computing noise is made negligible compared to the other error sources. The buildup of computing error acts as a low frequency noise source. Such an error usually is not detectable in plots of the doppler residuals such as Figs. 8 through 24. These plots tend to illustrate only the high frequency noise sources.

In addition to the computing noise discussed above, other numerical limitations exist in the analysis. Their existence is illustrated by the fact that certain constraints hold only to a limited precision. Examples include the physical constant solutions and the spacecraft position at the midcourse maneuver epoch. The physical constant solutions obtained from using the results of premaneuver data as a priori information when processing postmaneuver data should be identical to the physical constant solutions obtained when using the results of postmaneuver data as a priori information when processing premaneuver data, in that both orbits use the same set of data but in a different order. Table 6 compares the physical constant solutions from these two orbits. Although the standard deviation of each physical constant shown in Table 5 exceeds the discrepancy between the two solutions, it is still clear that numerical difficulties do exist. For example,  $\Delta GM_\zeta = 0.10 \text{ km}^3/\text{sec}^2$  is a variation in the 5th digit where a variation in the 8th digit may be expected due to roundoff, in that although the same computations are performed, they are accomplished in a different sequence for the two solutions. Notice that  $\Delta GM_\zeta$  is overshadowed by the  $\sigma_{GM_\zeta} = 0.15 \text{ km}^3/\text{sec}^2$  for



Fig. 26. Advance unedited proof of Ranger VII lunar chart RLC 2





Fig. 27. Unedited sectional detail of Ranger VII lunar chart RLC 2



**Fig. 28. Advance unedited proof of Ranger VII lunar chart RLC 3**




Fig. 29. Unedited sectional detail of Ranger VII lunar chart RLC 3



Table 22. Limitations of *Ranger VII* analysis which will be overcome for *Ranger Block III Summary Analysis*

Limitation of ODP used for <i>Ranger VII</i> analysis	Characteristics of "next generation" ODP which will be used for <i>Ranger Block III Summary Analysis</i>
<ol style="list-style-type: none"> <li>1. Trajectory and most other computations are in single precision. Errors are introduced during computations due to interpolation and the buildup of roundoff error, which are the main contributions to the data weighting sigma, e.g., computing noise contributed 0.012 m/sec out of a total station weighting sigma of 0.013 m/sec for 12 two-way doppler near lunar encounter.</li> <li>2. A fixed empirical correction is applied for tropospheric effects. Ionospheric effects are ignored but could appear as an "inward" displacement for a daylight tracking pass.</li> <li>3. Certain operations must be carried out external to the ODP. This sometimes makes an exact iterative solution cumbersome and impractical. These external operations include: <ol style="list-style-type: none"> <li>a. The application of the <math>GM_{\oplus}</math>, <math>GM_{\zeta}</math>, REM constraint (maintains the "calculated" period consistent with the "observed" period of the Moon).<sup>a</sup></li> <li>b. Velocity increments due to the midcourse maneuver (and the spring separation of the spacecraft from the launch vehicle when applicable) are not automatically "solved for" and the ODP does not properly constrain the spacecraft position at these maneuver points.</li> </ol> </li> <li>4. Size of solution vector is limited to 20 parameters. Twenty parameters were used for the <i>Ranger VII</i> analysis which did not include the maneuver velocity increments, nor all of the tracking station location parameters in the solution vector.</li> </ol>	<ol style="list-style-type: none"> <li>1. Double precision will be used throughout. The computing program will be formulated and the trajectory integration step size can be chosen to ensure that computing noise is a minor contributor to the data weighting sigma.</li> <li>2. Ionospheric corrections will be applied and a more sophisticated model will be incorporated for the troposphere.</li> <li>3. Maneuver velocity increments will be added to the solution vector and the necessary constraints will be incorporated in the ODP. Tracking data from injection to lunar impact can be processed in a single run as opposed to the premaneuver and postmaneuver segments which had to be treated separately for the <i>Ranger VII</i> analysis.</li> <li>4. Size of solution vector will be nominally 50 parameters but will vary depending on nature of run. This will allow the inclusion of added parameters mentioned under (3) above.</li> </ol>
<p><sup>a</sup> The lunar ephemeris is an input to the ODP, and the "observed" angular position of the Moon with respect to the Earth is fixed, independent of the <math>GM_{\oplus}</math>, <math>GM_{\zeta}</math>, REM solutions.</p>	

this analysis, but it will not be acceptable for the *Summary Analysis* which should yield a  $\sigma_{GM_{\zeta}} = 0.03 \text{ km}^3/\text{sec}^2$  as discussed below.

The discrepancies in spacecraft position at the midcourse maneuver epoch are shown in Table 17, in which, for example, the spacecraft is displaced 1.3 km in the Z direction above what the magnitude of the maneuver would indicate. The current ODP constrains these positions statistically through the application of an a priori covariance matrix but does not include a physical constraint. The  $GM_{\oplus}$ ,  $GM_{\zeta}$ , REM constraint was applied as a side condition (Section II F 2), after the ODP processed the postmaneuver data, using the results of the premaneuver data as a priori information. That is, the constraint is not applied in the iterative process but only after the orbit has converged without recognizing the constraint.

The next generation ODP will be formulated and the trajectory integration step size can be chosen to ensure

that during postflight analysis computing noise will be a minor contributor to the data weighting sigma. In addition, the maneuver velocity increments will be added to the list of "solve for" parameters, and the equations which constrain the spacecraft positions at maneuver epoch and which constrain the  $GM_{\oplus}$ ,  $GM_{\zeta}$ , REM parameters will be added to the regression model. Also, the atmospheric refraction model will be improved in that the ionosphere effects will be added, and the tropospheric model will be increased in sophistication. In addition, the size of the solution vector will be increased from its present limit of 20 parameters to allow the inclusion of the maneuver velocity increments, the remainder of tracking station location parameters, and, possibly, timing biases which may be important within the first few hours after launch.

It is desirable to develop a model complete enough so that the "fitters world" will contain all the parameters necessary to represent the "real world" data (remove all trends from the residuals) so that realistic statistics are

Table 23. Physical constant statistics: comparison between *Ranger VII* analysis and *Ranger Block III Summary Analysis*

Physical constant	Standard deviation	
	<i>Ranger VII</i> postflight analysis	<i>Ranger Block III Summary Analysis</i>
$GM_{\oplus}$	$1.40 \text{ km}^3/\text{sec}^2 = (3.5 \times 10^{-6}) GM_{\oplus}$	$0.4 \text{ km}^3/\text{sec}^2 = (1 \times 10^{-6}) GM_{\oplus}$
$GM_{\ell}$	$0.15 \text{ km}^3/\text{sec}^2 = (30 \times 10^{-6}) GM_{\ell}$	$0.03 \text{ km}^3/\text{sec}^2 = (6 \times 10^{-6}) GM_{\ell}$
REM	$7.3 \text{ m} = (1.1 \times 10^{-5}) \text{ REM}$	$2 \text{ m} = (0.3 \times 10^{-5}) \text{ REM}$
Station locations <sup>a</sup>		
$x_i$ (outward radial distance normal to Earth's spin axis)	17.7 m	5 m
$x_{z_i} - x_{z_j}$ (difference in longitude between two stations)	8.8 m	5 m

<sup>a</sup>The *Ranger VII* analysis quotes results for Station 12 and ignores the effect of the ionosphere. The majority of the Station 12 doppler were obtained at night when ionospheric effects were at a minimum.

associated with the solution vector parameters. Table 23 is a comparison of the physical constant statistics between the *Ranger VII* postflight analysis and the *Ranger Block III Summary Analysis*. An improvement factor of 3 is realized for  $GM_{\oplus}$  and 5 for  $GM_{\ell}$ . The slow relative motion of points on the Earth's crust (which will not be included in the ODP model) may limit the knowledge of station locations to 5 m in the radial direction normal to the Earth's spin axis, and 5 m in the difference in longitude between two stations. The major reduction in

statistics is the result of the improved model (i.e., double precision, built-in constraints, midcourse maneuver model, improved refraction model) to be used for the *Summary Analysis*; however, some improvement will also be realized from combining the results of the *Mariner* (Venus and Mars) and the other *Ranger* flights for a consistent solution of the physical constants ( $GM_{\oplus}$ ,  $GM_{\ell}$ , REM, and tracking station locations). Also, data such as TV pictures of the spacecraft lunar impact point will be available as a check on the orbit determination process.

### III. MIDCOURSE AND TERMINAL MANEUVER ANALYSIS

#### A. Introduction

The function of the Maneuver Analysis Group (MAG) of the Flight Path Analysis and Command Team was fully described in the maneuver part of the Report on the flight path of *Ranger VI* (Ref. 10). Summarized briefly here are the guidelines under which the exploration of maneuver alternatives is carried out for both standard and nonstandard flight sequences. The constraints and restraints imposed are as follows:

##### 1. Mission

- a. The impact location must have suitable lighting conditions at arrival. A precise quantitative criteria for measuring these conditions is given in Ref. 15 which predicts best results for regions with a lighting angle of 50–80 deg.
- b. It is desirable to land in a mare area not far from the lunar equator (approximately within  $\pm 10$  deg) for compatibility with the *Apollo* program.
- c. If no suitable impact location can be achieved, it is desirable to maximize camera coverage of previously unphotographed portions of the Moon with a west-side flyby.

##### 2. Spacecraft and Geometry

- a. The magnitude of the corrective maneuver cannot exceed the maximum available.
- b. The Earth-probe-near limb of the Moon angle must not fall below 15 deg in order to maintain Earth lock.
- c. It is desirable that the flight time be adjusted so that the automatic preset timer on board the spacecraft will activate the fully scanned cameras no later than 5 min and no earlier than 45 min prior to impact.
- d. The angle that the roll axis of the spacecraft makes with the probe-Earth line should not be less than 40 deg during the entire midcourse maneuver sequence. Violation of this constraint may or may not result in loss of telemetry during this critical time. Coordination with the Spacecraft Performance Analysis and Command Group (SPACG) is required in flight to determine the severity of the loss, if any, should the null cone be entered. If (c) and (d) may not be simultaneously attained, the timer takes preference over the telemetry.

- e. It is desirable that both the midcourse and terminal phases occur well within a Goldstone viewing period.
- f. In the terminal maneuver sequence the second pitch turn may not be less than  $-47$  deg. In addition, it may not be greater than  $+55$  deg if accurate roll stabilization is required.

Figure 30 shows several of these constraints mapped onto the **B** plane. The MAG is further able to evaluate in real time, during the execution of the midcourse maneuver sequence, the consequence of any roll and pitch (with some assumed velocity magnitude increment) should telemetry indicate that the turns being executed are significantly different from those commanded. The evaluation, using linear analysis, estimates target parameters for the maneuver being performed and weighs these against the target parameters for the trajectory with no midcourse perturbation. In carrying out the evaluation, a representative from the JPL Space Sciences Division is consulted before the recommendation is made as to whether or not the maneuver is to be inhibited and the spacecraft returned to its cruise mode by sending real-time command (RTC) 8.

The investigation as to the most desired terminal maneuver can be broken into four main possibilities:

- a. The nominal terminal maneuver, which aligns the primary optical axis of the TV subsystem along the velocity vector at the point of impact by performing in sequence a pitch, a yaw, and a second pitch.
- b. The optimum terminal maneuver, which seeks to make the optimum trade-off between camera smear due to misalignment between the cameras and the velocity and the viewing geometry.
- c. A restricted maneuver, which pitches the spacecraft an amount equalling the algebraic sum of the first and second pitch computed in (a), above, thus increasing reliability.
- d. No terminal maneuver at all, which further increases reliability.

The constraints on the midcourse maneuver mentioned above, apply here also in choosing the proper terminal maneuver. Figures 31 and 32 depict the midcourse roll-pitch turn and the terminal pitch-yaw-pitch turn sequences.




Fig. 30. Ranger midcourse maneuver




Fig. 31. Ranger terminal maneuver




Fig. 32. Capability ellipse of target parameters 16 hr after injection

### B. Inflight Maneuver Considerations

Among the various sites considered as a destination for *Ranger VII* for the July 28, 1964 launch, the northern part of Mare Nubium at 11 deg South latitude and 21 deg West longitude was selected as most desirable.<sup>10</sup>

With the computation of the first orbit early in the mission, it became clear that the most desired impact point could be achieved with much less than the total 60 m/sec capability of the midcourse rocket motor. The magnitude of the correction needed remained the same, as the orbit estimation was refined prior to the midcourse maneuver. The orbit upon which the final midcourse maneuver computation was based was the nominal pre-midcourse orbit. Table 24 shows the estimate of the arrival parameters of the nominal pre-midcourse orbit, the target parameters of launch, the desired impact parameters prior to midcourse, and the required change in the terminal conditions. Note that the target point at launch differs by 1700 km from the target point at midcourse, the difference being that the target point at launch is chosen so as to optimize the probability of impacting in the visible lighted portion of the Moon should a spacecraft malfunction preclude a midcourse maneuver, while the target point at midcourse is chosen by the criterion outlined above. The ellipse shown in Fig. 33 centers on the estimate of the target parameters from the nominal pre-midcourse orbit and describes the total range of the ability to alter these parameters with the 60 m/sec capability of the midcourse rocket.

A summary of statistics of dispersion at the target for the maneuver required is given in Table 25. Listed are the 1- $\sigma$  values for the SMAA and SMIA of the dispersion ellipse in the **B** plane along with the uncertainty in time of flight. These quantities are given as contributed by orbit determination uncertainties, maneuver execution uncertainties, and the combined contribution.

<sup>10</sup>Letter dated June 18, 1964 from E. A. Whitaker to D. E. Willingham of JPL describing *Ranger VII* landing sites for the July launch window.

Table 24. Maneuver target conditions

	Aiming point at launch	Premaneuver orbit	Desired arrival point	Correction required
<b>B-RT</b> , km	222	759	820	61
<b>B-TT</b> , km	75	-3799	1607	5406
<b>TF</b> , hr	68.2	67.23	68.09	0.86




Fig. 33. *Ranger VII* constraints mapped onto the **B** plane

The flight time of *Ranger VII* was to have been adjusted so that impact would occur 30 min after the backup clock turned on the channel cameras. The maneuver to achieve the impact point and the desired flight time, however, violated the nominal antenna constraint angle of 40 deg. Because of the particular antenna radiation patterns and the particular rotations to be performed by the spacecraft, the number of channels and the time spent by each in the antenna nulls could be reduced by reducing the time from camera activation to impact. Several maneuvers for varying arrival times were computed; each was examined in detail by the SPACG for expected telemetry loss. A flight time with impact occurring 18 min after automatic camera turnon was ultimately decided upon. If, at this time, no terminal orienting maneuver were made, the lunar terminator would be within the field of view of the B camera, thus giving the cameras a wide range of surface illumination. The desired time of flight from injection to impact would be 68.09 hr.

Table 25. Expected target dispersions from orbit determination and midcourse maneuver execution errors

1 $\sigma$	Orbit deter- mination	Maneuver execution	Combined
Semimajor axis, km	14.6	45.7	47.7
Seminor axis, km	6.3	35.9	36.8
Flight time uncertainty, sec	5.2	31.4	31.9
Orientation — angle from + <b>T</b> axis and <b>T</b> to + <b>R</b> , deg	6.9	-83.9	-88.3

Having determined the desired target parameters at approximately 3 hr prior to the initiation of the maneuver at 07:27:00 GMT, the final computation was made using the latest determination of the orbit. The resulting required maneuver parameters are entered in Table 26.

**Table 26. Commanded maneuver**

	Magnitude	Duration, sec	Initiated at GMT
Roll turn	5.56 deg	25	10:00:44
Pitch turn	-86.80 deg	392	10:10:09
Velocity increment	29.89 m/sec	48	10:27:09

Well before the maneuver was to be executed, consideration was given to the possibility of stopping the maneuver sequence with RTC-8, which interrupts the maneuver and returns the spacecraft to its cruise mode attitude, should a malfunction occur during the turning sequence of the midcourse maneuver. This decision of whether or not to halt the maneuver is particularly difficult to make in real time because once the maneuver is stopped, a period of 10,000 sec must elapse before a second attempt is undertaken. This delay due to the recycling period presents the possible problem of having to perform the maneuver over an overseas station with the further thought that the same malfunction that occurred in the first attempt might occur in the second attempt. Furthermore, the delay decreases the capability of the midcourse motor. Taking these considerations into account, the MAG was then prepared to evaluate in real time the direct telemetry readings on the duration and polarity of the turns, assuming the correct motor burn. Fortunately, such preparation was never utilized since the measurements observed in real time during the performance of the maneuver all had the correct polarity and, to within the accuracy of these measurements, were of the exact duration commanded. This, coupled with the real-time doppler reduction discussed elsewhere in this Report, gave almost instant verification that the maneuver had been executed correctly.

After subsequent tracking and determination of the postmaneuver orbit showed that the correction to the trajectory was indeed very close to that desired, consideration was given to performing a terminal orienting maneuver. Prior to computing a terminal maneuver the best estimate of the impact parameters was as follows:

Latitude of impact 10.84 deg South


Longitude of impact 20.46 deg West

GMT of impact 31 day 7 mo 64 yr 13 hr 25 min 44 sec

Automatic camera turnon 31 day 7 mo 64 yr 13 hr 9 min 0 sec

Figure 34 depicts the impact geometry with the cameras in the cruise mode orientation. The **C** vector represents the central pointing direction of the four P cameras, **A** and **B** represent the pointing directions for the 25 and 8.4 deg field of view F cameras. The nominal terminal maneuver, if performed, would have aligned the **C** vector with the impact velocity vector. In the cruise mode the **C** vector was 6.8 deg from the velocity vector, and with the path angle shown of 64.1 deg, an impact velocity of 2.62 km/sec, and a shutter speed of 2 msec, the resultant blurring due to camera motion was 0.8 m. That is, the center of the field of view at the time the shutter closed would be observing a point on the surface 0.8 m away from the point viewed at the time the shutter opened. This is an acceptable level of blur; an amount nine times this figure could probably be tolerated and still meet mission objectives.

Examination of the expected picture quality and coverage obtained with various proposed terminal maneuvers revealed that improvement, if any, would be negligible. Adding to this the consideration of greater reliability by not changing the attitude of the spacecraft, the decision not to perform a terminal maneuver was reached.



**34. Approach geometry with no terminal maneuver**

### C. Comparison of Commanded and Actual Maneuver

This section examines quantitatively the midcourse maneuver execution errors in terms of effective pitch and yaw pointing errors and midcourse motor shutoff errors, and the uncertainties associated with the estimates of these errors.

Using the estimate of the executed maneuver obtained from Section II F 2, the estimated errors may be summarized as follows:

Estimated error in yaw:  $-2.04$  mrad or  $-0.117$  deg

Estimated error in pitch:  $0.83$  mrad or  $0.047$  deg

Estimated error in velocity magnitude:  $-0.073$  m/sec

Mapping these errors to the target results in a miss of  $18.0$  km in  $\mathbf{B} \cdot \mathbf{RT}$  and  $17.1$  km in  $\mathbf{B} \cdot \mathbf{TT}$  and  $19$  sec in time of flight. The estimated errors compare with the expected standard deviation for the maneuver performed as follows:

$$1 - \sigma_{\text{yaw}} = 7.6 \text{ mrad}$$

$$1 - \sigma_{\text{pitch}} = 3.7 \text{ mrad}$$

$$1 - \sigma_{\text{vel. mag.}} = 0.8 \text{ m/sec}$$

The uncertainties associated with these estimates are  $1.29$  mrad,  $0.19$  mrad, and  $0.0037$  m/sec, respectively.

Some of the errors involved in executing the maneuver may be accounted for in postflight analysis. These errors consist of limit cycle errors in roll, pitch, and yaw, and resolution errors in the roll and pitch commanded and the magnitude of the velocity added. If these identifiable error sources are removed, then the resulting estimate in the errors is as follows:

Estimated error in yaw with identifiable error sources removed:  $-2.12$  mrad ( $-0.122$  deg)

Table 27. Data used in maneuver error computations

	Roll, deg	Pitch, deg	Yaw, deg
Ideal turn	5.563	-86.803	
Resolution error	-0.103	0.053	
Limit cycle error	0.103	0.126	-0.092
Ideal velocity magnitude = 29.7704 m/sec. Resolution velocity magnitude error = 0.0914 m/sec. $\hat{\mathbf{V}}_E$ (estimated midcourse velocity vector in m/sec) = $[-25.063, -15.223, -6.164]$ $\Lambda_V = \begin{bmatrix} 0.31406381E-10 & -0.92115033E-10 & 0.18141402E-9 \\ & 0.32439815E-9 & -0.60889906E-9 \\ & & 0.11959307E-8 \end{bmatrix}$			

Table 28. Ranger VII maneuver execution error estimates

	Yaw			Pitch			Velocity, magnitude		
	mrad	deg	ratio to standard deviation	mrad	deg	ratio to standard deviation	m/sec	ratio to standard deviation	
Estimated error	-2.04	-0.117	0.27	0.83	0.047	0.22	-0.073	0.41	All error sources included
Standard deviation of expected error	7.6	0.436	---	3.7	0.212	---	0.18	---	
Estimated error	-2.12	0.122	0.38	3.96	0.227	1.28	-0.082	0.51	All identifiable error sources removed
Standard deviation of expected errors	5.6	0.321	---	3.1	0.178	---	0.16	---	
Standard deviation of the error in the estimate	1.29	0.074	---	0.19	0.011	---	0.0037	---	Applicable to both sets of results



Estimated error in pitch with identifiable error sources removed: 3.96 mrad (0.227 deg)

Estimated error in velocity magnitude with identifiable error sources removed: 0.16 m/sec

Table 27 shows the data used to arrive at all of the results which are then summarized in Table 28.

The estimate of the velocity added at midcourse  $\bar{V}_E$ , and the covariance matrix of uncertainties  $\Lambda_v$  associated with it were obtained from the best orbit determination. In this estimate of  $\bar{V}_E$  tracking data alone were used (no use being made of the spacecraft's maneuver doppler data). (Further details of this orbit appear elsewhere in

this Report.) G. D. Pace was the source<sup>11</sup> used for estimating the value of the standard deviation for the pitch and yaw pointing error and for the velocity magnitude error, while estimates for the resolution and the limit cycle errors were obtained from R. E. Hill.<sup>12</sup>

Again, as in *Ranger VI*, the maneuver happened to be initiated near the zero crossing of the roll limit cycle, thus appreciably reducing the chief contribution to the standard deviation of maneuver execution errors.

<sup>11</sup>G. D. Pace, "Ranger Block III Midcourse Execution Capabilities," October 10, 1963 (internal communication).

<sup>12</sup>R. E. Hill, "Ranger VII Attitude Control Flight Performance," August 7, 1964 (internal communication).

## IV. RANGER VII TRAJECTORY

### A. Launch Phase

*Ranger VII* was launched from ETR at Cape Kennedy, Florida on Tuesday, July 28, 1964 using an *Atlas D/Agena B* boost vehicle. Launch occurred at 16:50:07.873 GMT with an inertial launch azimuth of 96.6 deg East of North. After liftoff, the booster rolled to an azimuth of 97.1 deg and performed a programmed pitch maneuver until booster cutoff. During sustainer and vernier stages, adjustments in vehicle attitude and engine cutoff times were commanded as required by the ground guidance computer to adjust the altitude and velocity at *Atlas* vernier engine cutoff. After *Atlas-Agena* separation, there was a short coast period prior to the first ignition of the *Agena* engine. At a preset value of selected velocity increase, the *Agena* engine was cut off. At this time the *Agena-spacecraft* combination were coasting in a nearly circular parking orbit in a southeasterly direction at an altitude of 188 km and an inertial speed of 7.80 km/sec. After an orbit coast time of 19.97 min, determined by the ground guidance computer and transmitted to the *Agena* during the *Atlas* vernier stage, a second ignition of *Agena* engine occurred. Eighty-nine seconds later the *Agena* was cutoff, injecting the *Agena-spacecraft* combination in a nominal Earth-Moon transfer orbit. The launch

phase ascent trajectory profile is illustrated in Fig. 35, while a sequence of events from launch to acquisition of the Earth by the spacecraft is shown in Fig. 36.

### B. Premaneuver Cruise Phase

Injection (second *Agena* cutoff) occurred at 17:20:01 GMT, over the western coast of South Africa at a geocentric latitude and longitude of  $-12.89$  and  $15.07$  deg, respectively. The *Agena-spacecraft* were at an altitude of 192 km and traveling at an inertial speed of 10.949 km/sec. One minute and 32 sec after injection the *Agena-spacecraft* combination entered the Earth's shadow. The *Agena* separated from the spacecraft 2 min 35 sec after injection, performed a programmed 180 deg yaw maneuver, and ignited its retrorocket. The retrorocket impulse was designed to eliminate interference with the spacecraft operation and reduce the chance of the *Agena* impacting the Moon. Tracking data indicated that the *Agena* would pass the upper trailing edge of the Moon at an altitude of 3660 km about 3 hr after *Ranger VII* impact.

*Ranger VII* left the Earth's shadow 40 min 5 sec after injection for a total shadow duration of 38 min 33 sec.




Fig. 35. Ascent trajectory profile




Fig. 36. Sequence of events to Earth acquisition

Sun acquisition had been initiated 9 min 58 sec prior to leaving the Earth's shadow. Five minutes after leaving the Earth's shadow the Sun was acquired. Within an hour after injection, the spacecraft was receding from the Earth in an almost radial direction with decreasing speed. This reduced the geocentric angular rate of the spacecraft (in inertial coordinates) until, at 1.4 hr after injection, the angular rate of the Earth's rotation exceeded that of the spacecraft. This caused the Earth's track of the spacecraft (Fig. 37) to reverse its direction from increasing to decreasing Earth longitude. Plots of geocentric distance and inertial speed for *Ranger VII* as well as Earth-Probe-Sun (EPS), Sun-Probe-Moon (SPM), and Earth-Probe-Moon (EPM) angles as a function of time from launch are presented in Figs. 38 through 40.

Final analysis of premidcourse tracking data showed that without a correction the spacecraft would have impacted the back side of the Moon at a selenocentric latitude and longitude of  $-12.4$  and  $201.2$  deg, respectively. The transit time from injection to impact would have been 67.396 hr.

### C. Midcourse Maneuver Phase

In order to alter the trajectory so as to impact a selected aiming point at a selenocentric latitude of  $-11$  deg and longitude of  $-21$  deg, midcourse maneuver calculations indicated a requirement of 29.89 m/sec increment of velocity (60 m/sec maximum capability). In addition, this correction was selected to adjust the flight time from injection to impact to be 68.09 hr, thus allowing the TV camera backup turn on clock to be utilized as designed. To properly align the thrust direction of the midcourse motor for the burn, a  $+5.56$  deg roll turn and  $-86.80$  deg pitch turn were required. The midcourse motor was ignited at 10:27:09 GMT on July 29, 1964 when the spacecraft was at a geocentric distance of 169,000 km and traveling with an inertial speed of 1.786 km/sec relative to Earth. At the end of a 50 sec burn of the midcourse motor, the geocentric distance had increased to 169,075 km, and the inertial speed relative to Earth had decreased to 1.756 km/sec. Analog data received at Goldstone and relayed to the Space Flight Operations Facility (SFOF) at JPL positively indicated that the midcourse maneuver and motor burn had been executed precisely. This was further verified by the observed




Fig. 37. Date and time chart of significant events




Fig. 38. Probe geocentric radius vs time from launch




Fig. 39. Probe geocentric velocity vs time from launch

doppler data being essentially the same as those predicted. Injection and encounter conditions for the pre-midcourse orbit are given in Table 29. Terms used in Table 29 are defined in Table 30.




Fig. 40. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe-Moon (EPM) angles vs time from launch

#### D. Postmaneuver Cruise Phase

Following the midcourse maneuver the spacecraft reacquired the Sun and Earth, thus returning to the cruise mode. At about 63 hr after injection and at a geocentric distance of 355,300 km the spacecraft's inertial speed relative to the Earth reached a minimum value of 0.850 km/sec. At this point, the spacecraft was about 28,300 km from the lunar surface with an inertial speed of 1.36 km/sec relative to the Moon. Because of the lunar gravitational field the spacecraft's velocity began to increase.

Postmidcourse tracking data resolved the trajectory's lunar encounter conditions to a high degree of accuracy, with the lunar impact occurring at a selenocentric latitude and longitude of  $-10.70$  and  $-20.67$  deg, respectively, with a flight time of 68.097 hr from injection. The encounter conditions along with the corresponding postmidcourse initial conditions are presented in Table 31. The geocentric spatial trace of the trajectory from injection to impact is illustrated in Fig. 41.

Table 29. Ranger VII premidcourse orbit

Initial conditions <sup>a</sup>	
Epoch	July 28, 1964; 17:19:56 GMT
Earth fixed sphericals	
$R$	6567.6447 km
$\phi$	-12.677893 deg
$\theta$	14.648313 deg
$V$	10.533192 km/sec
$\gamma$	1.3797469 deg
$\sigma$	117.37653 deg
Inertial Cartesian	
$x$	-4833.6123 km
$y$	-4206.2479 km
$z$	-1441.3998 km
$\dot{x}$	7.0601073 km/sec
$\dot{y}$	-6.8712135 km/sec
$\dot{z}$	-4.7797462 km/sec
Orbital elements	
$a$	269557.04 km
$e$	0.97564865
$i$	28.955996 deg
$\Omega$	17.040849 deg
$\omega$	204.26939 deg
$\nu$	2.6875478 deg
Impact parameters	
Impact epoch	July 31, 1964; 12:43:40.933 GMT
Selenocentric latitude	-12.166318 deg
Selenocentric longitude	203.40645 deg
Time of flight from injection	67.394 hr <sup>b</sup>
$B$	3873.4142 km <sup>c</sup>
$B \cdot T^d$	-3801.0655 km
$B \cdot R^d$	745.14347 km
<sup>a</sup> See Table 30 for definition of terms. <sup>b</sup> 1 $\sigma$ uncertainty of 5.2 sec <sup>c</sup> 1 $\sigma$ uncertainty of 15.9 km <sup>d</sup> $B \cdot T$ and $B \cdot R$ are referenced to the true lunar equator (see Appendix A). For Ranger VII work, the true lunar equator is used as the reference plane. If $N$ is a unit vector in the lunar North direction, then $T = S_l \times N$ and $R = S_l \times T$ .	

Table 31. Postmidcourse orbit of Ranger VII

Postmidcourse conditions <sup>a</sup>	
Epoch	July 29, 1964; 10:27:58 GMT
Earth-fixed sphericals	
$R$	169075.12 km
$\phi$	2.7383859 deg
$\theta$	277.82480 deg
$V$	12.070912 km/sec
$\gamma$	8.1207516 deg
$\sigma$	270.95862 deg
Inertial Cartesian	
$x$	156674.52 km
$y$	63041.633 km
$z$	8077.6773 km
$\dot{x}$	1.4342616 km/sec
$\dot{y}$	0.97257020 km/sec
$\dot{z}$	0.28116151 km/sec
Orbital elements	
$a$	244087.05 km
$e$	0.97401691
$i$	28.707653 deg
$\Omega$	16.908152 deg
$\omega$	203.78266 deg
$\nu$	161.92552 deg
Impact parameters	
Impact epoch	July 31, 1964; 13:25:48.724 GMT
Selenocentric latitude	-10.701742 deg
Selenocentric longitude	-20.66861 deg
Time of flight from injection	68.0966 hr <sup>b</sup>
$B$	1811.9285 km <sup>c</sup>
$B \cdot T^d$	1623.9736 km
$B \cdot R^d$	803.61342 km
<sup>a</sup> See Table 30 for definition of terms. <sup>b</sup> 1 $\sigma$ uncertainty of 1.0 sec <sup>c</sup> 1 $\sigma$ uncertainty of 14.7 km <sup>d</sup> $B \cdot T$ and $B \cdot R$ are referenced to the true lunar equator (Appendix A). For Ranger VII work, the true lunar equator is used as the reference plane. If $N$ is a unit vector in the lunar North direction, then $T = S_l \times N$ and $R = S_l \times T$ .	

Table 30. Definition of terms

Parameter	Definition (Earth as central body)	Parameter	Definition (Earth as central body)
$R$	Probe radius distance, km	$x, y, z$	is the Earth equatorial plane of date. $z$ is along the direction of the Earth's spin axis of date, km
$\phi$	Probe geocentric latitude, deg	(Cont'd)	
$\theta$	Probe East longitude, deg	$\dot{x}, \dot{y}, \dot{z}$	First time derivatives of $x, y$ , and $z$ , respectively, i.e., Cartesian components of the probe space-fixed velocity vector, km/sec
$V$	Probe Earth-fixed velocity, km/sec	$a$	Semimajor axis, km
$\gamma$	Path angle of the probe Earth-fixed velocity vector with respect to the local horizontal, deg	$e$	Eccentricity
$\sigma$	Azimuth angle of the probe Earth-fixed velocity vector measured East of true North, deg	$i$	Inclination, deg
$x, y, z$	Vernal equinox Cartesian coordinates in a geocentric equatorial system. The origin is the center of the central body. The principal direction ( $x$ ) is the vernal equinox direction of date, and the principal plane ( $x, y$ )	$\Omega$	Longitude of the ascending node, deg
		$\omega$	Argument of pericenter, deg
		$\nu$	True anomaly, deg




Fig. 41. Geocentric spatial trace Ranger VII trajectory

### E. Encounter Phase

During the encounter phase the spacecraft raced toward impact with increasing acceleration due to the pull of the lunar gravity field. This effect is shown in Fig. 42 in which the *Ranger VII* trajectory trace to lunar encounter is compared with a hypothetical *Ranger VII* trajectory resulting from a massless Moon. One hour before impact, the speed of the probe relative to the Moon had increased to 1.551 km/sec and was at a lunar altitude of 6390 km. No terminal maneuver was needed at this time to realign the TV cameras' pointing direction.

About 45.5 min before impact, the spacecraft crossed the lunar equator at an altitude of 4933 km. At 13:08:36 GMT at 2126 km above the lunar surface, F channel full power was verified. At 13:12:09 GMT and at 1723 km, P channel full power was also verified. Minutes later at 13:25:50 GMT on July 31, 1964, *Ranger VII* crashed into what was to be named the lunar "Mare Cognitum" at an impact speed of 2.616 km/sec and at a path angle of  $-64.1$  deg. The spacecraft had encountered the Moon in a direct motion along a hyperbolic trajectory with the incoming asymptote direction at an angle of  $-5.57$  deg

to the lunar equator, and the orbit plane inclined  $26.84$  deg to the lunar equator.

The trace of the trajectory on the lunar surface from injection to impact is given in Fig. 43, while the traces of the lunar approach portions of the premidcourse and postmidcourse orbits are illustrated in Fig. 44. The probe's geocentric distance and velocity are given in Figs. 45 and 46, respectively, for the last few hours of flight. The selenocentric altitude and velocity are given in Figs. 47 and 48, and the EPS, SPM and EPM angles for the last hours of flight are in Fig. 49.

A study of the *Ranger VII* trajectory can be made by examining the detailed trajectory printout (Appendixes B and C). Appendix B contains the trajectory listing for the premidcourse orbit from the initial epoch to the midcourse epoch and a lunar impact printout. Appendix C contains the trajectory listing for the postmidcourse orbit from midcourse to lunar encounter. Appendix D, Table D-1, is a key to the trajectory printout. Table D-2 contains the definitions of the trajectory printed quantities. Constants and conversion factors used in *Ranger VII* trajectory computation are listed in Table D-3. The miss parameter **B**, used to measure the miss distance for the lunar trajectory, is defined in Appendix A.








Fig. 42. Lunar gravitational effect on Ranger VII trajectory near encounter

[illegible]



$\lambda, \gamma$  = LUNAR EQUATORIAL PLANE  
 AXIAL DISTANCES,  $10^3$  km  
 $E$  = SUBTERRESTRIAL POINT  
 $\phi = 5.9$  deg  
 $\theta = -5.2$  deg  
 $S$  = SUBSOLAR POINT  
 $\phi = 0.9$  deg  
 $\theta = 272.4$  deg  
 ALL TIMES ARE GMT, JULY 31, 1968

**Fig. 44. Traces of lunar trajectory for premidcourse and postmidcourse orbits**



← Fig. 45. Geocentric distance of probe vs GMT at lunar encounter





Fig. 47. Selenocentric altitude of probe vs GMT at lunar encounter



← Fig. 46. Geocentric inertial speed of probe vs GMT at lunar encounter




Fig. 48. Selenocentric inertial speed of probe vs GMT at lunar encounter




Fig. 49. Earth-probe-Sun (EPS), Sun-probe-Moon (SPM), and Earth-probe-Moon (EPM) angles vs GMT at lunar encounter

## V. ANALYSIS OF AIR FORCE EASTERN TEST RANGE TRACKING DATA

### A. Introduction

For the *Ranger* missions, the AFETR is responsible for providing classical orbital elements for both the parking and transfer orbits, and for providing initial acquisition information to the DSIF tracking stations. These calculations are performed on an IBM 7094 computer located at AFETR using *Agena* vehicle tracking data obtained from the downrange AFETR tracking stations. Results of these calculations are transmitted to the JPL SFOF in Pasadena. The acquisition information is relayed to the DSIF stations, and the initial orbital elements are used in the JPL orbital calculations.

In addition to fulfilling these requirements, AFETR transmits tracking data obtained during the parking orbit, transfer orbit, and *Agena* postretro orbit to the SFOF. The parking orbit data are very useful for detecting non-standard flight conditions, and the transfer orbit data are

used during flight operations to verify the initial orbital estimates based on DSIF data. *Agena* postretro data are important for verifying *Agena* retrofiring, and are further used to establish the *Agena* vehicle postretro orbit.

During this mission, AFETR stations tracked the *Ranger VII Agena* vehicle from launch until it was lost by Pretoria 8 min after *Agena* retrofiring. Additional tracking data were supplied by two National Aeronautics and Space Administration (NASA) stations located at Bermuda and Carnarvon, Australia. The names, locations, and radar types for the AFETR and NASA stations are given in Table 32. Table 33 summarizes the tracking data coverage provided by these stations.

### B. Acquisition Information

Twenty-four minutes of initial acquisition information was provided for DSIF Stations 41, 51, and 59, based on the actual parking orbit and nominal second *Agena* burn. Shortly after injection, this information was updated for 100 min, based on the actual transfer orbit. These predictions included pointing angles, receiver doppler detector output for both one-way and two-way doppler, and the ground station transmitter reference frequency required to establish uplink lock with the spacecraft. A comparison between the AFETR predicted pointing angles and the actual tracking angles showed that the predicted values were well within the beam width of all station antennas.

Table 32. AFETR and NASA station locations<sup>a</sup>

Station name	Controlling agency	Latitude deg	Longitude deg	Radar type
Antigua	AFETR	17.0 N	298.2 E	FPQ-6
Ascension	AFETR	7.9 S	345.6 E	FPS-16
Bermuda	NASA	32.2 N	295.3 E	FPS-16
Carnarvon	NASA	24.7 S	113.7 E	FPQ-6
Pretoria	AFETR	25.8 S	28.3 E	FPS-16

<sup>a</sup> See Ref. 16.

Table 33. Tracking station data coverage

Station name	Mission phase	Start data			End data			Maximum elevation, deg	Number of data points
		GMT	Range, km	Elevation, deg	GMT	Range, km	Elevation, deg		
Bermuda	Parking orbit	16:58:42	905	8.0	17:01:12	1,656	1.2	8.0	26
Antigua	Parking orbit	17:00:00	950	7.2	17:02:48	1,600	0.0	7.2	28
Ascension	Parking orbit	17:11:12	1424	1.4	17:15:30	1,281	0.0	4.0	44
Pretoria	Preretrol orbit	17:21:30	1245	6.3	17:29:06	3,683	9.8	27.2	74
Pretoria	Postretrol orbit	17:29:12	5421	9.6	17:37:06	7,761	1.1	9.6	77
Carnarvon	Postretrol orbit	17:35:12	5161	22.4	18:04:48	11,153	88.1	88.1	241

### C. Analysis of Parking Orbit Data

In the parking orbit phase, angular and range data were obtained by Antigua, Ascension and Bermuda. During flight operations, only Antigua data were used for the parking orbit calculation made at JPL. Numerical values for the parameters in this solution are given in Table 34, column 3. These values are in good agreement with orbital elements obtained from the AFETR solution seen in column 2, except for  $\Omega$  (longitude of ascending node) and  $\omega$  (argument of pericenter passages). Table 35 shows the number of data points and associated statistics for this calculation. The residuals, observed minus computed, may be seen in Fig. 50.

For the postflight analysis an orbital estimate was made using data from Ascension and Bermuda only. The data points used and the associated statistics are given in Table 36. Bermuda angular data were not used for this calculation, and it was necessary to correct the ranging

**Table 34. Parking orbit parameter solutions**  
(Epoch = 16 hr 58 min 32.00 sec)

Orbital parameter	Orbit reported by ETR <sup>a</sup> (2)	Real time orbit <sup>b</sup> (3)	Post analysis orbit <sup>c</sup> (4)
$R_0$ , km	6561	6559.7937	6560.7722
$\Phi_0$ , deg	24.660	25.031393	25.035432
$\lambda_0$ , deg	299.336	297.90737	297.91529
$V_0$ , km/sec	7.386	7.3827313	7.3820695
$\gamma_0$ , deg	-0.002	0.038837308	-0.028649228
$\sigma_0$ , deg	106.315	105.64363	105.633888
$a$ , km	6575.9	6572.9758	6570.5272
$C$	0.002372	0.001467387	0.0015632628
$i$ , deg	28.826	28.854379	28.828694
$\Omega$ , deg	16.980	16.194773	16.989216
$\omega$ , deg	120.906	20.027	136.34901
$C_3$ , km/sec <sup>2</sup>	-60.62	-60.64	-60.66

<sup>a</sup>Epoch from ETR = 16 hr 58 min 52.9 sec. Orbit based on best data set(s) selected from various tracking stations.


<sup>b</sup>Orbit from Antigua data only (calculated at JPL).

<sup>c</sup>Orbit from Bermuda and Ascension (calculated at JPL).

Note: the ETR orbit is received prior to obtaining the solution shown in column 3.

**Table 35. Inflight parking orbit data statistics**

Station name	Data type	Number of points used	Standard deviation	Mean
Antigua	Range, m	15	5	16.1
	Azimuth, deg	23	0.0080	0.0000
	Elevation, deg	23	0.0437	0.0202



**Fig. 50. Antigua parking orbit residuals**

data values to account for range reference oscillator timing errors.<sup>13</sup> The number of points and the associated statistics are given in Table 36, and the residual plots may be seen in Figs. 51 and 52. Parameter values, given in Table 34, column 4, show good agreement with the two real-time orbital solutions seen in columns 2 and 3 of the Table. The solutions for argument of pericenter passage do not appear consistent. However, this parameter is not well defined for this orbit due to the near zero values for both the eccentricity  $e$  and path angle  $\gamma_0$ . Using these data, the latitude and longitude of the Bermuda tracking station were determined. This solution

<sup>13</sup>This type of error is apparently a characteristic of the C-band pulse radar systems used by these AFETR and NASA stations (Ref. 16).

Table 36. Postflight parking orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Bermuda Ascension	Range, m	20	16	2.85
	Range, m	32	7	1.53
	Azimuth, deg	32	0.0187	0.0000
	Elevation, deg	31	0.0185	0.0031

shows good agreement with the solution obtained during the *Ranger VI* mission. These results may be seen in Table 37.

When a combined orbital calculation was made using data from all three stations, the Antigua data appeared to be somewhat inconsistent with the data from the other two stations. This is still being investigated.




Fig. 51. Ascension Island parking orbit residuals






Fig. 52. Bermuda parking orbit residuals

Table 37. Bermuda station coordinate solutions

Coordinate	Nominal value <sup>a</sup>	Ranger VI solution, deg	Ranger VII solution, deg	Ranger VI—Ranger VII, deg
Latitude	32.1709	32.170257 ± 0.0004	32.177880 ± 0.0129	-0.00752
Longitude	295.3465	295.34705 ± 0.0007	295.35219 ± 0.0108	-0.00514

<sup>a</sup>See Ref. 16.

#### D. Analysis of Agena Preretro Transfer Orbit Tracking Data

Preretro tracking data were received from Pretoria from 17:21:30 to 17:29:06 GMT July 28. These data were used during flight operations to determine the Agena transfer orbit. This solution agreed very well with the transfer orbit solution previously reported by AFETR. In addition, portions of the Pretoria data were used in the JPL orbital calculations to verify the initial orbit estimates based on DSIF data.

In the postflight analysis, a comparison between the best postflight estimate of the premaneuver orbit based on DSIF data only and the estimate based on the Pretoria data showed the two solutions to be in remarkably good agreement. The values of the parameters for these solu-

Table 38. Transfer orbit and postretro Agena retro orbit parameter solutions (Epoch = 16 hr 19 min 56 sec)

Orbital parameter	DSIF orbit	ETR orbit (Pretoria)	ETR postretro orbit (Pretoria)
$R_0$ , km	6567.6442	6567.4832	6566.0807
$\Phi_0$ , deg	-12.677881	-12.675307	-12.738016
$\lambda_0$ , deg	14.648304	14.645455	146.90039
$V_0$ , km/sec	10.533192	10.533181	10.520717
$\gamma_0$ , deg	1.3797452	1.3787070	1.4308913
$\sigma_0$ , deg	117.37655	117.36825	-117.32460
$a$ , km	269557.25	269050.88	223732.21
$e$	0.97564866	0.97560342	0.97066925
$i$ , deg	28.956008	28.947857	28.935328
$\Omega$ , deg	17.0450877	17.034816	16.935673
$\omega$ , deg	204.26936	204.27300	204.31778
$C_3$ , (km/sec) <sup>2</sup>	-1.4787266	-1.4815107	-1.7816077

Table 39. Preretro orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Pretoria	Range, m	47	10	1.07
	Azimuth, deg	65	0.0082	0.0000
	Elevation, deg	65	0.0091	-0.00381

tions may be seen in Table 38, columns 2 and 3. Tracking data statistics for the Pretoria estimate are given in Table 39, and the residual plots may be seen in Figs. 53 and 54.




Fig. 53. Pretoria preretro residuals (start 17:21 GMT)




Fig. 54. Pretoria preretro residuals (start 17:26 GMT)

### E. Analysis of Agena Postretro Tracking Data

*Agena* postretro tracking data were received from Pretoria and Carnarvon. An estimate of the *Agena* postretro orbit was made using only Pretoria data. This solution revealed that the *Agena* vehicle would miss the Moon's surface by 3660 km and go into a heliocentric orbit. Parameter values for this estimate are given in Table 38, column 4. The number of points and associated statistics are given in Table 40, and the residual plots may be seen Figs. 55 and 56.

Table 40. Postretro orbit data statistics

Station name	Data type	Number of points used	Standard deviation	Mean
Pretoria	Range, m	25	38	1.17
	Azimuth, deg	45	0.0143	0.0000
	Elevation, deg	45	0.0299	-0.0150

A combined estimate based on both Pretoria and Carnarvon data has not yet been satisfactorily made (apparently due to an error in the station coordinates at Carnarvon). The Carnarvon data appeared to be relatively noise free, but a good estimate of the data accuracy is not possible at this time.

### F. Conclusions

The Pretoria tracking data were very useful during flight operations for verifying the initial orbit estimates based on DSIF data. It is anticipated that these data will be more fully utilized in conjunction with the DSIF data as continued confidence is obtained from flight experience.





Fig. 55. Pretoria postretro residuals (start 17:30 GMT)



TIME 17 hr 35 min FROM JULY 28, 1964, min (ITERATION 7)

Fig. 56. Pretoria postretro residuals (start 17:35 GMT)

## VI. DEEP SPACE INSTRUMENTATION FACILITY TRACKING OF RANGER VII

### A. General Information

The DSIF is primarily composed of various tracking stations located around the world and interfaces which connect these tracking stations with the main control center at JPL. The names and locations of the DSIF stations employed in the *Ranger VII* mission are given in Table 41. Since Station 71, located at Cape Kennedy, does not obtain postinjection tracking data, it is not listed in Table 41. This station performs the vital task of prelaunch checkout of the spacecraft radio, telemetry, and TV systems. It also provides spacecraft frequencies to the Tracking Data Analysis Group at the SFOF for use in computing acquisition predictions. Detailed characteristics of the stations are available elsewhere.<sup>14</sup>

Table 42 shows the nominal view periods of the spacecraft to the DSIF stations during the course of the mission. Rise and set times (in GMT) refer to that time at which the spacecraft is at a 5-deg geometrical elevation angle. Since the spacecraft signal can frequently be received when the spacecraft is lower than 5 deg, it is possible that acquisition of the spacecraft will occur before nominal rise time and loss of signal after nominal

Table 41. DSIF station locations

Station	Location	Geodetic latitude, deg	Astronomic longitude, deg
12	Goldstone, California	35.4 N	116.8 W
41	Woomera, Australia	31.4 S	136.9 E
51	Johannesburg, South Africa	25.9 S	27.7 E
59	Johannesburg, South Africa	25.9 S	27.7 E

set time. The modes of operation of the DSIF are identified as ground modes (GM) and can be seen in Table 43.

During *Ranger VII*, the DSIF stations provided both angular and doppler data throughout the mission. Both data types were used during the early part of the mission, and the angular data were very useful in obtaining the initial orbit estimates. For the postflight analysis, only two-way doppler data were used. Plots of the doppler residuals for both premaneuver and postmaneuver tracking may be seen in Figs. 8 through 24. Relatively large biases were seen in the angular data from Stations 41 and 51. This is mainly due to angular correction model errors which, in turn, were caused by recent extensive equipment changes and RF feed realignment at the angle tracking stations. New correction coefficients are being determined to remove these biases during future missions.

<sup>14</sup>Jet Propulsion Laboratory, *Space Flight Operations Plan, Ranger VII*, May 28, 1964 (internal communication).

Table 42. Nominal<sup>a</sup> view periods vs actual tracking at DSIF stations

Date	DSIF Station	Nominal rise, GMT	Nominal set, GMT	Nominal view period	Acquisition by Station	Loss of signal by Station	Actual view period
July 28, 1964	51	17:21:17	17:32:00	00 <sup>h</sup> 10 <sup>m</sup> 43 <sup>s</sup> <sup>a</sup>	17:21:38	17:32:55	00 <sup>h</sup> 11 <sup>m</sup> 17 <sup>s</sup>
	59	17:21:17	17:32:00	00 <sup>h</sup> 10 <sup>m</sup> 43 <sup>s</sup> <sup>a</sup>	17:20:50	17:37:53	00 <sup>h</sup> 17 <sup>m</sup> 03 <sup>s</sup>
	41	17:36:54	00:46:21 <sup>b</sup>	07 <sup>h</sup> 09 <sup>m</sup> 27 <sup>s</sup>	17:35:24	01:17:00	07 <sup>h</sup> 41 <sup>m</sup> 36 <sup>s</sup>
	51	20:42:52	08:28:04 <sup>b</sup>	11 <sup>h</sup> 45 <sup>m</sup> 12 <sup>s</sup>	20:45:50	08:54:29	12 <sup>h</sup> 08 <sup>m</sup> 39 <sup>s</sup>
July 29, 1964	12	07:11:54	18:36:01	11 <sup>h</sup> 24 <sup>m</sup> 07 <sup>s</sup>	06:44:10	18:45:35	12 <sup>h</sup> 01 <sup>m</sup> 25 <sup>s</sup>
	41	14:38:45	01:24:04 <sup>b</sup>	10 <sup>h</sup> 45 <sup>m</sup> 19 <sup>s</sup>	14:13:55	01:49:00	11 <sup>h</sup> 35 <sup>m</sup> 05 <sup>s</sup>
	51	22:00:10	08:48:32 <sup>b</sup>	10 <sup>h</sup> 48 <sup>m</sup> 22 <sup>s</sup>	22:02:45	09:12:03	11 <sup>h</sup> 09 <sup>m</sup> 18 <sup>s</sup>
July 30, 1964	12	07:20:28	18:59:03	11 <sup>h</sup> 38 <sup>m</sup> 35 <sup>s</sup>	06:55:30	18:59:49	12 <sup>h</sup> 04 <sup>m</sup> 19 <sup>s</sup>
	41	14:59:08	01:31:08 <sup>b</sup>	10 <sup>h</sup> 32 <sup>m</sup> 00 <sup>s</sup>	14:36:03	01:59:00	11 <sup>h</sup> 22 <sup>m</sup> 57 <sup>s</sup>
	51	22:14:05	08:53:41 <sup>b</sup>	10 <sup>h</sup> 39 <sup>m</sup> 36 <sup>s</sup>	22:13:17	09:14:37	11 <sup>h</sup> 01 <sup>m</sup> 20 <sup>s</sup>
July 31, 1964	12	07:22:02	13:25:50 <sup>c</sup>	06 <sup>h</sup> 03 <sup>m</sup> 48 <sup>s</sup>	07:00:56	13:25:50	06 <sup>h</sup> 24 <sup>m</sup> 54 <sup>s</sup>

<sup>a</sup>Based on 5-deg elevation angle.

<sup>b</sup>Set occurs on day after rise.

<sup>c</sup>Time of lunar impact.

**Table 43. Ground station tracking modes**

Transmit/receive		Antenna feed	
GM-0*	No receive (transmit only)	0	Not used
GM-1	One-way doppler (receive only)	1	Horn feed diplexer combination (85-ft D reflector)
GM-2	Two-way, one-station (transmit/receive)	2	Tracking feed diplexer combination (85-ft D reflector)
GM-3	Two-way, two-station noncoherent (receive only)	3	Acquisition antenna
GM-4	Two-way, two-station coherent (receive only with reference signal from transmit station)	4	Dipole (6-ft D reflector)
GM-5	Receive only (no doppler)	5	Horn feed, no diplexer (receive only) (85-ft D reflector)

\*Telemetry will be available in all receive modes except GM-0.  
Example: GM-2-1; transmitting to spacecraft and receiving two-way doppler; horn feed and diplexer.

## B. Transponder Tracking

### 1. Premaneuver Phase

Initial acquisition of the spacecraft transponder was made by Station 59 at 17:20:50 GMT on July 28, 1964. Two-way lock was immediately established and the servo system was put in auto track at 17:21:00. Auto track was terminated at 17:21:39 and the receiver dropped lock at 17:23:12. From this time until the end of the pass at 17:37:53, the receiver was unable to maintain continuous lock, primarily due to high spacecraft angular rates and operational procedure difficulties. From this pass only five 5-sec count two-way doppler points were usable in the ODP. At 17:28:07 Station 51 switched on their transmitter, and two-way lock was established at 17:30:14. Station 51 also experienced difficulty in maintaining continuous receiver lock due to high angle rates, and the antenna reached its mechanical limit at 17:31:42. During this interval, no good two-way doppler samples were obtained.

At 17:38:48, Station 41 achieved two-way lock in GM-2-2. They did not get any good doppler samples until 17:54:00 because of an overloaded counter monitoring the doppler mixer output. This situation arose as a

direct result of a changed configuration in the L-band receiver following L-S band conversion work and was easily corrected when discovered. Telemetry event blips B-2-1 through B-2-4 observed by Station 41 starting at 17:50:00 indicated that solar panel extension had occurred. At 17:53:00 a B-2-1 blip was observed which indicated the start of the Sun acquisition sequence. Earth acquisition event blip was noted by Stations 41 and 51. The first ground station command sequence was transmitted to the spacecraft by Station 41, commencing at 21:15:00. Two "clear" commands were sent followed by an antenna switchover command which switches the spacecraft from the low gain omniantenna to the high gain directional antenna. During the mutual view period of Stations 41 and 51, transfers of two-way lock were executed three times. The first transfer, from Station 41 to 51, occurred at 21:58:00. The second transfer, from Station 51 to 41, occurred at 23:10:00. The third and last transfer of this pass, from Station 41 to 51, occurred at 24:00:00. Tracking continued without incident until the maneuver phase began on July 29.

### 2. Maneuver Phase

At 08:50:00 July 29, Station 12 started transmitting the midcourse maneuver command sequence. At 09:40:00 Station 12 transmitted the antenna changeover command which switched the spacecraft back to the low gain omni-antenna, and at 10:00:00 the maneuver execute command was transmitted. At 10:27:09, after the programmed delay, an event blip was observed which indicated mid-course motor ignition. This was immediately followed by a decrease in received doppler frequency, as predicted. The decrease continued until motor cutoff, and then the observed doppler started to rise slightly, again as predicted. A plot showing predicted doppler and observed doppler during the maneuver period may be seen in Fig. 57.

### 3. Postmaneuver Phase

Following the maneuver, the spacecraft reacquired the Sun at 10:36:00, and the Earth at 10:58:39. At 11:21:00 Station 12 started transmitting the command sequence to switch the spacecraft back to the high gain antenna. Transponder tracking then continued in a normal manner with a minimum amount of data being lost when transferring from one station to another. At 11:15:30 on July 31, Station 12 began transmitting a terminal maneuver command sequence. While an orientation maneuver was not required, a terminal maneuver sequence was commanded to set an additional backup timer for the TV system. The terminal maneuver was then inhibited by




Fig. 57. Doppler during midcourse maneuver

an override command transmitted at 11:55:00. The terminal maneuver execute command was transmitted at 12:25:08. Subsequent event blips indicated that the spacecraft responded properly. At 13:08:40 Channel F video appeared, and at 13:12:07 Channel P video went to full power. From 13:12:08 until impact, Station 12 was receiving excellent photographs of the lunar surface. A summary of all commands transmitted to the spacecraft by the DSIF is given in Table 44.<sup>15</sup>

### C. Determination of Impact Time

The primary method of determining observed impact time is by measuring the time at which the spacecraft signal is lost. Various functions related to the spacecraft signal are continuously recorded by the stations during their respective tracking periods. Two recording methods are used: one is magnetic tape, and the other is direct-write oscillograph.

Stations 11<sup>16</sup> and 12 were tracking the spacecraft on July 31 when an abrupt loss of signal occurred at approxi-

<sup>15</sup>Jet Propulsion Laboratory, *Tracking Operations Memorandum, Ranger VII*, September 21, 1964 (internal communication).

<sup>16</sup>Station 11 was committed to provide TV backup support only. They tracked the spacecraft only during the last Goldstone view period, but did not obtain tracking data.

Table 44. Ground commands from DSIF to Ranger VII

Command <sup>a</sup>	Initiated (date/GMT)	Verified, GMT	DSIF Station	T/M event blips recorded at Station
RTC-0	28/21:15:00	21:15:38	41	B-20
RTC-0	28/21:16:00	21:16:38	41	
RTC-3	28/21:19:00	21:19:38	41	
RTC-0	29/08:50:00	08:50:39	12	
RTC-0	29/08:52:00	08:52:39	12	B-20
SC-1	29/08:54:00	08:54:40	12	
SC-2	29/08:56:00	08:56:41	12	
SC-3	29/08:58:00	08:58:41	12	B-20
RTC-0	29/09:36:00	09:36:38	12	
RTC-0	29/09:38:00	09:38:39	12	
RTC-3	29/09:40:00	09:40:39	12	B-20
RTC-4	29/10:00:00	10:00:38	12	
RTC-0	29/11:21:00	11:21:38	12	B-20
RTC-0	29/11:23:00	11:23:39	12	
RTC-3	29/11:25:00	11:25:39	12	
RTC-0	31/11:15:30	11:16:08	12	B-20
RTC-0	31/11:17:30	11:18:09	12	
SC-4	31/11:19:30	11:20:10	12	
SC-5	31/11:21:30	11:22:10	12	B-20
SC-6	31/11:23:30	11:24:10	12	
RTC-0	31/11:51:00	11:51:38	12	
RTC-0	31/11:53:00	11:53:39	12	B-20
RTC-8	31/11:55:00	11:55:38	12	
RTC-6	31/12:25:08	12:25:47	12	

#### <sup>a</sup>Real-Time Commands:

RTC-0 = clear command  
 RTC-3 = antenna switchover  
 RTC-4 = begin midcourse maneuver  
 RTC-6 = initiate terminal maneuver  
 RTC-8 = maneuver override

#### Stored Commands:

SC-1 = midcourse maneuver roll duration  
 SC-2 = midcourse maneuver pitch duration  
 SC-3 = midcourse maneuver velocity increment  
 SC-4 = terminal maneuver first pitch duration  
 SC-5 = terminal maneuver yaw duration  
 SC-6 = terminal maneuver second pitch duration

mately 13:25:50. Figure 58 shows the *unfiltered* received signal strength recorded at Station 12 at lunar encounter. High speed recording rate (approximately 60 in./sec) was not used until shortly before predicted impact. This recording was referenced by a 100 pps timing reference and the NASA 28-bit time code which is synchronized to WWV. At the time noted by the arrow in Fig. 58 (13:25:50.029), the transponder signal was lost. Figure 59 is a playback of the receiver functions recorded on magnetic tape at Station 12 starting just prior to impact. The drastic changes seen in the telemetry channels (the traces labeled Channel 2 and Channel 3) provide further confidence that impact occurred at the time noted by the abrupt change in received signal strength.






Fig. 58. Station 12 impact recording

Figure 60 is a playback of the magnetic tape recorded at Station 11. In this Figure, no abrupt change in the received signal strength can be seen at the impact time indicated by the drastic change in the telemetry channel traces. This is due to the fact that the receiver automatic gain control (AGC) time constant was set at 300 sec. The best estimate of impact time observed at Station 11 is 13:25:50.095. It will be noted that there is a 66-msec difference between the impact times recorded at the two Stations. After postflight analysis of station operations at Stations 11 and 12 in regard to this discrepancy, it was concluded that: (1) Station 11 impact time is incorrect

because of a time synchronization problem at Station 11, and (2) the impact time recorded at Station 12 is correct. This large discrepancy should not be considered a measure of the system accuracy since in *Ranger VI*, when Stations 11 and 12 were committed for full mission support, the impact times recorded at the two Stations agreed to within 1 msec.

The conclusion is that, neglecting signal transit time, *Ranger VII* impacted the Moon at 13:25:50.029  $\pm$  0.02 or  $-0.03$  sec.




Fig. 59. Station 12 analog of selected receiver functions at lunar impact




Fig. 60. Station 11 analog of selected receiver functions at lunar impact

## APPENDIX A

### Definition of the miss parameter $B$

The miss parameter  $B$  is used at JPL to measure miss distances for lunar and interplanetary trajectories and is described by W. Kizner in Ref. 6.  $B$  has the desirable feature of being very nearly a linear function of changes in injection conditions.

The osculating conic at closest approach to the target body is used in defining  $B$ .  $B$  is the vector from the target's center of mass perpendicular to the incoming asymptote. Let  $S_I$  be a unit vector in the direction of the incoming asymptote. The orientation of  $B$  in the plane normal to  $S_I$  is described in terms of two unit vectors  $R$  and  $T$ , normal to  $S_I$ .  $T$  is taken parallel to a fixed *reference plane* and  $R$  completes a right-handed orthogonal system. Figure A-1 illustrates the situation.

The *Ranger VII* work has used the orbital plane of the Moon as the reference plane. If  $W$  is a unit vector normal to the orbital plane ( $W$  in direction of  $R_M \times V_M$ , where  $R_M$  is radius vector to Moon from Earth, and  $V_M$  is the space-fixed velocity of the Moon relative to the Earth's center), then  $T = S_I \times W$  defines our coordinate system.




Fig. A-1. Definition of  $B \cdot T$ ,  $B \cdot R$  system

## APPENDIX B

## Ranger VII space trajectory for premaneuver orbit

SPACE TRAJECTORY  
RA-7 PREMIOCCOURSE CRBIT

GME .39860145 06 J .16234500-C2 F -.57499999-05 D .78749999-05 RE .63781650 04 REM .63783100 04  
G .66709998-19 A .88782497 29 B .88800499 29 C .88837498 29 DPE .41780741-02 AU .14959900 09  
GPM .49026457 04 GMS .13271544 12 GMV .3247695C 06 GMA .42977779 05 GMC .37918700 08 GMJ .12671680 09  
EGM .39860320 06 GGN .49027779 04 JA .29200000-02 HA .00000000 00 GA .00000000 00 RA .34170000 04  
ARA .35670000 01 GB .38294392 02 HAS .37410000 03 GBI .00000000 00 GB2 .00000000 00 SC .10200000 09

## INJECTION CONDITIONS

## MOON

23566645C257202000000000 J.D.= 2438605.22217592 JULY 28, 1964 17 19 56.000

## GEOCENTRIC

XO-.48336122 04 YO-.42062479 04 ZO-.14413998 04 DXO .70601073 01 DYO-.68712135 01 DZO-.47797462 01  
GMC .00000000 00 SGC .00000000 00 TO .62396000 05 GMA .20638174 03 GMD .30568664 03

0 DAYS 0 HRS. 0 MIN. 0.000 SEC.

23566645C257202000000000 J.D.= 2438605.22217592 JULY 28, 1964 17 19 56.000  
TFL 0 DAYS 0 HRS. 29 MIN. 48.127 SEC.

## GEOCENTRIC

X -.48336120 04 Y -.42062476 04 Z -.14413997 04  
R .65676446 04 DEC -.12677894 02 RA .22103005 03  
R .65676447 04 LAT -.12677893 02 LCN .14648313 02  
XS -.08492690 08 YS .11325740 05 ZS .49113300 08  
XM .38246584 06 YM -.30198953 05 ZM -.50845670 05  
XT .38246584 06 YT -.30198953 05 ZT -.50845670 05  
XS .15188914 09 YS .29323712 02 ZT .38701081 06  
GED -.12761470 02 ALT .19047821 03 LOS .28162025 03  
DUT .35000000 02 DT .15000000 02 DR .25362684 00

## EQUATORIAL COORDINATES

DX .70601070 01 DY -.68712132 01 DZ -.47797460 01  
V .10950098 02 PTH .13272056 01 AZ .11625194 03  
V .10533192 02 PTE .13797469 01 AZE .11737653 03  
DXS -.32722515 02 DYS -.15814255 02 DZS -.68579680 01  
DXM .82773604-01 DYM .93298925 00 DZM .39361317 00  
DXT .82773604-01 DYT .93298925 00 DZT .39361317 00  
VM .10159979 01 RT .38701081 06 VT .10159979 01  
RAS .12800198 03 RAM .35548537 03 LOM .14910364 03  
SHA .65203969 04 DES .18865618 02 DEM -.75493738 01

## GEOCENTRIC CNIC

## EPOCH OF PERICENTER PASSAGE

SMA .26955704 06 ECC .97564865 00  
VM .13500527 00 C3 -.14787277 01  
TA .26875478 01 MTA .00000000 00

23566645C247202760426660 J.D.= 2438605.22185045 JULY 28, 1964 17 19 27.879  
B .59124444 05 SLR .12968310 05 APO .53254998 06 RCA .65640771 04  
CI .71897060 05 TFP .28120745 02 TF .78113180-02 PER .23213209 05  
EA .29842760 00 MA .72684679-02 C3J .18712444 01 TFI .00000000 00

## ALL VECTORS

X -.48336120 04 Y -.42062476 04 Z -.14413997 04  
INC .28955996 02 LAN .17040849 02 APF .20426939 03  
WX .14187827 00 WY .46288226 00 KZ .87499177 00  
GX .62673967 00 QY .64218889 00 BZ .44135110 00  
BX .62673967 00 QY .64218889 00 BZ .44135110 00  
DAP -.11478139 02 RAP .21857666 03  
BTQ .52789146 05 BRG .26627162 05

DX .70601070 01 DY -.68712132 01 DZ -.47797460 01  
MX .66197710 00 MY -.61283270 00 MZ -.43153497 00  
PX -.76620357 00 PY -.61101017 00 PZ -.19899402 00  
RX .15558145 00 RY .12406866 00 RZ .98000667 00  
TX .62347934 00 TY .78183983 00 TZ .00000000 00

## EQUATOR PLANE

## HELIOCENTRIC

X .88487856 08 Y -.11326160 09 Z -.49114741 08  
R .15188993 09 LAT .18866090 02 LCN .30799943 03  
R .88492690 08 YE .11325740 09 ZE .49113300 08  
XT .88492690 08 YT .11328760 09 ZT .49164145 08  
LTE .18865618 02 LDE .30800198 03 LTT .18852131 02  
EPS .83120780 02 ESP .27453512-18 SEP .96876758 02  
MPS .13183428 03 MSP .10992114 00 SMP .48055927 02  
RPM .39130200 06 SPN .69231548 01  
GCE .27829543 03 GCT .28210141 03  
REP .65676446 04 VEP .10950098 02

## EQUATORIAL COORDINATES

DX .30782622 02 DY .89430414 01 DZ .20782219 01  
V .32122484 02 PTH .19253930 02 AZ .78943384 02  
V .23722515 02 DYE .15814255 02 DZE .68579680 01  
DXE .23805288 02 DYT .16747244 02 DZT .72515911 01  
LOT .30811451 03 RST .15215119 09 VST .29995788 02  
EPH .48837777 02 EMP .73198500 00 MEP .13043019 03  
SEM .13256592 03 EMS .47326738 02 ESM .10698938 00

0 DAYS 0 HRS. 0 MIN. 5.000 SEC.

23566645C262020200000000 J.D.= 2438605.22223379 JULY 28, 1964 17 20 01.000  
TFL 0 DAYS 0 HRS. 29 MIN. 53.127 SEC.

## GEOCENTRIC

X -.47982264 04 Y -.42405294 04 Z -.14652728 04  
R .65690250 04 DEC -.12688701 02 RA .22146929 03  
R .65690250 04 LAT -.12688701 02 LCN .15050658 02  
XS -.08492808 08 YS .11325732 09 ZS .49113265 08  
XM .38246625 06 YM -.30194288 05 ZM -.50843702 05  
XT .38246625 06 YT -.30194288 05 ZT -.50843702 05  
XS .15188914 09 YS .29323712 02 ZT .38701081 06  
GED -.12973572 02 ALT .19189282 03 LOS .28159941 03  
DUT .35000000 02 DT .50000000 01 DR .29857805 00

## EQUATORIAL COORDINATES

DX .70940173 01 DY -.68414752 01 DZ -.47694813 01  
V .10948918 02 PTH .15625642 01 AZ .11615460 03  
V .10533192 02 PTE .16245366 01 AZE .11727488 03  
DXS -.32722515 02 DYS -.15814276 02 DZS -.68579772 01  
DXM .82760305-01 DYM .93299019 00 DZM .39361490 00  
DXT .82760305-01 DYT .93299019 00 DZT .39361490 00  
VM .10159983 01 RT .38701060 06 VT .10159983 01  
RAS .12800204 03 RAM .35548607 03 LOM .14908344 03  
SHA .65150630 04 DES .18865604 02 DEM -.75490844 01

## GEOCENTRIC CNIC

## EPOCH OF PERICENTER PASSAGE

SMA .26949663 06 ECC .97564318 00  
VM .13503574 00 C3 -.14790591 01  
TA .31643331 01 MTA .00000000 00

23566645C247202761302420 J.D.= 2438605.22185053 JULY 28, 1964 17 19 27.886  
B .59117748 05 SLR .12968278 05 APO .53242917 06 RCA .65640789 04  
CI .71896970 05 TFP .33114219 02 TF .78095051-02 PER .23205406 05  
EA .38143499 00 MA .85620267-02 C3J .18715458 01 TFI .00000000 00

## ALL VECTORS

X -.47982264 04 Y -.42405294 04 Z -.14652728 04  
INC .28955870 02 LAN .17040714 02 APF .20427014 03  
WX .14187660 00 WY .46288072 00 KZ .87499284 00  
GX .62674844 00 QY .64218335 00 BZ .44134673 00  
BX .62674844 00 QY .64218335 00 BZ .44134673 00  
DAP -.11478429 02 RAP .21857123 03  
BTQ .52783288 05 BRG .26623911 05

DX .70940173 01 DY -.68414752 01 DZ -.47694813 01  
MX .66808686 00 MY -.60747611 00 MZ -.42968909 00  
PX -.76619674 00 PY -.61101718 00 PZ -.19899899 00  
RX .15558410 00 RY .12407330 00 RZ .97999970 00  
TX .62348710 00 TY .78183364 00 TZ .00000000 00

## EQUATOR PLANE

## HELIOCENTRIC

X .88488009 08 Y -.11326156 09 Z -.49114731 08  
R .15188998 09 LAT .18866079 02 LCN .30799943 03  
R .88492808 08 YE .11325732 09 ZE .49113265 08  
XT .88492808 08 YT .11328751 09 ZT .49164109 08  
LTE .18865604 02 LDE .30800204 03 LTT .18852117 02  
EPS .82648540 02 ESP .27453512-18 SEP .97349001 02  
MPS .13182829 03 MSP .10992114 00 SMP .48061522 02  
RPM .39126154 06 SPN .64998379 01  
GCE .27822519 03 GCT .28209986 03  
REP .65690250 04 VEP .10948918 02

## EQUATORIAL COORDINATES

DX .30816516 02 DY .89728008 01 DZ .20884959 01  
V .32122498 02 PTH .19217327 02 AZ .78943203 02  
V .23722498 02 DYE .15814276 02 DZE .68579772 01  
DXE .23805258 02 DYT .16747266 02 DZT .72515921 01  
LOT .30811457 03 RST .15215119 09 VST .29995788 02  
EPH .49307519 02 EMP .73734523 00 MEP .12995507 03  
SEM .13256593 03 EMS .47327432 02 ESM .10676052 00

0 DAYS 0 HRS. 40 MIN. 4.000 SEC.

235666451410202000000000 J.D.= 2438605.25000000 JULY 28, 1964 18 00 00.000  
TFL 0 DAYS 1 HRS. 9 MIN. 52.127 SEC.

## GEOCENTRIC

X .14133998 05 Y -.79897407 04 Z -.65075322 04  
R .17491536 05 DEC -.21841418 02 RA .33052116 03  
R .17491536 05 LAT -.21841418 02 LCN .11409534 03  
XS -.88549711 08 YS .11321937 05 ZS .49096807 08  
XM .38265713 06 YM -.27955511 05 ZM -.49898428 05  
XT .38265713 06 YT -.27955511 05 ZT -.49898428 05  
XS .15188869 09 YS .29323858 02 ZT .38690805 06  
RS .21976129 02 ALT .11116318 05 LOS .27160339 03  
DUT .35000000 02 DT .12000000 03 DR .52110063 01

## EQUATORIAL COORDINATES

DX .65614168 01 DY .74185279 00 DZ -.66640706 00  
V .66367638 01 PTH .51736660 02 AZ .70518666 02  
V .60227493 01 PTE .59907895 02 AZE .63005057 02  
DXS -.23714533 02 DYS -.15824559 02 DZS -.68624289 01  
DXM .76375878-01 DYM .93342563 00 DZM .39443802 00  
DXT .76375878-01 DYT .93342563 00 DZT .39443802 00  
VM .10162175 01 RT .38690805 06 VT .10162175 01  
RAS .12802923 03 RAM .35582160 03 LOM .14935878 03  
SHA .63476066 04 DES .18859101 02 DEM -.74099125 01

## JPL TECHNICAL REPORT NO. 32-694

## HELIOCENTRIC

X .88563844 08 Y -11322736 09 Z -49103315 08  
R .15190498 09 LAT -18859597 02 LON .30803170 03  
XE .88549711 08 YE -11321937 09 ZE -49096807 08  
XT .88932368 08 YT -11324732 09 ZT -49146705 08  
LTE -18859101 02 LOE .30802923 03 LTT -18845472 02  
EPS -21275752 02 ESP .27453512-18 SEP -15872185 03  
MPS .13099385 03 MSP .10560881 00 SMP .48905925 02  
RPM .37160557 06 SPN -10927629 00 CPT .90012081 02  
GCE .12130756 03 GCT .28173527 03 SIP .13072634 03  
REP .17491536 05 VEP .66367638 01 CPE .88331660 02

D DAYS 1 HRS. 40 MIN. 4.000 SEC.

235666453214202000000000 J.D. = 2438605.29166666 JULY 28, 1964 19 00 00.000  
TFL 0 DAYS 2 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .30275949 02 DY .16566412 02 DZ .61960218 01  
V .35063796 02 PTH .54008952 01 AZ .77299199 02  
DYE .15824559 02 DZE .68624289 01  
DYT .16757985 02 DYT .72568669 01  
RST .15214901 09 VST .29991657 02  
EMP .12802933 01 MEP .28338988 02  
EMS .47660310 02 ESM .10767302 00  
D1 .14006939 00  
D2 .92401281-01 D3 .57049358-03

## GEOCENTRIC

X .33222362 05 Y -.36139479 04 Z -.72726185 04  
R .34200539 05 CEC -.12277478 02 RA .35379174 03  
R .34200539 05 LAT -.12277478 02 LON .12232485 03  
XS -.88635067 08 YS .11316237 09 ZS .49072091 08  
XM .38291482 06 YM -.24594091 05 ZM -.48476264 05  
XT .38291482 06 YT -.24594091 05 ZT -.48476264 05  
RS .15188801 09 VS .29324078 02 RM .38675386 06  
GED -.12358584 02 ALT .27823309 05 LOS .25660313 03  
DUT .35000000 02 DT .24000000 03 DR .41665075 01

D DAYS 2 HRS. 40 MIN. 4.000 SEC.

235666455020202000000000 J.D. = 2438605.33333333 JULY 28, 1964 20 00 00.000  
TFL 0 DAYS 3 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .44486546 01 DY .14096569 01 DZ .27990459-01  
V .46667380 01 PTH .63228434 02 AZ .63577902 02  
DYE .43060543 01 PTE .75373607 02 AZE .32934351 03  
DYS -.15839986 02 DYS .93400983 00 DZS -.68691069 01  
DYM -.23702569 02 DYM .93400983 00 DZM .39564490 00  
DXM .66779521-01 DYT .93400983 00 DZT .39564490 00  
DXT .66779521-01 DYT .93400983 00 DZT .39564490 00  
RST .15214572 09 VST .29985420 02  
EMP .54751208 00 MEP .56573230 01  
EMS .48160176 02 ESM .10857785 00  
D1 .14756255 00  
D2 .98046137-01 D3 .64107799-03

## HELIOCENTRIC

X .88668289 08 Y -.11316598 05 Z -.49079363 08  
R .15191244 09 LAT -.18849089 02 LON .30807956 03  
XE .88635067 08 YE -.11316237 09 ZE -.49072091 08  
XT .89017981 08 YT -.11318696 09 ZT -.49120567 08  
LTE -.18849337 02 LOE .30807956 03 LTT -.18835495 02  
EPS .44455553 02 ESP .98911702-02 SEP .13558542 03  
MPS .13135258 03 MSP .99650790-01 SMP .48547695 02  
RPM .35276604 06 SPN .33657638 02 CPT .90207570 02  
GCE .10785988 03 GCT .28161274 03 SIP .13107076 03  
REP .34200539 05 VEP .46667380 01 CPE .92633329 02

D DAYS 2 HRS. 40 MIN. 4.000 SEC.

235666455020202000000000 J.D. = 2438605.33333333 JULY 28, 1964 20 00 00.000  
TFL 0 DAYS 3 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .28151223 02 DY .17249643 02 DZ .68970973 01  
V .33728496 02 PTH .22990638 01 AZ .76705591 02  
DYE .15839986 02 DYE .15839986 02 DZE .68691069 01  
DYT .16773996 02 DYT .16773996 02 DYT .72647518 01  
RST .15214572 09 VST .29985420 02  
EMP .54751208 00 MEP .56573230 01  
EMS .48160176 02 ESM .10857785 00  
D1 .14756255 00  
D2 .98046137-01 D3 .64107799-03

## GEOCENTRIC

X .47538591 05 Y .15599436 04 Z -.68452390 04  
R .48054222 05 DEC -.81895410 01 RA .18794456 01  
R .48054222 05 LAT -.81895410 01 LON .11537149 03  
XS -.88720372 08 YS .11316237 09 ZS .49072091 08  
XM .38313793 06 YM -.24594091 05 ZM -.48476264 05  
XT .38313793 06 YT -.24594091 05 ZT -.48476264 05  
RS .15188801 09 VS .29324078 02 RM .38675386 06  
GED -.12358584 02 ALT .27823309 05 LOS .25660313 03  
DUT .35000000 02 DT .24000000 03 DR .41665075 01

D DAYS 3 HRS. 40 MIN. 4.000 SEC.

235666455020202000000000 J.D. = 2438605.37500000 JULY 28, 1964 21 00 00.000  
TFL 0 DAYS 4 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .35982859 01 DY .14413985 01 DZ .18201312 00  
V .38805179 01 PTH .67323476 02 AZ .62137302 02  
DYE .42324548 01 PTE .57776242 02 AZE .28804743 03  
DYS -.15854055 02 DYS .93451068 00 DZS -.68757819 01  
DYM .57165073-01 DYM .93451068 00 DZM .39681765 00  
DXM .57165073-01 DYT .93451068 00 DZT .39681765 00  
DXT .57165073-01 DYT .93451068 00 DZT .39681765 00  
RST .15214572 09 VST .29985420 02  
EMP .54751208 00 MEP .56573230 01  
EMS .48160176 02 ESM .10857785 00  
D1 .15364767 00  
D2 .10310525 00 D3 .70734355-03

## HELIOCENTRIC

X .88767910 08 Y -.11310376 09 Z -.49054197 08  
R .15191615 09 LAT -.18859597 02 LON .30812610 03  
XE .88720372 08 YE -.11310376 09 ZE -.49054197 08  
XT .89103509 08 YT -.11312655 09 ZT -.49094402 08  
LTE -.18839563 02 LOE .30811681 03 LTT -.18825510 02  
EPS .53138674 02 ESP .98911702-02 SEP .12684682 03  
MPS .13185658 03 MSP .94872782-01 SMP .48048394 02  
RPM .33876604 06 SPN .45511581 02 CPT .90389438 02  
GCE .10557584 03 GCT .28156552 03 SIP .13156314 03  
REP .48054222 05 VEP .38805179 01 CPE .94149206 02

D DAYS 3 HRS. 40 MIN. 4.000 SEC.

235666456624202000000000 J.D. = 2438605.37500000 JULY 28, 1964 21 00 00.000  
TFL 0 DAYS 4 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .27288881 02 DY .17296803 02 DZ .70577450 01  
V .33070755 02 PTH .13667131 01 AZ .76748509 02  
DYE .23690595 02 DYE .15855405 02 DZE .68757819 01  
DYT .23747760 02 DYT .16789915 02 DYT .72725996 01  
RST .15214240 09 VST .29979127 02  
EMP .72934040 00 MEP .51483493 00  
EMS .48660454 02 ESM .10925156 00  
D1 .15364767 00  
D2 .10310525 00 D3 .70734355-03

## GEOCENTRIC

X .59546763 05 Y .66919147 04 Z -.60675792 04  
R .60228018 05 DEC -.57819839 01 RA .64120432 01  
R .60228018 05 LAT -.57819839 01 LON .10486302 03  
XS -.88805640 08 YS .11304821 09 ZS .49022587 08  
XM .38332639 06 YM -.17865706 05 ZM -.45619216 05  
XT .38332639 06 YT -.17865706 05 ZT -.45619216 05  
RS .15188801 09 VS .29324078 02 RM .38644458 06  
GED -.12358584 02 ALT .27823309 05 LOS .22660257 03  
DUT .35000000 02 DT .48000000 03 DR .32063307 01

D DAYS 4 HRS. 40 MIN. 4.000 SEC.

235666464302020000000000 J.D. = 2438605.41666666 JULY 28, 1964 22 00 00.000  
TFL 0 DAYS 5 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .31096832 01 DY .14059146 01 DZ .24208696 00  
V .34213055 01 PTH .69580915 02 AZ .61585277 02  
DYE .46501270 01 PTE .43591700 02 AZE .27970913 03  
DYS -.15870818 02 DYS .93492800 00 DZS -.68824544 01  
DYM .47533251-01 DYM .93492800 00 DZM .39795607 00  
DXM .47533251-01 DYT .93492800 00 DZT .39795607 00  
DXT .47533251-01 DYT .93492800 00 DZT .39795607 00  
RST .15214240 09 VST .29979127 02  
EMP .72934040 00 MEP .51483493 00  
EMS .48660454 02 ESM .10925156 00  
D1 .15364767 00  
D2 .10310525 00 D3 .70734355-03

## HELIOCENTRIC

X .88865186 08 Y -.11304152 09 Z -.49028654 08  
R .15191845 09 LAT -.18828109 02 LON .30817190 03  
XE .88805640 08 YE -.11304152 09 ZE -.49022587 08  
XT .89188966 08 YT -.11306607 09 ZT -.49068205 08  
LTE -.18829780 02 LOE .30815160 03 LTT -.18815516 02  
EPS .58117861 02 ESP .19782341-01 SEP .12186284 03  
MPS .13236748 03 MSP .90923484-01 SMP .47541504 02  
RPM .32710955 06 SPN .52018979 02 CPT .90554344 02  
GCE .10462602 03 GCT .28154460 03 SIP .13263357 03  
REP .60228018 05 VEP .34213055 01 CPE .94971955 02

D DAYS 4 HRS. 40 MIN. 4.000 SEC.

235666464302020000000000 J.D. = 2438605.41666666 JULY 28, 1964 22 00 00.000  
TFL 0 DAYS 5 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .26788291 02 DY .17276733 02 DZ .71245413 01  
V .32662778 02 PTH .90358792 00 AZ .76357554 02  
DYE .23678608 02 DYE .15870818 02 DZE .68824544 01  
DYT .23726141 02 DYT .16805746 02 DYT .72804104 01  
RST .15213907 09 VST .29979127 02  
EMP .16651865 01 MEP .90807154 01  
EMS .49161142 02 ESM .11058666 00  
D1 .15912324 00  
D2 .10783757 00 D3 .77226583-03

## GEOCENTRIC

X .70115787 05 Y .11671274 05 Z -.51384184 04  
R .71266019 05 DEC -.41347250 01 RA .94566440 02  
R .71266019 05 LAT -.41347250 01 LON .52294714 01  
XS -.88890865 08 YS .11449933 05 ZS .48997797 08  
XM .38348015 06 YM -.14499333 05 ZM -.44184573 05  
XT .38348015 06 YT -.14499333 05 ZT -.44184573 05  
RS .15188996 09 VS .29324078 02 RM .38628943 06  
GED -.41628634 01 ALT .64887925 05 LOS .21160225 03  
DUT .35000000 02 DT .48000000 03 DR .29390249 01

D DAYS 5 HRS. 9 MIN. 52.127 SEC.

235666464302020000000000 J.D. = 2438605.41666666 JULY 28, 1964 22 00 00.000  
TFL 0 DAYS 5 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

DX .27807035 01 DY .13600434 01 DZ .27090856 00  
V .31073174 01 PTH .71056639 02 AZ .61322150 02  
DYE .52294714 01 PTE .34195045 02 AZE .27642565 03  
DYS -.15886225 02 DYS .93526153 00 DZS -.68912381 01  
DYM .93526153 00 DYM .93526153 00 DZM .39905997 00  
DXM .37884935-01 DYT .93526153 00 DZT .39905997 00  
DXT .37884935-01 DYT .93526153 00 DZT .39905997 00  
RST .15213907 09 VST .29979127 02  
EMP .16651865 01 MEP .90807154 01  
EMS .49161142 02 ESM .11058666 00  
D1 .15912324 00  
D2 .10783757 00 D3 .77226583-03



## JPL TECHNICAL REPORT NO. 32-694

HELIOCENTRIC

X	.89335634	08	Y	-.11273180	09	Z	-.48899345	08	DX	.25688850	02	DY	.17146761	02	DZ	.72161272	01
R	.15192255	09	LAT	-.18776064	02	LON	.30839548	03	V	.31717518	02	PTH	.10797419	00	AZ	.76057896	02
XE	.89231324	08	YE	-.11276183	09	ZE	-.48898404	08	DXE	.23618502	02	DYE	.15947784	02	DZE	.69157726	01
XT	.89615071	08	YT	-.11276286	09	ZT	-.48936813	08	DXT	.23617645	02	DYT	.16883537	02	DYT	.73188996	01
LTE	-.18780733	02	LOE	.30835547	03	LTT	-.18765418	02	LOT	.30847492	03	RST	.15212210	09	VST	.29940161	02
EPS	.68742859	02	ESP	.38308338	01	SEP	.11121897	03	EPM	.15656736	03	EMP	.64266308	01	MEP	.17006001	02
MPS	.13467490	03	MSP	.75652909	01	SMP	.45249126	02	SEM	.12821507	03	EMS	.51670799	02	ESM	.11471201	00
RPM	.28364263	06	SPN	.65374491	02												
GCE	.10257265	03	GCT	.28156132	03	SIP	.13432443	03	CPT	.91218539	02	SIN	.90868066	02	D1	.18350900	00
REP	.10855199	06	VEP	.24112442	01	CPE	.96604408	02	CPS	.76842463	02	D2	.11279562	00	D3	.11127990	-02

0 DAYS 9 HRS. 40 MIN. 4.000 SEC. 235666471254202000000000 J.D. = 2438605.62500000 JULY 29, 1964 03 00 00.000  
TFL 0 DAYS 10 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.11156386	06	Y	.34289674	05	Z	.14145645	03	DX	.19619511	01	DY	.11666457	01	DZ	.30075305	00
R	.11671460	06	CEC	.69442531	01	RA	.17085054	02	V	.23023394	01	PTH	.74488644	02	AZ	.61046896	02
N	.11671460	06	LAT	.69442531	01	LON	.25289595	02	VE	.82804863	01	PTE	.15540348	02	AZE	.27214118	03
XS	-.89316327	08	YS	.11270439	09	ZS	.48873498	08	DXS	-.23606447	02	DYS	-.15963157	02	DZS	-.69224277	01
XM	.38372644	06	YM	.23421869	04	ZM	-.36955209	05	DXM	-.10575301	-01	DYM	.93566444	00	DZM	.40405566	00
XT	.38372644	06	YT	.23421869	04	ZT	-.36955205	05	DXT	-.10575301	-01	DYT	.93566444	00	DZT	.40405566	00
RS	.15188254	09	VS	.29325871	02	RP	.38550895	06	VM	.10192354	01	RT	.38550895	06	VT	.10192354	01
GED	.69915766	-01	ALT	.11033639	06	LCS	.13660077	03	RAS	.12839623	03	RAM	.34971507	00	LDM	.85542526	01
DUT	.35000000	02	DT	.95999999	03	CR	.22184825	01	SHA	.10960374	06	DES	.18770897	02	DEM	-.55008686	01

0 DAYS 10 HRS. 40 MIN. 4.000 SEC. 235666473060202000000000 J.D. = 2438605.66666666 JULY 29, 1964 04 00 00.000  
TFL 0 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.11845391	06	Y	.38435300	05	Z	.12233761	04	DX	.18679676	01	DY	.11368759	01	DZ	.30018227	00
R	.12453554	06	CEC	.56283641	00	RA	.17976937	02	V	.22072379	01	PTH	.74847467	02	AZ	.61050277	02
N	.12453554	06	LAT	.56283641	00	LON	.11140404	02	VE	.88413495	01	PTE	.13943795	02	AZE	.27186505	03
XS	-.89461293	08	YS	.11264690	09	ZS	.48848564	08	DXS	-.23594378	02	DYS	-.15978524	02	DZS	-.69290798	01
XM	.38367087	06	YM	.23421869	04	ZM	-.36955205	05	DXM	-.10575301	-01	DYM	.93549066	00	DZM	.40404881	00
XT	.38367087	06	YT	.23421869	04	ZT	-.36955205	05	DXT	-.10575301	-01	DYT	.93549066	00	DZT	.40404881	00
LTE	-.18770897	02	LOE	.30839623	03	LTT	-.18755375	02	LOT	.30851644	03	RST	.15211865	09	VST	.29933470	02
EPS	.69085429	02	ESP	.41377734	-01	SEP	.11010323	03	EPH	.15504854	03	EMP	.73376903	01	MEP	.17613767	02
MPS	.13508688	03	MSP	.73354886	-01	SMP	.44839575	02	SEM	.12771114	03	EMS	.52173982	02	ESM	.11471201	00
RPM	.27653078	06	SPN	.66722876	02												
GCE	.10239079	03	GCT	.28157443	03	SIP	.13472740	03	CPT	.91329865	02	SIN	.90970378	02	D1	.18822868	00
REP	.11671460	06	VEP	.23023394	01	CPE	.96765053	02	CPS	.76846699	02	D2	.13406039	00	D3	.11876333	-02

0 DAYS 10 HRS. 40 MIN. 4.000 SEC. 235666473060202000000000 J.D. = 2438605.66666666 JULY 29, 1964 04 00 00.000  
TFL 0 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.11845391	06	Y	.38435300	05	Z	.12233761	04	DX	.18679676	01	DY	.11368759	01	DZ	.30018227	00
R	.12453554	06	CEC	.56283641	00	RA	.17976937	02	V	.22072379	01	PTH	.74847467	02	AZ	.61050277	02
N	.12453554	06	LAT	.56283641	00	LON	.11140404	02	VE	.88413495	01	PTE	.13943795	02	AZE	.27186505	03
XS	-.89461293	08	YS	.11264690	09	ZS	.48848564	08	DXS	-.23594378	02	DYS	-.15978524	02	DZS	-.69290798	01
XM	.38367087	06	YM	.23421869	04	ZM	-.36955205	05	DXM	-.10575301	-01	DYM	.93549066	00	DZM	.40404881	00
XT	.38367087	06	YT	.23421869	04	ZT	-.36955205	05	DXT	-.10575301	-01	DYT	.93549066	00	DZT	.40404881	00
LTE	-.18770897	02	LOE	.30839623	03	LTT	-.18755375	02	LOT	.30851644	03	RST	.15211865	09	VST	.29933470	02
EPS	.69085429	02	ESP	.41377734	-01	SEP	.11010323	03	EPH	.15504854	03	EMP	.73376903	01	MEP	.17613767	02
MPS	.13508688	03	MSP	.73354886	-01	SMP	.44839575	02	SEM	.12771114	03	EMS	.52173982	02	ESM	.11471201	00
RPM	.27653078	06	SPN	.66722876	02												
GCE	.10239079	03	GCT	.28157443	03	SIP	.13472740	03	CPT	.91329865	02	SIN	.90970378	02	D1	.18822868	00
REP	.11671460	06	VEP	.23023394	01	CPE	.96765053	02	CPS	.76846699	02	D2	.13406039	00	D3	.11876333	-02

0 DAYS 10 HRS. 40 MIN. 4.000 SEC. 235666473060202000000000 J.D. = 2438605.66666666 JULY 29, 1964 04 00 00.000  
TFL 0 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.11845391	06	Y	.38435300	05	Z	.12233761	04	DX	.18679676	01	DY	.11368759	01	DZ	.30018227	00
R	.12453554	06	CEC	.56283641	00	RA	.17976937	02	V	.22072379	01	PTH	.74847467	02	AZ	.61050277	02
N	.12453554	06	LAT	.56283641	00	LON	.11140404	02	VE	.88413495	01	PTE	.13943795	02	AZE	.27186505	03
XS	-.89461293	08	YS	.11264690	09	ZS	.48848564	08	DXS	-.23594378	02	DYS	-.15978524	02	DZS	-.69290798	01
XM	.38367087	06	YM	.23421869	04	ZM	-.36955205	05	DXM	-.10575301	-01	DYM	.93549066	00	DZM	.40404881	00
XT	.38367087	06	YT	.23421869	04	ZT	-.36955205	05	DXT	-.10575301	-01	DYT	.93549066	00	DZT	.40404881	00
LTE	-.18770897	02	LOE	.30839623	03	LTT	-.18755375	02	LOT	.30851644	03	RST	.15211865	09	VST	.29933470	02
EPS	.69085429	02	ESP	.41377734	-01	SEP	.11010323	03	EPH	.15504854	03	EMP	.73376903	01	MEP	.17613767	02
MPS	.13508688	03	MSP	.73354886	-01	SMP	.44839575	02	SEM	.12771114	03	EMS	.52173982	02	ESM	.11471201	00
RPM	.27653078	06	SPN	.66722876	02												
GCE	.10239079	03	GCT	.28157443	03	SIP	.13472740	03	CPT	.91329865	02	SIN	.90970378	02	D1	.18822868	00
REP	.11671460	06	VEP	.23023394	01	CPE	.96765053	02	CPS	.76846699	02	D2	.13406039	00	D3	.11876333	-02

0 DAYS 10 HRS. 40 MIN. 4.000 SEC. 235666473060202000000000 J.D. = 2438605.66666666 JULY 29, 1964 04 00 00.000  
TFL 0 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.12502680	06	Y	.42477865	05	Z	.23019992	04	DX	.17853263	01	DY	.11093403	01	DZ	.29896470	00
R	.13206578	06	CEC	.99875636	00	RA	.18765196	02	V	.21230651	01	PTH	.75153830	02	AZ	.61059467	02
N	.13206578	06	LAT	.99875636	00	LON	.35688759	03	VE	.93838102	01	PTE	.12632388	02	AZE	.27164735	03
XS	-.89486213	08	YS	.11258934	09	ZS	.48823607	08	DXS	-.23582299	02	DYS	-.15993885	02	DZS	-.69357291	01
XM	.38358024	06	YM	.23421869	04	ZM	-.36955205	05	DXM	-.10575301	-01	DYM	.93523166	00	DZM	.40580625	00
XT	.38358024	06	YT	.23421869	04	ZT	-.36955205	05	DXT	-.10575301	-01	DYT	.93523166	00	DZT	.40580625	00
LTE	-.18751197	02	LOE	.30847774	03	LTT	-.18735261	02	LOT	.30859942	03	RST	.15211169	09	VST	.29919922	02
EPS	.71667533	02	ESP	.45863470	-01	SEP	.10828517	03	EPH	.15245999	03	EMP	.91212867	01	MEP	.18418713	02
MPS	.13586439	03	MSP	.67810450	-01	SMP	.44661568	02	SEM	.12670206	03	EMS	.53181608	02	ESM	.11556174	00
RPM	.26322265	06	SPN	.68894408	02												
GCE	.10210157	03	GCT	.28160485	03	SIP	.13549173	03	CPT	.91537429	02	SIN	.91159768	02	D1	.19774564	00
REP	.13206578	06	VEP	.21230651	01	CPE	.97022681	02	CPS	.76855113	02	D2	.14274988	00	D3	.13468570	-02

0 DAYS 12 HRS. 40 MIN. 4.000 SEC. 235666476470202000000000 J.D. = 2438605.75000000 JULY 29, 1964 06 00 00.000  
TFL 0 DAYS 13 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.13131918	06	Y	.46442490	05	Z	.33753994	04	DX	.17118100	01	DY	.10837566	01	DZ	.29730888	00
R	.13932477	06	DEC	.13882308	01	RA	.19469883	02	V	.20477339	01	PTH	.75418191	02	AZ	.61072365	02
N	.13932477	06	LAT	.13882308	01	LON	.34255121	03	VE	.99089235	01	PTE	.11536901	02	AZE	.27147181	03
XS	-.89571086	08	YS	.11253174	09	ZS	.48198629	08	DXS	-.23570209	02	DYS	-.16009238	02	DZS		



HELIOCENTRIC EQUATORIAL COORDINATES

X .89722405 08	Y -.11248531 09	Z -.48795253 08	DX .25282019 02	DY .17092994 02	DZ .72396845 01
R .15192249 09	LAT -.18734614 02	LCN .30857292 03	V .31365011 02	PTH -.97579496 -01	AZ .75927051 02
XE .89571086 08	YE -.11253174 09	ZE -.48798625 08	DXE .23570209 02	DYE .16009238 02	DZE .69423756 01
XT .89954540 08	YT -.11251929 09	ZT -.48831205 08	DXT .23530412 02	DYT .16944125 02	DZT .73490033 01
LTE -.18741334 02	LOE .30851849 03	LTT -.18725192 02	LOT .30864089 03	RST .15210818 09	VST .29913066 02
EPS .72420751 02	ESP .47949227 -01	SEP .10752914 03	EPH .15133598 03	EMP .99953578 01	MEP .18668654 02
MPS .13624169 03	MSP .66719594 -01	SMP .43651371 02	SEM .12619690 03	EMS .53686057 02	ESM .11703392 00
MPM .25694266 06	SPN .69776952 02				
GCE .10198383 03	GCT .28162160 03	SIP .13585479 03	CPT .91634609 02	SIN .91247717 02	D1 .20257900 00
REP .13932477 06	VEP .20477339 01	CPE .97128369 02	CPS .76859295 02	D2 .14716213 00	D3 .14319009 -02

0 DAYS 13 HRS. 40 MIN. 4.000 SEC. 235666500274202000000000 J.D. = 2438605.79166666 JULY 29, 1964 07 00 00.000  
TFL 0 DAYS 14 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .13736079 06	Y .50282966 05	Z .44422671 04	DX .16457714 01	DY .10598851 01	DZ .29535378 00
R .14634239 06	DEC .17354963 01	RA .20105907 02	V .19796852 01	PTH .75448275 02	AZ .61087704 02
R .14634239 06	LAT .17354963 01	LCN .32814617 03	VE .10417800 02	PTE .10608592 02	AZE .27132760 03
XS -.09655919 08	YS .11247408 09	ZS .48773624 08	DXS -.23558106 02	DYS -.16024585 02	DZS -.69490191 01
XM .38329368 06	YM .15808725 05	ZM -.31111934 05	DXM -.49555712 -01	DYM .93445717 00	DZM .40741333 00
XT .38329368 06	YT .15808725 05	ZT -.31111934 05	DXT -.49555712 -01	DYT .93445717 00	DZT .40741333 00
RS .15187478 09	VS .29326789 02	RM .38487405 06	VM .10206133 01	RT .38487909 06	VT .10206133 01
GED .17513433 01	ALT .13964421 06	LOS .76599500 02	RAS .12855923 03	RAM .23617949 01	LOM .31040206 03
DUT .35000000 02	DT .19200000 04	CR .19179040 01	SHA .14005888 06	DES .18731462 02	DEM -.46365979 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89793279 08	Y -.11242379 09	Z -.48769181 08	DX .25203877 02	DY .17084470 02	DZ .72443729 01
R .15192227 09	LAT -.18724260 02	LCN .30861448 03	V .31298406 02	PTH -.13971338 00	AZ .75896331 02
XE .89655919 08	YE -.11247408 09	ZE -.48773624 08	DXE .23558106 02	DYE .16024585 02	DZE .69490191 01
XT .90035212 08	YT -.11245827 09	ZT -.48804735 08	DXT .23508550 02	DYT .16959042 02	DZT .73643241 01
LTE -.18731462 02	LOE .30855923 03	LTT -.18715114 02	LOT .30868236 03	RST .15210465 09	VST .29906156 02
EPS .73096383 02	ESP .51869734 -01	SEP .10685079 03	EPH .15030056 03	EMP .10858536 02	MEP .18840895 02
MPS .13660238 03	MSP .63719410 -01	SMP .43332694 02	SEM .12569132 03	EMS .54190928 02	ESM .11724273 00
MPM .25086783 06	SPN .70598487 02				
GCE .10187946 03	GCT .28163989 02	SIP .13620611 03	CPT .91727888 02	SIN .91331629 02	D1 .20748326 00
REP .14634239 06	VEP .19776852 01	CPE .97222514 02	CPS .76863466 02	D2 .15163549 00	D3 .15210205 -02

0 DAYS 14 HRS. 40 MIN. 4.000 SEC. 235666502100202000000000 J.D. = 2438605.83333333 JULY 29, 1964 08 00 00.000  
TFL 0 DAYS 15 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .14317620 06	Y .54057874 05	Z .55017041 04	DX .15859568 01	DY .10375227 01	DZ .29319434 00
R .15314028 06	DEC .20588452 01	RA .20684626 02	V .19177266 01	PTH .75849983 02	AZ .61104602 02
R .15314028 06	LAT .20588452 01	LCN .31368383 03	VE .10911517 02	PTE .98122419 01	AZE .27120727 03
XS -.89740704 08	YS .11241636 09	ZS .48748598 08	DXS -.23545993 02	DYS -.16039925 02	DZS -.69556597 01
XM .38309771 06	YM .19171862 05	ZM -.29643890 05	DXM -.59323158 -01	DYM .93394135 00	DZM .40816265 00
XT .38309771 06	YT .19171862 05	ZT -.29643890 05	DXT -.59323158 -01	DYT .93394135 00	DZT .40816265 00
RS .15187909 09	VS .29327021 02	RM .38472090 06	VM .10209615 01	RT .38472090 06	VT .10209615 01
GED .20728636 01	ALT .14676210 06	LOS .61599175 02	RAS .12859997 03	RAM .28649386 01	LOM .29586414 03
DUT .35000000 02	DT .19200000 04	CR .18595408 01	SHA .14703179 06	DES .18721582 02	DEM -.44191904 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89883880 08	Y -.11236230 09	Z -.48743594 08	DX .25131949 02	DY .17077447 02	DZ .72488540 01
R .15192198 09	LAT -.18713510 02	LCN .30865795 03	V .31285493 02	PTH -.13971338 00	AZ .75873531 02
XE .89740704 08	YE -.11241636 09	ZE -.48748598 08	DXE .23545993 02	DYE .16039925 02	DZE .69556597 01
XT .90123801 08	YT -.11239719 09	ZT -.48778242 08	DXT .23486669 02	DYT .16973866 02	DZT .73638222 01
LTE -.18721582 02	LOE .30859997 03	LTT -.18705031 02	LOT .30872380 03	RST .15210110 09	VST .29899191 02
EPS .73767238 02	ESP .55514057 -01	SEP .10623731 03	EPH .14934044 03	EMP .11711433 02	MEP .18948115 02
MPS .13695213 03	MSP .61770341 -01	SMP .42984873 02	SEM .12518533 03	EMS .54666225 02	ESM .11786692 00
MPM .24487873 06	SPN .71120289 02				
GCE .10178610 03	GCT .28165718 03	SIP .13654634 03	CPT .91817574 02	SIN .91411787 02	D1 .21247275 00
REP .15314028 06	VEP .19177266 01	CPE .97307128 02	CPS .76867627 02	D2 .15618124 00	D3 .16145788 -02

0 DAYS 15 HRS. 40 MIN. 4.000 SEC. 235666503704202000000000 J.D. = 2438605.87500000 JULY 29, 1964 09 00 00.000  
TFL 0 DAYS 16 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .14878597 06	Y .57754737 05	Z .65531033 04	DX .15313925 01	DY .10164977 01	DZ .29089477 00
R .15973672 06	DEC .23511842 01	RA .21214883 02	V .18609276 01	PTH .76027860 02	AZ .61122447 02
R .15973672 06	LAT .23511842 01	LCN .29917302 03	VE .11391079 02	PTE .91217926 01	AZE .27110551 03
XS -.89825452 08	YS .11235859 09	ZS .48723545 08	DXS -.23533866 02	DYS -.16055259 02	DZS -.69622974 01
XM .38286655 06	YM .22533003 05	ZM -.28173205 05	DXM -.69097876 -01	DYM .93333960 00	DZM .40867559 00
XT .38286655 06	YT .22533003 05	ZT -.28173205 05	DXT -.69097876 -01	DYT .93333960 00	DZT .40867559 00
RS .15187839 09	VS .29327253 02	RM .38456243 06	VM .10213112 01	RT .38456243 06	VT .10213112 01
GED .23671888 01	ALT .15335854 06	LOS .46598846 02	RAS .12864071 03	RAM .33681669 01	LOM .28132631 03
DUT .35000000 02	DT .19200000 04	CR .18058688 01	SHA .15379327 06	DES .18711692 02	DEM -.42012766 01

HELIOCENTRIC EQUATORIAL COORDINATES

X .89974237 08	Y -.11230083 09	Z -.48716991 08	DX .25065259 02	DY .17071757 02	DZ .72531942 01
R .15192164 09	LAT -.18703559 02	LCN .30870134 03	V .31182060 02	PTH -.18503665 00	AZ .75848618 02
XE .89825452 08	YE -.11235859 09	ZE -.48723545 08	DXE .23533866 02	DYE .16055259 02	DZE .69622974 01
XT .90208318 08	YT -.11233605 09	ZT -.48751718 08	DXT .23464768 02	DYT .16988599 02	DZT .73711730 01
LTE -.18711692 02	LOE .30864071 03	LTT -.18694938 02	LOT .30876523 03	RST .15209753 09	VST .29682173 02
EPS .74263292 02	ESP .57674939 -01	SEP .10567870 03	EPH .14844513 03	EMP .12554644 02	MEP .18002017 02
MPS .13729156 03	MSP .60165642 -01	SMP .42647307 02	SEM .12467892 03	EMS .55201948 02	ESM .11889995 00
MPM .23924925 06	SPN .71974967 02				
GCE .10170195 03	GCT .28167573 03	SIP .13687605 03	CPT .91403935 02	SIN .91488431 02	D1 .21756126 00
REP .15973672 06	VEP .18609276 01	CPE .97383762 02	CPS .76871777 02	D2 .16081042 00	D3 .17129640 -02

0 DAYS 16 HRS. 40 MIN. 4.000 SEC. 235666505510202000000000 J.D. = 2438605.91666666 JULY 29, 1964 10 00 00.000  
TFL 0 DAYS 17 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X .15420759 06	Y .61378092 05	Z .75960550 04	DX .14813088 01	DY .99666358 00	DZ .28850789 00
R .16614737 06	DEC .26204046 01	RA .21703671 02	V .18085493 02	PTH .85178527 02	AZ .61140798 02
R .16614737 06	LAT .26204046 01	LCN .28462074 03	VE .11857411 02	PTE .85178513 01	AZE .27101845 03
XS -.89910155 08	YS .11230076 09	ZS .48698467 08	DXS -.23521729 02	DYS -.16070587 02	DZS -.69693223 01
XM .38260020 06	YM .25891824 05	ZM -.26700020 05	DXM -.78878950 -01	DYM .93265176 00	DZM .40955202 00
XT .38260020 06	YT .25891824 05	ZT -.26700020 05	DXT -.78878950 -01	DYT .93265176 00	DZT .40955202 00
RS .15187770 09	VS .29327487 02	RM .38440368 06	VM .10216624 01	RT .38440368 06	VT .10216624 01
GED .26382369 01	ALT .15976421 06	LOS .31598511 02	RAS .12868144 03	RAM .38714916 01	LOM .26678856 03
DUT .35000000 02	DT .19200000 04	CR .17562353 01	SHA .16035997 06	DES .18701792 02	DEM -.39827828 01

## JPL TECHNICAL REPORT NO. 32-694

## HELIOCENTRIC

X .90064362 08 Y -.11223938 09 Z -.48690871 08  
 R .15192125 09 LAT -.18693208 02 LON .30874464 03  
 RE .8991155 08 YE -.11230076 05 ZE -.48694467 08  
 XT .9022755 08 YT -.11227486 09 ZT -.48725168 08  
 LTE -.18701792 02 LOE .30868144 03 LTT -.18684836 02  
 EPS .74772452 02 ESP .59347024-01 SEP .10516707 03  
 MPS .13762122 03 MSP .58933450-01 SPP .42319448 02  
 RPN .23366361 06 SPN .72572464 02  
 GCE .10162561 03 GCT .28169465 03  
 REP .16614737 06 VEP .18085493 01

0 DAYS 17 HRS. 7 MIN. 13.000 SEC.

## EQUATORIAL COORDINATES

DX .25003038 02 DY .17067250 02 DZ .72574401 01  
 V .31130585 02 PTH .20723733 00 AZ .75824692 02  
 DYE .16070587 02 DZE .69689323 01  
 DYT .17003238 02 DZT .73784843 01  
 RST .15209394 09 VST .29885102 02  
 EMP .13388677 02 MEP .19005045 02  
 EMS .55708100 02 ESM .11951548 00

2356650633720220000000 J.D. = 2438605.93552083 JULY 29, 1964 10 27 09.000  
 TFL 0 DAYS 17 HRS. 37 MIN. 1.127 SEC.

## GEOCENTRIC

X .15660314 06 Y .62994607 05 Z .80651375 04  
 R .16899086 06 DEC .27354559 01 RA .21912772 02  
 RE .16899086 06 LAT .27354559 01 LON .27802376 03  
 XS .89948465 08 VS .11227458 09 ZS .48687116 08  
 XM .38246810 06 YM .27410829 05 ZW .26032624 05  
 XT .38246810 06 YT .27410829 05 ZT .26032624 05  
 RS .15187739 09 VS .29327593 02 RW .38433176 06  
 GED .27541691 01 ALT .16261270 06 LCS .24810858 02  
 DUT .35000000 02 DT .19200000 04 CR .17349573 01

## HELIOCENTRIC

X .90105068 08 Y -.11221158 09 Z -.48679058 08  
 R .15192107 09 LAT -.18688525 02 LON .30876422 03  
 RE .89948465 08 YE -.11227458 09 ZE -.48687116 08  
 XT .90330933 08 YT -.11224716 09 ZT -.48713148 08  
 LTE -.18697310 02 LOE .30869986 03 LTT -.18680264 02  
 EPS .74985193 02 ESP .61373100-01 SEP .10494923 03  
 MPS .13776732 03 MSP .58933450-01 SPP .42174144 02  
 RPN .23117924 06 SPN .7286240 02  
 GCE .10159532 03 GCT .28170332 03  
 REP .16899086 06 VEP .17861366 01

2 DAYS 19 HRS. 23 MIN. 44.933 SEC.

## EQUATORIAL COORDINATES

DX .14599478 01 DY .98804557 00 DZ .28740624 00  
 V .17861366 01 PTH .76251031 02 AZ .61149168 02  
 PTE .82683246 01 AZE .27098308 03  
 DYS .16077519 02 DZS .69719336 01  
 DYM .93231218 00 DZM .40984608 00  
 DYT .93231218 00 DZT .40984608 00  
 RT .38433176 06 VT .10218218 01  
 RAM .40992793 01 LOM .26021027 03  
 DES .18697310 02 DEM .38838905 01

## EQUATORIAL COORDINATES

DX .24976181 02 DY .17065565 02 DZ .72593398 01  
 V .31108538 02 PTH .21641881 00 AZ .75814153 02  
 DYE .16077519 02 DZE .69719336 01  
 DYT .17009831 02 DZT .73817797 01  
 RST .15209232 09 VST .29881885 02  
 EMP .13763194 02 MEP .18993440 02  
 EMS .55937274 02 ESM .12012787 00

23566636637202167332511 J.D. = 2438608.03033487 JULY 31, 1964 12 43 40.933  
 TFL 2 DAYS 19 HRS. 53 MIN. 33.060 SEC.

## GEOCENTRIC

X .32423682 06 Y .18747958 06 Z .48415612 05  
 R .37765352 06 DEC .73656563 01 RA .30037273 02  
 RE .37765351 06 LAT .73656563 01 LON .24995051 03  
 XS .94148619 08 VS .10299542 09 ZS .47395290 08  
 XM .32335553 06 YM .18600810 06 ZW .48150346 05  
 XT .32335553 06 YT .18600810 06 ZT .48150346 05  
 RS .15184125 09 VS .29340329 02 RM .37613331 06  
 GED .74152949 01 ALT .37127567 06 LOS .35065531 03  
 DUT .35000000 02 DT .59999999 02 CR .46059519 00

## HELIOCENTRIC

X .94472856 08 Y -.10910794 09 Z -.47346875 08  
 R .15188269 09 LAT -.18162472 02 LON .31088817 03  
 RE .94148619 08 YE -.10929542 09 ZE -.47395290 08  
 XT .94471975 08 YT -.10910941 09 ZT -.47347141 08  
 LTE -.18188070 02 LOE .31074208 03 LTT -.18162504 02  
 EPS .82100467 02 ESP .14162004 00 SEP .97758377 02  
 MPS .10992753 03 MSP .27453512-18 SPP .70071851 02  
 RPN .17355999 04 SPN .81132781 02  
 GCE .10048671 03 GCT .10796722 03  
 REP .37765352 06 VEP .16166956 01

## GEOCENTRIC

X .94472856 08 Y -.10910794 09 Z -.47346875 08  
 R .15188269 09 LAT -.18162472 02 LON .31088817 03  
 RE .94148619 08 YE -.10929542 09 ZE -.47395290 08  
 XT .94471975 08 YT -.10910941 09 ZT -.47347141 08  
 LTE -.18188070 02 LOE .31074208 03 LTT -.18162504 02  
 EPS .82100467 02 ESP .14162004 00 SEP .97758377 02  
 MPS .10992753 03 MSP .27453512-18 SPP .70071851 02  
 RPN .17355999 04 SPN .81132781 02  
 GCE .10048671 03 GCT .10796722 03  
 REP .37765352 06 VEP .16166956 01

## SELENOCENTRIC

X .88129493 03 Y .14714812 04 Z .26527224 03  
 R .17355999 04 DEC .87916512 01 RA .59081898 02  
 RE .17355998 04 LAT .12166318 02 LON .20340645 03  
 LTS .94222630 00 LNS .27278050 03 LNE .35481263 03  
 ALT .59994507 00 SHA .16316736 04 DR .77383181 00  
 HGE .27789953 03 SVL .70302778 01 HNG .24991503 03

## EQUATORIAL COORDINATES

DX .11899592 01 DY .10553151 01 DZ .28984795 00  
 V .16166956 01 PTH .16552819 02 AZ .25687876 03  
 VE .28826744 02 PTE .91551257 00 AZE .26930065 03  
 DYS .16892664 02 DZS .73016810 01  
 DYM .78362970 00 DZM .39332854 00  
 DYT .78362970 00 DZT .39332854 00  
 RT .37613331 06 VT .10415432 01  
 RAM .29909375 02 LOM .24982261 03  
 DES .18188070 02 DEM .73548466 01

## EQUATORIAL COORDINATES

DX .24080560 02 DY .15783949 02 DZ .70118330 01  
 V .29633970 02 PTH .28119137 01 AZ .74607190 02  
 DYE .16892664 02 DZE .73016810 01  
 DYT .17622893 02 DZT .76950095 01  
 RST .15189328 09 VST .29467585 02  
 EMP .15108799 03 MEP .12724677 00  
 EMS .81977955 02 ESM .14075386 00

## EQUATORIAL COORDINATES

DX .11102878 03 DY .22535339 02 DZ .11406909 04  
 V .11102878 03 PTH .22535339 02 AZ .15724741 05  
 DYE .16892664 02 DZE .73016810 01  
 DYT .17622893 02 DZT .76950095 01  
 RST .15189328 09 VST .29467585 02  
 EMP .15108799 03 MEP .12724677 00  
 EMS .81977955 02 ESM .14075386 00

## EQUATORIAL COORDINATES

DX .17521241 01 DY .18389448 01 DZ .68317650 00  
 V .26302826 01 PTH .17109632 02 AZ .25685680 03  
 VP .26346417 01 PTP .17080452 02 AZP .26757569 03  
 LNE .35481263 03 LNP .35481263 03  
 DR .77383181 00 DP .82988284-01 ASD .88493441 02  
 STA .59708741 02

## SELENOCENTRIC CCNIC

## EPDCH OF PERICENTER PASSAGE

SHA .38635872 04 ECC .14159395 01  
 VH .11264181 01 C3 .12688178 01  
 TA .29101803 02 MTA .13493020 03  
 ZAE .13386468 03 ZAP .14411925 03  
 OPI .78995323 01 OY .26064495 01

23566636756202325760311 J.D. = 2438608.03400082 JULY 31, 1964 12 48 57.472

B .38734127 04 SLR .38828616 04 APC .00000000 00 RCA .16071850 04  
 C1 .43630825 04 TFP .31673861 03 TF .67483795 02 LTF .67152395 02  
 EA .12389662 02 WA .52903887 01 C3J .19274104 01 TFI .67395814 02  
 ZAC .93066534 02 DEF .89860404 02 IR .40519452 04 GP .83246857 00  
 CP2 .26957408 02

## ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE

X .88129493 03 Y .14714812 04 Z .26527224 03  
 INC .16423059 03 LAM .20587461 03 APF .17487574 03  
 MX .11895973 00 MY .24455204 00 WZ .96236326 00  
 QX .49860216 00 QY .82348481 00 QZ .27068185 00  
 BX .25578187 00 BY .94401832 00 BZ .20833882 00  
 SXI .05943198 00 SYI .22144615 00 SZI .17450462 00  
 SXO .25344359 00 SYO .94455504 00 SZO .20876335 00  
 EYE .20052762 03 ETS .17164485 02 ETC .30508904 03  
 BTO .37857169 04 BRC .81955720 03 B .38734127 04

```

      ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET
X -.73515624 03   Y -.15509747 04   Z -.25754600 03   DX -.19492724 01   DY .17469618 01   DZ .25854990 00
INC .17084982 03   LAN .17595697 03   APF .32017221 03   MX .86127904 00   MY -.50302756 00   MZ -.71041039 01
WX .11211956-01   WY .15862682 00   WZ -.98727494 00   PX -.81064478 00   PY -.57661202 00   PZ -.10185110 00
QX -.58543090 00   QY .80147123 00   QZ .12212505 00   RX -.14341097-01   RY .23275524-02   RZ -.99989443 00
BX -.16045259 00   BY -.97425761 00   BZ -.15835748 00   TX .16020322 00   TY .98708405 00   TZ .00000000 00
SXI -.98697986 00   SYI .16018631 00   SZI .14528745-01   DAI .83246516 00   RAI .17078130 03
SXO .15804769 00   SYO .97464496 00   SZO .15839240 00   DAO .91135981 01   RAO .80789132 02
ETE .16270409 03   ETS .32633398 03   ETC .26124023 03   THA .17088745 03
BTO -.38245276 04   BRC .61344869 03   B   .38734133 04

      ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE
X -.15578033 04   Y -.67398376 03   Z -.36577796 03   DX -.28293685 00   DY .26143560 01   DZ .58949589-01
INC .16759721 03   LAN .10202748 03   APF .28798169 03   MX .83487689 00   MY -.52803198 00   MZ .15537392 00
WX .21006774 00   WY .44756613-01   WZ -.97666186 00   PX -.97289418 00   PY .10835946 00   PZ -.20429167 00
QX .96687149-01   QY .99310374 00   QZ .66306277-01   RX .60505079-01   RY -.76247537-01   RZ -.99525142 00
BX -.75706221 00   BY .62465972 00   BZ -.19146033 00   TX .78333312 00   TY .62160215 00   TZ .00000000 00
SXI -.61865041 00   SYI .77961340 00   SZI .97337307-01   DAI -.55858627 01   RAI .12843322 03
SXO .79555311 00   SYO .62655671 00   SZO .19122267 00   DAO .11024147 02   RAO .39667863 02
ETE .51934452 00   ETS .18133279 03   ETC .25517835 03   THA .16890865 03
BTT -.38010655 04   BRT .74514347 03   B   .38734142 04   603671143305   603462416420
615457037246   615405732311   613546531003   203702012004   000000000000
                  640702817                  1956000

```

## APPENDIX C

## Ranger VII space trajectory for postmaneuver orbit

SPACE TRAJECTORY  
RA-7 POST MIDCOURSE CRBIT

GME .3986C138 06 J .16234500-02 F -.57499595-05 D .78749999-05 RE .63781650 04 REM .63783C79 04  
G .66709998-19 A .08782497 29 B .8880C099 29 C .88837498 29 DME .41780741-02 AU .14959900 09  
GMW .49025900 04 GMS .13271544 12 GMV .3247655C 06 GMA .42977799 05 GMC .37918700 08 GWJ .12671C6C 09  
EGM .3986C320 06 MGP .49027779 04 JA .2920C000-02 HA .00000000 00 CA .00000000 00 RA .34170000 04  
ARA .3567C000 01 GB .39224C36 0C MAS .37410000 03 GBL .00000000 00 GB2 .00000000 00 SC .10200000 09

INJECTION CONDITIONS MOON 235666506353202400000000 J.D. = 2438605.93608796 JULY 29, 1964 10 27 58.000

GEOCENTRIC XO .15667452 06 YO .63041633 05 ZO .80776772 04 DXO .14342616 01 DYO .97257020 00 DZO .28116151 00  
CARTESIAN GMC .00000000 00 SGC .00000000 00 TO .37678000 05 GHA .10409373 03 GHO .30667227 03

0 DAYS 0 HRS. 0 MIN. 0.000 SEC. 235666506353202400000000 J.D. = 2438605.93608796 JULY 29, 1964 10 27 58.000  
TFL 0 DAYS 17 HRS. 37 MIN. 50.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES  
X .15667451 06 Y .63041630 05 Z .80776771 04 DX .14342615 01 DY .97257015 00 DZ .28116150 00  
R .16907512 06 DEC .27383859 01 RA .21918536 02 V .17555770 01 PTH .76231923 02 AZ .61412209 02  
R .16907512 06 LAT .27383859 01 LCA .27782480 03 VE .12070510 02 PTE .81207516 01 AZE .27095862 03  
XS .89949617 08 VS .11227379 09 ZS .48686774 08 DXS .23516068 02 DYS .16077728 02 DZS .69720238 01  
XM .38246389 06 YM .27456503 05 ZM .26012533 05 DXM .83439898-01 DYM .93230139 00 DZM .40985468 00  
XT .38246389 06 YT .27456503 05 DXT .83439898-01 DYT .93230139 00 DZT .40985468 00  
RS .15187738 09 VS .29327596 02 RM .38432947 06 VM .10218263 01 RT .38432947 06 VT .10218263 01  
GED .27570187 01 ALT .16269697 06 LOS .24606686 02 RAS .12870042 03 RAM .41061312 01 LDM .26001239 03  
DUT .3500C000 02 DT .48000000 03 CR .17051341 01 SHA .16335720 06 DES .18697176 02 DEM .38809100 01

GEOCENTRIC CENIC  
EPOCH OF PERICENTER PASSAGE 2356664506220262540000 J.D. = 2438605.21642566 JULY 28, 1964 17 11 39.177  
SMA .24408705 06 ECC .9740C1691 00 B .55279668 05 SLR .12519482 05 APO .48183196 06 RCA .63421350 04  
VM .14661113 00 C3 .16330296 01 C1 .70841933 05 TFP .62178823 05 TF .17271895 02 PER .20002134 05  
TA .16192552 03 PTA .00000000 00 EA .71608135 02 MA .18651656 02 C3J .-20370907 01 TFI .00000000 00

ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE  
X .15667451 06 Y .63041630 05 Z .80776771 04 DX .14342615 01 DY .97257015 00 DZ .28116150 00  
INC .28076753 02 LAN .16908152 02 APF .20378266 03 NX .34898679 00 MY .806807913 00 PZ .47795822 00  
WX .13970132 00 WY .45957602 00 WZ .87708201 00 PX .77265534 00 PY .19370604 00  
GX .61926340 00 QY .65062103 00 QZ .43955C52 00 TX .-61622231 00 TY .78757226 00 TZ .00000000 00  
RX .-61926358 00 RY .45062122 00 BZ .43955C52 00 TX .-61622231 00 TY .78757226 00 TZ .00000000 00  
DAP .-11169144 02 RAP .2180C479 03  
BTQ .49420867 05 ERC .-24767310 05 B .55279668 05 TMA .33338222 03

HELIOCENTRIC EQUATORIAL COORDINATES  
X .90106291 08 Y .11221C75 09 Z .48678696 08 DX .24950329 02 CY .17050298 02 DZ .72531853 01  
R .15192106 09 LAT .18688384 02 LCA .30876480 03 V .31077970 02 PTH .21990135 00 AZ .75813411 02  
XE .89949617 08 YE .11227379 09 ZE .48686774 08 DXE .23516068 02 DYE .16077728 02 DZE .69720238 01  
XT .30332080 08 YT .11224633 09 ZT .48712787 08 DXT .23432628 02 DYT .17010029 02 DZT .73818785 01  
LTE .18697176 02 LDE .30870042 03 LTT .18680127 02 LDT .30882594 03 EST .15209227 09 VST .29881788 02  
EPS .74995023 02 ESP .60570802-01 SEP .10494336 03 SEM .12393571 03 EMS .55944169 02 MEP .18992397 02  
MPS .23110450 06 SPN .72833151 02 SMP .42170244 02 SEM .12393571 03 EMS .55944169 02 MEP .18992397 02  
GCE .10155271 03 GCT .2817C321 03 SIP .13734109 03 CPT .92025127 02 SIN .91594978 02 D1 .22522914 00  
REP .16907512 06 VEP .17555770 01 CPE .97484329 02 CPS .76877848 02 D2 .16777019 00 D3 .18667530-02

0 DAYS 0 HRS. 32 MIN. 2.000 SEC. 235666507314202000000000 J.D. = 2438605.95833333 JULY 29, 1964 11 00 00.000  
TFL 0 DAYS 18 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES  
X .15940771 06 Y .64901358 05 Z .86168121 04 DX .14100239 01 DY .96267305 00 DZ .27985019 00  
R .17232891 06 DEC .28661C53 01 RA .22153237 02 V .17300933 01 PTH .76296975 02 AZ .61421977 02  
R .17232891 06 LAT .28661C53 01 LCA .27002925 03 VE .12307687 02 PTE .78493600 01 AZE .27092133 03  
XS .89949617 08 VS .11224288 09 ZS .48673370 08 DXS .23509580 02 DYS .16085906 02 DZS .69755642 01  
XM .38225850 06 YM .29247986 05 ZM .25224465 05 DXM .88665452-01 DYM .93187739 00 DZM .41019167 00  
XT .38225850 06 YT .29247986 05 DXT .88665452-01 DYT .93187739 00 DZT .41019167 00  
RS .15187701 09 VS .29327722 02 RM .38424454 06 VM .10220148 01 RT .38424454 06 VT .10220148 01  
GED .28056042 01 ALT .16595076 06 LOS .16598171 02 RAS .12872216 03 RAM .43749252 01 LDM .25225093 03  
DUT .3500C000 02 DT .20000000 01 DCS .1680C849C 01 SHA .16668788 06 DES .18691886 02 DEM .37639968 01

HELIOCENTRIC EQUATORIAL COORDINATES  
X .90154217 08 Y .11217798 09 Z .48664754 08 DX .24919604 02 DY .17048579 02 DZ .72554144 01  
R .15192083 09 LAT .18682863 02 LCA .30878784 03 V .31052886 02 PTH .23016115 00 AZ .75801190 02  
XE .89949617 08 YE .11224288 09 ZE .48673370 08 DXE .23509580 02 DYE .16085906 02 DZE .69755642 01  
XT .30377108 08 YT .11221363 09 ZT .48658994 08 DXT .23420915 02 DYT .17017784 02 DZT .73857559 01  
LTE .18697186 02 LDE .30872216 03 LTT .18674727 02 LDT .30884805 03 RST .15209035 09 VST .29877979 02  
EPS .75236712 02 ESP .63334395-01 SEP .10470042 03 EPM .14683203 03 EMP .14203434 02 MEP .18964535 02  
MPS .13793101 03 MSP .57674939-01 SMP .42011374 02 SEM .12366484 03 EPM .14683203 03 EMP .14203434 02 MEP .18964535 02  
RPM .22824701 06 SPN .73115676 02 SIP .13749547 03 CPT .92064024 02 SIN .91630490 02 D1 .22804901 00  
GCE .10155817 03 GCT .28171135 03 CPE .97518578 02 CPS .76880056 02 D2 .17030467 00 D3 .19245283-02  
REP .17232891 06 VEP .17300933 01

0 DAYS 1 HRS. 32 MIN. 2.000 SEC. 235666511120202000000000 J.D. = 2438606.00000000 JULY 29, 1964 12 00 00.000  
TFL 0 DAYS 19 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES  
X .16440562 06 Y .68334626 05 Z .96198208 04 DX .13671075 01 DY .94484521 00 DZ .27737203 00  
R .17830134 06 DEC .30927574 01 RA .22570045 02 V .16848296 01 PTH .76407950 02 AZ .61440191 02  
R .17830134 06 LAT .30927574 01 LCA .25540498 03 VE .12742325 02 PTE .73840781 01 AZE .27085830 03  
XS .90079426 08 YM .11218494 09 ZS .48648245 08 DXS .23497419 02 DYS .16101221 02 DZS .69821934 01  
XM .38196168 06 YM .32601234 05 ZM .23746674 05 DXT .23398963 02 DYT .17032238 02 DZT .73929880 01  
XT .38196168 06 YT .32601234 05 ZT .23746674 05 DXT .23398963 02 DYT .17032238 02 DZT .73929880 01  
RS .15187631 09 VS .29327575 02 RM .38468524 06 VM .10223690 01 RT .38408524 06 VT .10223690 01  
GED .31113725 01 ALT .17102320 06 LOS .15978260 01 RAS .12876289 03 RAM .48784894 01 LDM .22771343 03  
DUT .3500C000 02 DT .48000000 03 DR .16376437 01 SHA .17279896 06 DES .18681968 02 DEM .35446624 01

HELIOCENTRIC EQUATORIAL COORDINATES  
X .90243831 08 Y .11211460 09 Z .48638625 08 DX .24864527 02 DY .17046066 02 DZ .72595654 01  
R .15192036 09 LAT .18675231 02 LCA .30883095 03 V .31008295 02 PTH .24778048 00 AZ .75778842 02  
XE .90079426 08 YE .11218494 09 ZE .48648245 08 DXE .23497419 02 DYE .16101221 02 DZE .69821934 01  
XT .90461387 08 YT .11215234 09 ZT .48671591 08 DXT .23398963 02 DYT .17032238 02 DZT .73929880 01  
LTE .18681968 02 LDE .30876289 03 LTT .18664610 02 LDT .30888943 03 RST .15208672 09 VST .29870803 02  
EPS .75663674 02 ESP .64860743-01 SEP .10427115 03 EPM .14611306 03 EMP .15000678 02 MEP .18886258 02  
MPS .13822273 03 MSP .54625775-01 SMP .41721301 02 SEM .12315717 03 EPM .14611306 03 EMP .15000678 02 MEP .18886258 02  
RPM .22298170 06 SPN .73613715 02 SIP .13777691 03 CPT .92140429 02 SIN .91646111 02 D1 .22343430 00  
GCE .10149755 03 GCT .28112658 03 CPE .97578967 02 CPS .76884183 02 D2 .10713483 00 D3 .20371412-02  
REP .17830135 06 VEP .16848296 01

0 DAYS 2 HRS. 32 MIN. 2.000 SEC. 235666512724202000000000 J.D. = 2438606.04166666 JULY 29, 1964 13 00 00.000  
TFL 0 DAYS 20 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.16925436	06	Y	-.71705259	C5	Z	-.10611874	C5	DX	-.13270946	01	DY	-.92786752	00	DZ	-.27487869	00
R	.18412316	06	DEC	.33046760	C1	RA	-.22960133	02	V	-.16424605	01	PTH	-.76506319	02	AZ	-.61458153	02
R	.18412316	06	LAT	-.33046769	C1	LCN	-.24075400	C3	VE	-.13165986	02	PTE	-.69675186	01	AZE	-.27080284	03
XS	-.90163593	08	YS	-.11212694	C9	ZS	-.48623100	C8	DXS	-.23485247	02	DYS	-.16116528	02	DZS	-.69888195	01
XM	-.38158961	06	YM	.35951212	C5	ZM	-.22266784	C5	DXM	-.10825144	00	DYM	.93006999	00	DZM	-.41136063	00
XT	.38158961	06	YT	.35951212	C5	ZT	-.22266784	C5	DXT	-.10825144	00	DYT	.93006999	00	DZT	-.41136063	00
RS	.15187562	09	VS	.29328192	C2	RM	.38352568	C6	VM	.10227248	01	RT	.38392568	06	VT	.10227248	01
GEO	.33271171	01	ALT	-.17774503	06	LCS	-.34659746	03	RAS	-.12880360	03	RAM	.53821950	01	LOM	-.22317607	03
DUT	.35000000	02	DT	.95959599	C3	CR	-.15971215	01	SHA	-.17875290	06	DES	-.18672043	02	DEM	-.33248857	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90333247	08	Y	-.11205524	C9	Z	-.48612485	08	DX	-.24812341	02	DY	-.17044395	02	DZ	-.72636981	01
R	.15191986	09	LAT	-.18662179	02	LCN	-.30887400	C3	V	.30966514	02	PTH	-.26356846	00	AZ	-.75757120	02
XE	.90163593	08	YE	-.11212694	C9	ZE	-.48623100	C8	DXE	-.23485247	02	DYE	-.16116528	02	DZE	-.69888195	01
XT	.90545582	08	YT	-.11209099	C9	ZT	-.48645366	08	DXT	-.23376995	02	DYT	-.17046598	02	DZT	-.74001801	01
LTE	-.18672043	02	LOE	.30880360	C3	LTT	-.18654485	02	LOT	.30893081	03	RST	.15208308	09	VST	.29863574	02
EPS	.76060475	02	ESP	.67448792	C1	SEP	.10387211	C3	EPH	.14543370	03	EMP	.15788934	02	MEP	.18777367	02
MPS	.13850493	03	MSP	.53265584	C1	SMP	.41440695	C2	SEM	.12264908	03	EMS	.57229136	02	ESM	.12154476	00
RPM	.21782044	06	SPN	.74075360	C2	SIP	.13804855	C3	CPT	.92212095	02	SIN	.91755713	02	D1	.23896587	02
GCE	.10141617	03	GCT	.28174169	03	CPE	.97634970	C2	CPS	.76888305	02	D2	.18008233	00	D3	.21559962	00
REP	.18412316	06	VEP	-.16424605	C1												

0 DAYS 3 HRS. 32 MIN. 2.000 SEC. 23566614530202000000000 J.D. = 2438606.08333333 JULY 29, 1964 14 00 00.000  
TFL 0 DAYS 21 HRS. 5 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.17396378	06	Y	-.75016198	C5	Z	-.11598946	C5	DX	-.12896499	01	DY	.91166118	00	DZ	-.27238246	00
R	.18980348	06	DEC	.35035438	C1	RA	-.23326544	02	V	.16026580	01	PTH	.76593611	02	AZ	-.61475722	02
R	.18980347	06	LAT	.35035438	C1	LCN	.22607535	C3	VE	.13579293	02	PTE	.65924421	01	AZE	.27075370	03
XS	-.90248523	08	YS	.11206890	C9	ZS	.48597527	C8	DXS	-.23473063	02	DYS	-.16131829	02	DZS	-.69954430	01
XM	.38118227	06	YM	.39297640	C5	ZM	-.20784918	05	DXM	-.11804914	00	DYM	.92903642	00	DZM	-.41188951	00
XT	.38118227	06	YT	.39297640	C5	ZT	-.20784918	05	DXT	-.11804914	00	DYT	.92903642	00	DZT	-.41188951	00
RS	.15187492	09	VS	.29328429	C2	RM	.38376587	C6	VM	.10230822	01	RT	.38376587	06	VT	.10230822	01
GEO	.35273596	01	ALT	-.18342535	06	LCS	.33159713	C3	RAS	.12884432	03	RAM	.58860606	01	LOM	-.20863887	03
DUT	.35000000	02	DT	.19200000	C4	CR	.15589856	01	SHA	.18455932	06	DES	.18662108	02	DEM	-.31046812	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90422486	08	Y	-.11199388	C9	Z	-.48566328	C8	DX	-.24762711	02	DY	-.17043490	02	DZ	-.72678255	01
R	.15191934	09	LAT	-.18651833	C2	LCN	.30891698	C3	V	.30927232	02	PTH	-.27776586	00	AZ	-.75735979	02
XE	.90428523	08	YE	-.11206890	C9	ZE	-.48597927	C8	DXE	-.23473063	02	DYE	.16131829	02	DZE	.69954430	01
XT	.90629705	08	YT	-.11202960	C9	ZT	-.48618711	C8	DXT	-.23355014	02	DYT	.17060865	02	DZT	.74073325	01
LTE	-.18662108	02	LOE	.30884432	C3	LTT	-.18644352	C2	LOT	.30897216	03	RST	.15207943	09	VST	.29856294	02
EPS	.76430557	02	ESP	.68959546	C1	SEP	.10349883	C3	EPH	.14470018	03	EMP	.16568528	02	MEP	.18641284	02
MPS	.13877795	03	MSP	.51869734	C1	SMP	.41169223	C2	SEM	.12214056	03	EMS	.57737013	02	ESM	.12234704	00
RPM	.21275346	06	SPN	.74504874	C2	SIP	.13831070	C3	CPT	.92281166	02	SIN	.91813916	02	D1	.24465751	00
GCE	.10138996	03	GCT	.28175661	03	CPE	.97687113	C2	CPS	.76892424	02	D2	.18515836	00	D3	.22816197	00
REP	.18980348	06	VEP	.16026580	C1												

0 DAYS 4 HRS. 32 MIN. 2.000 SEC. 23566616334202000000000 J.D. = 2438606.12500000 JULY 29, 1964 15 00 00.000  
TFL 0 DAYS 22 HRS. 5 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.17854258	06	Y	-.78270077	C5	Z	-.12575041	C5	DX	-.12544879	01	DY	.89615725	00	DZ	-.26989228	00
R	.19535042	06	DEC	.36907789	C1	RA	-.23671842	C2	V	.15651452	01	PTH	.76671132	02	AZ	-.61492798	02
R	.19535042	06	LAT	.36907789	C1	LCN	.21138358	C3	VE	.13982807	02	PTE	.62529698	01	AZE	.27070989	03
XS	-.90333006	08	YS	.11201079	C9	ZS	.48572730	C8	DXS	-.23460866	02	DYS	-.16147123	02	DZS	-.70020634	01
XM	.38073565	06	YM	.42640190	C5	ZM	-.19301216	C5	DXM	-.12784878	00	DYM	.92791609	00	DZM	-.41238116	00
XT	.38073565	06	YT	.42640190	C5	ZT	-.19301216	C5	DXT	-.12784878	00	DYT	.92791609	00	DZT	-.41238116	00
RS	.15187422	09	VS	.29328667	C2	RM	.38340579	C6	VM	.10234412	01	RT	.38360579	06	VT	.10234412	01
GEO	.37158605	01	ALT	-.18897231	C6	LCS	.31659677	C3	RAS	.12888503	03	RAM	.63901008	01	LOM	-.19410184	03
DUT	.35000000	02	DT	.19200000	C4	CR	.15229847	01	SHA	.19022679	06	DES	.18652164	02	DEM	-.28840670	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90511548	08	Y	-.11193252	C9	Z	-.48560154	C8	DX	-.24715354	02	DY	-.17043280	02	DZ	-.72719557	01
R	.15191879	09	LAT	-.18641486	C2	LCN	.30895991	C3	V	.30890184	02	PTH	-.29057930	00	AZ	-.75715329	02
XE	.90333006	08	YE	-.11201079	C9	ZE	-.48572730	C8	DXE	-.23460866	02	DYE	.16147123	02	DZE	.70020634	01
XT	.90713745	08	YT	-.11196815	C9	ZT	-.48552031	C8	DXT	-.23333018	02	DYT	.17075039	02	DZT	.74144445	01
LTE	-.18652168	02	LOE	.30888503	C3	LTT	-.18634211	C2	LOT	.30901351	03	RST	.15207575	09	VST	.29848964	02
EPS	.76776812	02	ESP	.71168340	C1	SEP	.10315144	C3	EPH	.14417933	03	EMP	.17339764	02	MEP	.18480903	02
MPS	.13904210	03	MSP	.51396629	C1	SMP	.40906584	C2	SEM	.12163162	03	EMS	.58245324	02	ESM	.12294532	00
RPM	.22772209	06	SPN	.74905830	C2	SIP	.13856364	C3	CPT	.92347770	02	SIN	.91869315	02	D1	.25052361	00
GCE	.10134194	03	GCT	.28177130	03	CPE	.97735036	C2	CPS	.76896539	02	D2	.19037468	00	D3	.24145902	00
REP	.19535042	06	VEP	.15651452	C1												

0 DAYS 5 HRS. 32 MIN. 2.000 SEC. 23566652C14020200000000 J.D. = 2438606.16666666 JULY 29, 1964 16 00 00.000  
TFL 0 DAYS 23 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES													
X	.18299854	06	Y	.81469301	C5	Z	-.13542187	C5	DX	-.12213724	01	DY	.88129509	00	DZ	-.26741466	00
R	.20077127	06	DEC	.38675835	C1	RA	-.23998198	C2	V	.15296870	01	PTH	.76740012	02	AZ	-.61509280	02
R	.20077127	06	LAT	-.38675835	C1	LCN	.19666887	C3	VE	.14377040	02	PTE	.59442820	01	AZE	-.27067662	03
XS	-.90417441	08	YS	.11195263	C9	ZS	.48547513	C8	DXS	-.23448660	02	DYS	-.16162410	02	DZS	-.70086808	01
XM	.38026176	06	YM	.45978535	C5	ZM	-.17815817	C5	DXM	-.13764942	00	DYM	.92670888	00	DZM	-.41283545	00
XT	.38026176	06	YT	.45978535	C5	ZT	-.17815817	C5	DXT	-.13764942	00	DYT	.92670888	00	DZT	-.41283545	00
RS	.15187352	09	VS	.29328060	C2	RM	.38344547	C6	VM	.10238016	01	RT	.38344547	06	VT	.10238016	01
GEO	.38938594	01	ALT	.19439316	06	LCS	.36159641	C3	RAS	.12892573	03	RAM	.68943288	01	LOM	.17956501	03
DUT	.35000000	02	DT	.19200000	C4	CR	.14889045	01	SHA	.19576296	06	DES	.18642213	02	DEM	-.26630600	01

HELIOCENTRIC				EQUATORIAL COORDINATES													
X	.90600439	08	Y	-.11187117	C9	Z	-.48533970	C8	DX	-.24670032	02	DY	-.17043705	02	DZ	-.72760954	01
R	.15191821	09	LAT	-.18631137	C2	LCN	.30900277	C3	V	.30855144	02	PTH	-.30217440	00	AZ	-.75695131	02
XE	.90417441	08	YE	-.11195263	C9	ZE	-.48547513	C8	DXE	-.23448660	02	DYE	.1616241				

## JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC

X	.18733866	O6	Y	.84616106	C5	Z	-.14500448	C5	DX	.11900975	O1	DY	.86702129	O0	DZ	.26495428	O0
R	.20607261	O6	DEC	.40349931	C1	RA	.24307483	O2	V	.14960811	O1	PTH	.76801215	O2	AZ	.61525100	O2
R	.20607261	O6	LAT	.40349931	O1	LCN	.18193709	O3	VE	.14762463	O2	PTE	.56623864	O1	AZE	.27063522	O3
XS	-.90501837	O8	YS	.11189442	O9	ZS	.48522265	O8	DXS	-.23436440	O2	DYS	-.16177691	O2	DZS	-.70152955	O1
XN	.37974858	O6	YN	.49312390	O5	ZN	-.16328845	O5	DXN	-.14745025	O0	DYN	.92541473	O0	DZN	.41325220	O0
XT	.37974858	O6	YT	.49312390	O5	ZN	-.16328845	O5	DXT	-.14745025	O0	DYT	.92541473	O0	DZT	.41325220	O0
RS	.15187282	O9	VS	.29329145	C2	RM	.38328491	O6	RAS	.12896644	O3	RAM	.73987634	O1	LOM	.16502837	O3
GEO	.40623989	O1	ALT	.19494511	C6	LCS	.28659604	C3	SHA	.20117479	O6	DES	.18632251	O2	DEM	-.24416739	O1
DUT	.35000000	O2	DT	.19200000	O4	CR	.14565603	C1									

HELIOCENTRIC

X	.90689175	O8	Y	-.11185581	O9	Z	-.48507769	C8	DX	.24626538	O2	DY	-.17044712	O2	DZ	.72802497	O1
R	.15191762	O9	LAT	-.18620784	O2	LCN	.30904558	C3	V	.30821917	O2	PTH	-.31269374	O0	AZ	.75675335	O2
XE	.90501837	O8	YE	-.11189442	O9	ZE	-.48522265	O8	DXE	.23436440	O2	DYE	.16177691	O2	DZE	.70152955	O1
XT	.90881585	O8	YT	-.11184511	O9	ZT	-.48538598	O8	DXT	.23288990	O2	DYT	.17103105	O2	DZT	.74285477	O1
LTE	-.18632251	O2	LOE	.30896644	O3	LTT	-.18613905	O2	LOT	.30909615	O3	RST	.15206836	O9	VST	.29834151	O2
EPS	.77407333	O2	ESP	.75975525	-C1	SEP	.10251475	C3	EPH	.14304508	O3	EMP	.18058195	O2	MEP	.18096720	O2
MPS	.13954486	O3	MSP	.47949227	-C1	SMP	.40406722	C2	SEM	.12061245	O3	EMS	.59263260	O2	ESM	.12433010	O0
RPM	.19003629	O6	SPN	.75633731	O2	SIP	.13904288	O3	CPT	.92474035	O2	SIN	.91972059	O2	D1	.26284071	O0
GCE	.10129546	O3	GCT	.28179970	O3	CPE	.97824445	C2	CPS	.76904761	O2	D2	.20127865	O0	D3	.27051081	-O2
REP	.20607261	O6	VEP	.14960811	C1												

0 DAYS 7 HRS. 32 MIN. 2.000 SEC. 235666523550202000000000 J.D. = 2438606.25000000 JULY 29, 1964 18 00 00.000  
TFL 1 DAYS 1 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.19156924	O6	Y	.87712503	O5	Z	.15449885	O5	DX	.11604872	O1	DY	.85328837	O0	DZ	.26251443	O0
R	.21126040	O6	DEC	.41938958	C1	RA	.24601301	O2	V	.14641535	O1	PTH	.76855589	O2	AZ	.61540185	O2
R	.21126040	O6	LAT	.41938958	O3	LCN	.16718858	O3	VE	.15139902	O2	PTE	.54039525	O1	AZE	.27060317	O3
XS	-.90586184	O8	YS	.11183616	O9	ZS	.48467006	O8	DXS	-.23424210	O2	DYS	-.16192964	O2	DZS	-.70219070	O1
XN	.37920011	O6	YN	.52641415	O5	ZN	-.14840444	O5	DXN	-.15725028	O0	DYN	.92403351	O0	DZN	.41363133	O0
XT	.37920011	O6	YT	.52641415	O5	ZN	-.14840444	O5	DXT	-.15725028	O0	DYT	.92403351	O0	DZT	.41363133	O0
RS	.15187212	O9	VS	.29329386	C2	RM	.38312410	O6	VM	.10245274	O1	RT	.38312410	O6	VT	.10245274	O1
GEO	.42223732	O1	ALT	.20488231	C6	LCS	.27159568	C3	RAS	.12900713	O3	RAM	.79034184	O1	LOM	.15049197	O3
DUT	.35000000	O2	DT	.19200000	O4	CR	.14257927	O1	SHA	.20646852	O6	DES	.18622282	O2	DEM	-.22199267	O1

HELIOCENTRIC

X	.90777753	O8	Y	-.11174844	O9	Z	-.48481556	O8	DX	.24584697	O2	DY	-.17046252	O2	DZ	.72844215	O1
R	.15191700	O9	LAT	-.18610430	O2	LCN	.30908834	O3	V	.30790336	O2	PTH	-.32225771	O0	AZ	.75655905	O2
XE	.90586184	O8	YE	-.11183616	O9	ZE	-.48467006	O8	DXE	.23424210	O2	DYE	.16192964	O2	DZE	.70219070	O1
XT	.90963384	O8	YT	-.11178391	O9	ZT	-.48511846	O8	DXT	.23266464	O2	DYT	.17116499	O2	DZT	.74355384	O1
LTE	-.18622282	O2	LOE	.30900111	O3	LTT	-.18647172	O2	LOT	.30913745	O3	RST	.15206464	O9	VST	.29826670	O2
EPS	.77495455	O2	ESP	.77252514	-C1	SEP	.10222660	C3	EPH	.14251728	O3	EMP	.19605879	O2	MEP	.18786836	O2
MPS	.13978396	O3	MSP	.45863470	-C1	SMP	.40169016	O2	SEM	.12010223	O3	EMS	.59772886	O2	ESM	.12433010	O0
RPM	.19326880	O6	SPN	.75965490	O2	SIP	.13926960	O3	CPT	.92533906	O2	SIN	.92019546	O2	D1	.26932489	O0
GCE	.10121634	O3	GCT	.28181329	O3	CPE	.97864523	C2	CPS	.76908872	O2	D2	.20699359	O0	D3	.28642952	-O2
REP	.21126040	O6	VEP	.14641535	O1												

0 DAYS 8 HRS. 32 MIN. 2.000 SEC. 235666523534202000000000 J.D. = 2438606.29166666 JULY 29, 1964 19 00 00.000  
TFL 1 DAYS 2 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.19569598	O6	Y	.90760379	O5	Z	.16390580	O5	DX	.11323896	O1	DY	.84005421	O0	DZ	.26009737	O0
R	.21634004	O6	DEC	.43450666	C1	RA	.24881048	O2	V	.14337531	O1	PTH	.76903872	O2	AZ	.61554475	O2
R	.21634004	O6	LAT	.43450666	O1	LCN	.15242853	O3	VE	.15508551	O2	PTE	.51661792	O1	AZE	.27057403	O3
XS	-.90670492	O8	YS	.11177783	O9	ZS	.48471713	O8	DXS	-.23411967	O2	DYS	-.16208232	O2	DZS	.70285160	O1
XN	.37861638	O6	YN	.55965329	O5	ZN	-.13350743	O5	DXN	-.16704869	O0	DYN	.92256514	O0	DZN	.41397267	O0
XT	.37861638	O6	YT	.55965329	O5	ZN	-.13350743	O5	DXT	-.16704869	O0	DYT	.92256514	O0	DZT	.41397267	O0
RS	.15187142	O9	VS	.29329427	C2	RM	.38296308	O6	VM	.10248927	O1	RT	.38296308	O6	VT	.10248927	O1
GEO	.43745627	O1	ALT	.20996196	C6	LCS	.25659530	C3	RAS	.12904782	O3	RAM	.84083144	O1	LOM	.13595579	O3
DUT	.35000000	O2	DT	.19200000	O4	CR	.13964630	O1	SHA	.21164985	O6	DES	.18612304	O2	DEM	-.19978320	O1

HELIOCENTRIC

X	.908661P7	O8	Y	-.11168707	O9	Z	-.48455322	O8	DX	.24544357	O2	DY	-.17048286	O2	DZ	.72886133	O1
R	.15191637	O9	LAT	-.18600071	O2	LCN	.30913106	O3	V	.30760256	O2	PTH	-.33096620	O0	AZ	.75636808	O2
XE	.90670492	O8	YE	-.11177783	O9	ZE	-.48471713	O8	DXE	.23411967	O2	DYE	.16208232	O2	DZE	.70285160	O1
XT	.91049108	O8	YT	-.11172187	O9	ZT	-.48485603	O8	DXT	.23244919	O2	DYT	.17130797	O2	DZT	.74424887	O1
LTE	-.18612304	O2	LOE	.30904783	O3	LTT	-.18593568	O2	LOT	.30917874	O3	RST	.15206090	O9	VST	.29819139	O2
EPS	.77967853	O2	ESP	.79437864	-C1	SEP	.10195232	O3	EPH	.14201324	O3	EMP	.20346152	O2	MEP	.17640604	O2
MPS	.14001517	O3	MSP	.45863470	-C1	SMP	.39939172	O2	SEM	.11959157	O3	EMS	.60282952	O2	ESM	.12511453	O0
RPM	.18856064	O6	SPN	.76278452	O2	SIP	.13948797	O3	CPT	.92591731	O2	SIN	.92064528	O2	D1	.27605021	O0
GCE	.10117964	O3	GCT	.28182642	O3	CPE	.97903167	O2	CPS	.76912979	O2	D2	.21290365	O0	D3	.30337369	-O2
REP	.21634004	O6	VEP	.14337531	O1												

0 DAYS 9 HRS. 32 MIN. 2.000 SEC. 235666527160202000000000 J.D. = 2438606.33333333 JULY 29, 1964 20 00 00.000  
TFL 1 DAYS 3 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.19972410	O6	Y	.93761457	O5	Z	.17322619	O5	DX	.11056720	O1	DY	.82728092	O0	DZ	.25770453	O0
R	.22131651	O6	DEC	.44891776	O1	RA	.25147938	O2	V	.14047476	O1	PTH	.76946738	O2	AZ	.61567913	O2
R	.22131651	O6	LAT	.44891776	O1	LCN	.13765435	O3	VE	.15869972	O2	PTE	.49466927	O1	AZE	.27054742	O3
XS	-.90754758	O8	YS	.11171945	O9	ZS	.48446398	O8	DXS	-.23399713	O2	DYS	-.16223493	O2	DZS	-.70351222	O1
XN	.37799736	O6	YN	.59283800	O5	ZN	-.11859875	O5	DXN	-.17684453	O0	DYN	.92100954	O0	DZN	.41427610	O0
XT	.37799736	O6	YT	.59283800	O5	ZN	-.11859875	O5	DXT	-.17684453	O0	DYT	.92100954	O0	DZT	.41427610	O0
RS	.15187072	O9	VS	.29329869	O2	RM	.38280182	O6	VM	.10252596	O1	RT	.38280182	O6	VT	.10252596	O1
GEO	.45196441	O1	ALT	.21493844	C6	LCS	.24159493	O3	RAS	.12908852	O3	RAM	.89134642	O1	LOM	.12141988	O3
DUT	.35000000	O2	DT	.19200000	O4	CR	.13684497	O1	SHA	.21672399	O6	DES	.18602315	O2	DEM	-.17754086	O1

HELIOCENTRIC

X	.90954482	O8	Y	-.11162569	O9	Z	-.48429075	O8	DX	.24505385	O2	DY	-.17050773	O2	DZ	.72928267	O1
R	.15191572	O9	LAT	-.18589708	O2	LCN	.30917372	O3	V	.30731548	O2	PTH	-.33890459	O0	AZ	.75618016	O2
XE	.90754758	O8	YE	-.11171945	O9	ZE	-.48446398	O8	DXE	.23399713	O2	DYE	.16223493	O2	DZE	.70351222	O1
XT	.91132755	O8	YT	-.11160017	O9	ZT	-.48458258	O8	DXT	.23222868	O2	DYT	.17144502	O2	DZT	.74493983	O1
LTE	-.18602315	O2	LOE	.30908851	O3	LTT	-.18583388	O2	LOT	.30922001	O3	RST	.15205714	O9	VST	.29811560	O2
EPS	.78225692	O2	ESP	.81564685	-C1	SEP	.10169257	O3	EPH	.14153138	O3	EMP	.21079216	O2	MEP	.17389400	O2
MPS	.14023869	O3	MSP	.43678226	-C1	SMP	.39716985	O2	SEM	.11908048	O3	EMS	.60793459	O2	ESM	.12569564	O0
RPM	.18390673	O6	SPN	.76574288	O2	SIP	.13964814	O3	CPT	.92647602	O2	SIN	.92107058	O2	D1	.28303649	O0
GCE	.10114512	O3	GCT	.28183902	O3	CPE	.97939381	O2	CPS	.76917087	O2	D2	.21902				

## EQUATORIAL COORDINATES

EQUATORIAL COORDINATES																	
X	20365834	06	Y	96713321	05	Z	18246086	05	DX	10802188	01	DY	81493457	00	DZ	25533671	00
R	22619434	06	DEC	46268213	01	RA	22580337	02	V	13772014	01	PTH	76984775	02	AZ	16580438	03
R	22619434	06	LAT	46268213	01	LON	22580337	02	V	13772014	01	PTH	76984775	02	AZ	16580438	03
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998	05	DXM	18663683	00	DYM	91936661	00	DZS	70417250	01
XS	920838971	08	YS	11166102	09	ZS	48461661	08	DXS	127224097	02	PYS	74734707	01	ZE	27052302	03
RM	37734310	06	YM	62356498	05	ZT	10367998</										

## EQUATORIAL COORDINATES

[illegible]

0 DAYS 11 HRS. 32 MIN. 2.000 SEC.

235666532570202000000000 J.D. = 2438606.41666666 JULY 29, 1964 22 00 00.000  
TFL 1 DAYS 5 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

[illegible]

## EQUATORIAL COORDINATES

X	91136652	08	Y	-11150290	09	Z	-48375637	08	DX	-244313097	02	DY	-13756478	02	DZ	-73013195	01
X	15191439	09	LAT	-18568793	02	LON	33092859	03	Y	308778184	02	PT	-35056975	00		-75581247	02
X	90252134	08	LOE	-11160259	02	LT	-48395699	08	DXE	-23375169	02	DYE	-16253994	02	DZE		
XT	91298022	02	LYE	-11364099	02	LTZ	-48445574	08	DXT	-23178744	02	DYT	-17171630	02	DZT	-76303940	01
XT	-10582313	02	LYE	-30916988	03	LTZ	-48445574	08	DXT	-23178744	02	DYT	-17171630	02	DZT	-76303940	01
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SPS	-78702585	02	ESP	-85374424	-01	SEP	10121196	03	ESM	-14062885	03	EMP	-15204959	09	VST	-29766255	02
SP																	

0 DAYS 12 HRS. 32 MIN. 2.000 SEC.

235666534374202000000COC J.D.\* 2438606.45833333 JULY 29, 1964 23 00 00.000  
TFL 1 DAYS 6 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

										COORDINATE COORDINATES							
X	12126231	06	Y	-10249926	06	Z	-20067686	05	DX	-10327113	01	DY	-79140329	00	DZ	-25067715	00
R	-23567048	06	CYC	-48847336	01	RA	25801517	02	V	-12350097	01	PTH	-77048539	02	AZ	-61604251	02
R	-23567047	06	LAT	-48847336	01	LDN	-93264741	02	VE	-16911716	02	PTG	-77048539	02	AZ	-61604251	02
R	-37592720	08	YS	-11154399	09	ZS	-48370311	08	DXS	-23362880	02	DYS	-91581865	00	DZS	-70549221	00
R	-37592720	08	YR	-11154399	09	ZS	-48370311	08	DXS	-23362880	02	DYS	-91581865	00	DZS	-70549221	00
R	-37592885	06	YT	-69203393	05	DM	-20642736	00	DYM	-91581865	00	DYM	-91581865	00	DZM	-41495780	00
R	-15186680	09	YS	-29320602	02	RM	-38231675	06	DXM	-20642736	00	DYM	-91581865	00	DZT	-41495780	00
ED	91178592	01	ALT	-22929242	06	LOS	-19653938	03	RAS	-12921056	03	RAM	-10263699	07	DEM	-110263699	07
ED	-35000000	02	DT	-19200000	04	CRS	-12913319	01	SRA	-23134909	06	DES	-28512998	02	DEM	-110263699	07

## EQUATORIAL COORDINATES

X	-9121854	Y	-11144149	09	Z	-48350244	08	DX	-24395561	02	DY	-17060638	02	DZ	-73055995	01	
N	-15151370	09	LAT	-18585599	02	LCN	-39030144	03	V	-30645272	02	PTV	-35880008	00	AZ	-75563288	02
KE	-91007280	08	VE	-11154399	09	ZE	-48370311	08	DXE	-23362800	02	DYE	-16262950	02	DZE	-73057928	02
TE	-91434788	08	YT	-91434788	08	ZT	-48377693	08	DXE	-23156672	02	DYT	-17185053	02	DYT	-73088002	01
TE	-18572298	02	LOE	-30921023	01	SEP	-10058913	01	SEM	-12094373	03	RST	-15204578	09	VST	-29788532	01
PS	-78923641	02	ESP	-87076618	01	SEP	-10058913	01	SEM	-12094373	03	RST	-15204578	09	VST	-29788532	01
PS	-14086480	03	MSP	-401178123	01	MSP	-39094706	02	LEF	-11754641	03	EMS	-23236824	02	HST	-16537305	02
PS	-14086480	03	PNP	-7372845	02	SEP	-10058913	01	SEM	-12094373	03	RST	-15204578	09	VST	-29788532	01
PS	-10152585	03	VEP	-13250097	01	SIP	-14028081	03	CPT	-92804298	02	SIN	-92220312	02	D1	-30578448	00
TEP	-23567048	06	VEP	-13250097	01	SPE	-78037504	02	CPT	-92804298	02	SIN	-92220312	02	D1	-30578448	00

1 DAYS 13 HRS. 32 MIN. 2.000 SEC.

2356665362C02C2000000C0C J.D. = 2438606.5C000000 JULY 30, 1964 00 00 00.000  
FL 1 DAYS 7 HRS. 9 MIN. 52.127 SEC.

## EQUATORIAL COORDINATES

LOCALITY COORDINATES																	
STATION	TIME	DATE	TIME	DATE	TIME	DATE	TIME	DATE	TIME								
N	-21493578	06	Y	-10532798	06	Z	-20965984	05	DX	-130104883	01	PYE	-780165646	00	DZ	-24838495	00
R	-20429762	06	DEC	-10508720	06	RA	-26106463	02	DX	-13005936	01	DT	-77075231	02	DAZ	-61611398	02
N	-20427622	06	Y	-10505870	01	LDN	-78448575	02	DX	-17456677	02	PYE	-77075231	02	DAZ	-61611398	02
R	-20427622	06	Y	-10505870	01	LDN	-78448575	02	DX	-17456677	02	PYE	-77075231	02	DAZ	-61611398	02
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
R	-37518680	08	YS	-11148539	09	ZS	-4834905	08	VES	-23350502	02	DVS	-16284468	02	DZS	-27046074	03
N	-37																

## EQUATORIAL COORDINATES

[illegible]

DAYS 14 HRS. 32 MIN. 2.000 SEC.

23566654C0C420200000C000 J.D. = 2438606.54166666 JULY 30, 1964 01 00 00.000  
L 1 DAYS 8 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES				
X	.21853893	O6	Y	-.10811684	O6	Z	-.21856082	O5
R	-.24479829	O6	DEC	-.51223028	O1	RA	-.26322787	O2
R	-.24479828	O6	LAT	-.51223028	O1	LCN	-.63623831	O2
XS	-.91175403	O8	YS	-.11142674	O5	ZS	-.48319471	O8
XM	-.37437377	O6	YM	-.75783464	O5	ZM	-.43929651	O4
XT	-.37437377	O6	YT	-.75783464	O5	ZT	-.43929651	O4
RS	-.15186719	O9	VS	-.29331091	O2	RM	-.38199234	O6
GEO	-.51570226	O1	ALT	-.23842025	O6	LDS	-.16659293	O3
DUT	-.35000000	O2	DT	-.19200000	O4	DR	-.12447969	O1

HELIOCENTRIC				EQUATORIAL COORDINATES				
X	-.91393941	O8	Y	-.11131862	O9	Z	-.48257614	O8
R	-.15191230	O9	LAT	-.18537839	O2	LCN	-.30938641	O3
RE	-.91175403	O8	YE	-.11142674	O5	ZE	-.48319471	O8
XT	-.91549776	O8	YT	-.11135096	O9	ZT	-.48323863	O8
LTE	-.18552244	O2	LOE	-.30929189	O3	LTT	-.18532372	O2
MPS	-.79335160	O2	ESP	-.90923484	O1	SEP	-.10057408	O3
RPW	-.14124665	O3	MSP	-.38308338	O1	SMP	-.38715295	O2
GCE	-.10099930	O3	GCT	-.28189201	O2	SIP	-.14063036	O3
REP	-.24479829	O6	VEP	-.12770323	O1	CPE	-.98095475	O2

0 DAYS 15 HRS. 32 MIN. 2.000 SEC. 235665416102020000000000 J.D. = 2438606.5833334 JULY 30, 1964 02 00 00.000  
TFL 1 DAYS 9 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES				
X	-.22266297	O6	Y	-.11086693	O6	Z	-.22738064	O5
R	-.24923976	O6	DEC	-.52343538	O1	RA	-.26311075	O2
R	-.24923976	O6	LAT	-.52343538	O1	LCN	-.48791051	O2
XS	-.91259402	O8	YS	-.11136803	O9	ZS	-.48254012	O8
XM	-.37354349	O6	YM	-.79062670	O5	ZM	-.28980230	O4
XT	-.37354349	O6	YT	-.79062670	O5	ZT	-.28980230	O4
RS	-.15186648	O9	VS	-.29331338	O2	RM	-.38182986	O6
GEO	-.52698246	O1	ALT	-.24286173	O6	LDS	-.15159253	O3
DUT	-.35000000	O2	DT	-.19200000	O4	DR	-.12228226	O1

HELIOCENTRIC				EQUATORIAL COORDINATES				
X	-.91481464	O8	Y	-.11125716	O9	Z	-.48271273	O8
R	-.15191159	O9	LAT	-.18527451	O2	LCN	-.30942882	O3
RE	-.91259402	O8	YE	-.11136803	O9	ZE	-.48254012	O8
XT	-.91632045	O8	YT	-.11128897	O9	ZT	-.48256910	O8
LTE	-.18542202	O2	LOE	-.30933256	O3	LTT	-.18522145	O2
MPS	-.79527032	O2	ESP	-.92523435	O1	SEP	-.10038050	O3
RPW	-.14142727	O3	MSP	-.36342480	O1	SMP	-.38535855	O2
GCE	-.10097455	O3	GCT	-.28190016	O2	SIP	-.14079365	O3
REP	-.24923976	O6	VEP	-.12543816	O1	CPE	-.98122549	O2

0 DAYS 16 HRS. 32 MIN. 2.000 SEC. 235665434142020000000000 J.D. = 2438606.6250000 JULY 30, 1964 03 00 00.000  
TFL 1 DAYS 10 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES				
X	-.22551491	O6	Y	-.11357931	O6	Z	-.23611997	O5
R	-.25360355	O6	DEC	-.53423151	O1	RA	-.26731852	O2
R	-.25360354	O6	LAT	-.53423151	O1	LCN	-.33950765	O2
XS	-.91343351	O8	YS	-.11150527	O9	ZS	-.48268533	O8
XM	-.37267808	O6	YM	-.82334214	O5	ZM	-.14028917	O4
XT	-.37267808	O6	YT	-.82334214	O5	ZT	-.14028917	O4
RS	-.15186577	O9	VS	-.29331585	O2	RM	-.38166718	O6
GEO	-.53785091	O1	ALT	-.24722553	O6	LDS	-.13659212	O3
DUT	-.35000000	O2	DT	-.19200000	O4	DR	-.12016277	O1

HELIOCENTRIC				EQUATORIAL COORDINATES				
X	-.91568865	O8	Y	-.11119569	O9	Z	-.48244921	O8
R	-.15191086	O9	LAT	-.18517061	O2	LCN	-.30947121	O3
RE	-.91343351	O8	YE	-.11130527	O9	ZE	-.48268533	O8
XT	-.91716070	O8	YT	-.11122693	O9	ZT	-.48269936	O8
LTE	-.18512154	O2	LOE	-.30937321	O3	LTT	-.18511913	O2
MPS	-.79710464	O2	ESP	-.94614623	O1	SEP	-.10019539	O3
RPW	-.14160116	O3	MSP	-.34970568	O1	SMP	-.38363135	O2
GCE	-.10095103	O3	GCT	-.28190733	O2	SIP	-.14094932	O3
REP	-.25360355	O6	VEP	-.12325443	O1	CPE	-.98148461	O2

0 DAYS 17 HRS. 32 MIN. 2.000 SEC. 235665452702020000000000 J.D. = 2438606.6666666 JULY 30, 1964 04 00 00.000  
TFL 1 DAYS 11 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC				EQUATORIAL COORDINATES				
X	-.22889753	O6	Y	-.11425496	O6	Z	-.24477978	O5
R	-.25789236	O6	DEC	-.54444559	O1	RA	-.26925597	O2
R	-.25789235	O6	LAT	-.54444559	O1	LCN	-.19103442	O2
XS	-.91427263	O8	YS	-.11125045	O9	ZS	-.48243028	O8
XM	-.37177758	O6	YM	-.85597811	O5	ZM	-.92301445	O2
XT	-.37177758	O6	YT	-.85597811	O5	ZT	-.92301445	O2
RS	-.15186506	O9	VS	-.29331833	O2	RM	-.38150434	O6
GEO	-.54833469	O1	ALT	-.25151434	O6	LDS	-.12159171	O3
DUT	-.35000000	O2	DT	-.19200000	O4	DR	-.11811645	O1

HELIOCENTRIC				EQUATORIAL COORDINATES				
X	-.91656160	O8	Y	-.11113420	O9	Z	-.48218549	O8
R	-.15191014	O9	LAT	-.18506663	O2	LCN	-.30951356	O3
RE	-.91427263	O8	YE	-.11125045	O9	ZE	-.48243028	O8
XT	-.91799048	O8	YT	-.11116485	O9	ZT	-.48242935	O8
LTE	-.18522096	O2	LOE	-.30941387	O3	LTT	-.18501670	O2
MPS	-.79885995	O2	ESP	-.95387001	O1	SEP	-.10001822	O3
RPW	-.14176839	O3	MSP	-.32805301	O1	SMP	-.38197056	O2
GCE	-.10092865	O3	GCT	-.28191343	O2	SIP	-.14107939	O3
REP	-.25789236	O6	VEP	-.12114688	O1	CPE	-.98173292	O2

0 DAYS 18 HRS. 32 MIN. 2.000 SEC. 235665470242020000000000 J.D. = 2438606.7083333 JULY 30, 1964 05 00 00.000  
TFL 1 DAYS 12 HRS. 9 MIN. 52.127 SEC.







GEOCENTRIC

X	.25661623 06	Y	.13881637 06	Z	.31924468 05	DX	.78854511 00	DY	.65696500 00	DZ	.22038640 00
R	.29349795 06	DEC	.62445541 01	RA	.28411139 02	V	.10497507 01	PTH	.77320994 02	AZ	.61585975 02
N	.29349794 06	LAT	.62445541 01	LCN	.24521938 03	VE	.21097727 02	PTE	.27824158 01	AZE	.27028810 03
XS	-.92180430 08	YS	.11071864 09	ZS	.48012421 08	DXS	-.23189594 02	DYS	-.16481895 02	DZS	-.71469779 01
XM	-.36210143 06	YM	.11455982 05	ZM	.13528340 05	DXM	-.34207943 00	DYM	.88117741 00	DZM	.41352839 00
XT	.36210143 06	YT	.11455982 05	ZT	.13528340 05	DXT	-.34207943 00	DYT	.88117741 00	DZT	.41352839 00
RS	.15185862 09	VS	.29334100 02	WP	.38003212 06	VM	.10317450 01	RT	.38003212 06	VT	.10317450 01
GED	.62867698 01	ALT	.28712000 06	LCS	.34658782 03	RAS	.12977957 03	RAM	.17556066 02	LOM	.23436431 03
DUT	.35000000 02	DT	.19200000 04	DR	.10241526 01	SHA	.29010989 06	DES	.18431173 02	DEM	.20400392 01

HELIOCENTRIC

X	.92437046 08	Y	-.11057982 05	Z	-.47980497 08	DX	.23978139 02	DY	.17138860 02	DZ	.73673642 01
R	.15190336 09	LAT	-.18412857 02	LCN	.30989328 03	V	.30380416 02	PTH	-.40019700 00	AZ	.75328933 02
RE	.92180430 08	YE	-.11071864 09	ZE	-.48012421 08	DXE	.23189594 02	DYE	.16481895 02	DZE	.71469779 01
XT	.92542531 08	YT	-.11060408 09	ZT	-.47989893 08	DXT	.22847514 02	DYT	.17363073 02	DZT	.75605062 01
LTE	-.18431173 02	LOE	.30977957 03	LTT	-.18409163 02	LOT	.30991925 03	RST	.15199104 09	VST	.29675687 02
EPS	.81176346 02	ESP	.10969840 00	SEP	.98714228 02	EPM	.13583452 03	EMP	.32553389 02	MEP	.11612083 02
MPS	.14297554 03	MSP	.27088086 01	SMP	.36995540 02	SEM	.11032453 03	EMS	.69541126 02	ESM	.13453449 00
RP	.10979037 06	SP	.79931154 02								
GCE	.10076794 03	GCT	.28190190 03	SIP	.14207406 03	CPT	.93370654 02	SIN	.92465180 02	D1	.47414450 00
REP	.29349795 06	VEP	.10497507 01	CPE	.98356936 02	CPS	.76987052 02	D2	.38227880 00	D3	.99461753 02

1 DAYS 3 HRS. 32 MIN. 2.000 SEC.

23566656670202000000000 J.D.= 2438607.0833333 JULY 30, 1964 14 00 00.000  
TFL 1 DAYS 21 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.25943135 06	Y	.14116663 06	Z	.32714131 05	DX	.77549295 00	DY	.64875905 00	DZ	.21831596 00
R	.29715797 06	DEC	.63205667 01	RA	.28552319 02	V	.10343788 01	PTH	.77349669 02	AZ	.61565980 02
N	.29715796 06	LAT	.63205667 01	LCN	.23031950 03	VE	.21362312 02	PTE	.27079625 01	AZE	.27028961 03
XS	-.92263888 08	YS	.11065928 09	ZS	.47986681 08	DXS	-.23177129 02	DYS	-.16497034 02	DZS	-.71535312 01
XM	-.36085268 06	YM	.11772645 06	ZM	.15016338 05	DXM	-.35166913 00	DYM	.87804683 00	DZM	.41313159 00
XT	.36085268 06	YT	.11772645 06	ZT	.15016338 05	DXT	-.35166913 00	DYT	.87804683 00	DZT	.41313159 00
RS	.15185790 09	VS	.29334356 02	WP	.37986796 06	VM	.10321410 01	RT	.37986796 06	VT	.10321410 01
GED	.63632274 01	ALT	.29078822 04	LCS	.33158736 03	RAS	.12982018 03	RAM	.18068666 02	LOM	.21983585 03
DUT	.35000000 02	DT	.19200000 04	DR	.10092690 01	SHA	.29381981 06	DES	.18421028 02	DEM	.22655148 01

HELIOCENTRIC

X	.92523319 08	Y	-.11051811 09	Z	-.47953967 08	DX	.23952622 02	DY	.17145793 02	DZ	.73718472 01
R	.15190240 09	LAT	-.18402407 02	LCN	.30953532 03	V	.30365283 02	PTH	-.40065121 00	AZ	.75313163 02
RE	.92263888 08	YE	-.11065928 09	ZE	-.47956681 08	DXE	.23177129 02	DYE	.16497034 02	DZE	.71535312 01
XT	.92624740 08	YT	-.11054155 09	ZT	-.47971664 08	DXT	.22825459 02	DYT	.17375081 02	DZT	.75666627 01
LTE	-.18421028 02	LOE	.30982018 03	LTT	-.18398848 02	LOT	.30996025 03	RST	.15198703 09	VST	.29667312 02
EPS	.81293019 02	ESP	.11102813 00	SEP	.98596155 02	EPM	.13561644 03	EMP	.33172582 02	MEP	.11210971 02
MPS	.14308097 03	MSP	.23196850 01	SMP	.36895122 02	SEM	.10980543 03	EMS	.70059838 02	ESM	.13453449 00
RP	.10558854 06	SP	.80063167 02								
GCE	.10075371 03	GCT	.28189035 03	SIP	.14213944 03	CPT	.93404008 02	SIN	.92462499 02	D1	.49301779 00
REP	.29715797 06	VEP	.10343788 01	CPE	.98373635 02	CPS	.76991186 02	D2	.39815850 00	D3	.10793056 01

1 DAYS 4 HRS. 32 MIN. 2.000 SEC.

23566657474202000000000 J.D.= 2438607.1250000 JULY 30, 1964 15 00 00.000  
TFL 1 DAYS 22 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.26222035 06	Y	.14348759 06	Z	.33496346 05	DX	.76292921 00	DY	.64067767 00	DZ	.21624642 00
R	.30076522 06	DEC	.63943206 01	RA	.28689419 02	V	.10194564 01	PTH	.77383184 02	AZ	.61541726 02
N	.30076522 06	LAT	.63943206 01	LCN	.21541554 03	VE	.21623091 02	PTE	.26370045 01	AZE	.27028146 03
XS	-.92347308 08	YS	.11059986 09	ZS	.47960515 08	DXS	-.23164650 02	DYS	-.16512167 02	DZS	-.71600819 01
XM	-.35956945 06	YM	.12088166 06	ZM	.16502843 05	DXM	-.36123834 00	DYM	.87482901 00	DZM	.41269500 00
XT	.35956945 06	YT	.12088166 06	ZT	.16502843 05	DXT	-.36123834 00	DYT	.87482901 00	DZT	.41269500 00
RS	.15185790 09	VS	.29334611 02	WP	.37970370 06	VM	.10325387 01	RT	.37970370 06	VT	.10325387 01
GED	.64375319 01	ALT	.29438728 06	LCS	.31658690 03	RAS	.12986079 03	RAM	.18581845 02	LOM	.20530796 03
DUT	.35000000 02	DT	.19200000 04	DR	.99483930 00	SHA	.29747502 06	DES	.18410871 02	DEM	.24909964 01

HELIOCENTRIC

X	.92609508 08	Y	-.11045637 09	Z	-.47927419 08	DX	.23927579 02	DY	.17152844 02	DZ	.73763282 01
R	.15190183 09	LAT	-.18391950 02	LCN	.30957735 03	V	.30350607 02	PTH	-.40077244 00	AZ	.75297496 02
RE	.92347308 08	YE	-.11059986 09	ZE	-.47960515 08	DXE	.23164650 02	DYE	.16512167 02	DZE	.71600819 01
XT	.92706877 08	YT	-.11047897 09	ZT	-.47944412 08	DXT	.22803412 02	DYT	.17386996 02	DZT	.75727769 01
LTE	-.18410871 02	LOE	.30986079 03	LTT	-.18388526 02	LOT	.31000122 03	RST	.15198301 09	VST	.29658096 02
EPS	.81405140 02	ESP	.11212418 00	SEP	.98482652 02	EPM	.13540998 03	EMP	.33785180 02	MEP	.10804835 02
MPS	.14317537 03	MSP	.19788234 01	SMP	.36801722 02	SEM	.10928587 03	EMS	.70579015 02	ESM	.13525975 00
RP	.10139303 06	SP	.80190041 02								
GCE	.10074007 03	GCT	.28187591 03	SIP	.14219489 03	CPT	.93436889 02	SIN	.92456417 02	D1	.51342408 00
REP	.30076522 06	VEP	.10194564 01	CPE	.98389688 02	CPS	.76995324 02	D2	.41530246 00	D3	.11744834 01

1 DAYS 5 HRS. 32 MIN. 2.000 SEC.

23566657230202000000000 J.D.= 2438607.1666666 JULY 30, 1964 16 00 00.000  
TFL 1 DAYS 23 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X	.26492502 06	Y	.14577965 06	Z	.34271105 05	DX	.75085090 00	DY	.63271033 00	DZ	.21417459 00
R	.30432134 06	DEC	.64660734 01	RA	.28822562 02	V	.10049727 01	PTH	.77422620 02	AZ	.61512573 02
N	.30432134 06	LAT	.64660734 01	LCN	.20050762 03	VE	.21880197 02	PTE	.25693421 01	AZE	.27027360 03
XS	-.92436678 08	YS	.11054039 09	ZS	.47935129 08	DXS	-.23152161 02	DYS	-.16527292 02	DZS	-.71666291 01
XM	-.35825180 06	YM	.12402512 06	ZM	.17987698 05	DXM	-.37078602 00	DYM	.87152404 00	DZM	.41221883 00
XT	.35825180 06	YT	.12402512 06	ZT	.17987698 05	DXT	-.37078602 00	DYT	.87152404 00	DZT	.41221883 00
RS	.15185646 09	VS	.29334868 02	WP	.37953937 06	VM	.10329379 01	RT	.37953937 06	VT	.10329379 01
GED	.65097613 01	ALT	.29794341 06	LCS	.30158644 03	RAS	.12990139 03	RAM	.19095618 02	LOM	.19078667 03
DUT	.35000000 02	DT	.19200000 04	DR	.98085621 00	SHA	.30107716 06	DES	.18400709 02	DEM	.27164644 01

HELIOCENTRIC

X	.92695603 08	Y	-.11039461 09	Z	-.47900857 08	DX	.23903012 02	DY	.17160002 02	DZ	.73808037 01
R	.15190107 09	LAT	-.18381489 02	LCN	.31001934 03	V	.30336379 02	PTH	-.40054834 00	AZ	.75281931 02
RE	.92436678 08	YE	-.11054039 09	ZE	-.47935129 08	DXE	.23152161 02	DYE	.16527292 02	DZE	.71666291 01
XT	.92788929 08	YT	-.11041636 09	ZT	-.47917141 08	DXT	.22781375 02	DYT	.17398816 02	DZT	.75788840 01
LTE	-.18400709 02	LOE	.30990139 03	LTT	-.18378197 02	LOT	.31004218 03	RST	.15197898 09	VST	.29650443 02
EPS	.81512862 02	ESP	.11342568 00	SEP	.98373571 02	EPM	.13521524 03	EMP	.34390951 02	MEP	.10393800 02
MPS	.14326251 03	MSP	.19782341 01	SMP	.36715568 02	SEM	.10876585 03	EMS	.71098663 02	ESM	.13540406 00
RP	.97202347 05	SP	.80311944 02								
GCE	.10072699 03	GCT	.28185824 03	SIP	.14223976 03	CPT	.93469418 02	SIN	.92446671 02	D1	.53556621 00
REP	.30432134 06	VEP	.10049727 01	CPE	.98405114 02	CPS	.76999465 02	D2	.43387853 00	D3	.12819846 01

1 DAYS 6 HRS. 32 MIN. 2.000 SEC.

23566657414202000000000 J.D.= 2438607.2083333 JULY 30, 1964 17 00 00.000  
TFL 2 DAYS 0 HRS. 9 MIN. 52.127 SEC.







## GEOCENTRIC

X .29720570 06  
R .34667655 06  
N .34667654 06  
XS -.93510403 08  
XM .33803178 06  
XT .33803178 06  
RS .15184697 09  
GED .72784170 01  
DUT .35000000 02

Y .17366633 06  
DEC .72296749 01  
LAT .72296749 01  
YS .10976230 09  
YM .16367563 06  
VS .29338265 02  
ALT .34029868 06  
DT .19200000 04

Z .43628215 05  
RA .32211917 02  
LCN .63630677 01  
ZS .47597737 08  
ZW .37075952 05  
ZT .37075952 05  
LCS .16580001 03  
CR .84647671 00

DX .65007001 00  
V .86046733 00  
VE .24960135 02  
DXS -.22988717 02  
DXM -.49250170 00  
DXT -.49250170 00  
VH .10382655 01  
RAS .13042886 03  
SHA .34384051 06

DY .53291134 00  
PTH .79653840 02  
PTE .19436518 01  
DYS -.16723300 02  
DYM .82068316 00  
DYT .82068316 00  
RT .37740049 06  
RAM .25836903 02  
DES .18267784 02

EQUATORIAL COORDINATES  
DZ .18389813 00  
AZ .59689594 02  
AZE .27017913 03  
DZS -.72514790 01  
DZM .40238855 00  
DZT .40238855 00  
VT .10382655 01  
LOM .19880521 01  
DEM .56378515 01

## HELIOCENTRIC

X .93807608 08  
R .15189161 09  
N .93510403 08  
XE .93510403 08  
XT .93848434 08  
LTE .18267784 02  
EPS .82536519 02  
MPS .14338824 03  
RPM .42393422 05  
GCE .10059814 03  
REP .34667655 06

Y .10958924 09  
LAT .18244896 02  
YE .10976230 09  
YT .10959862 09  
LOE .31042886 03  
ESP .12972151 00  
MSP .13988227 01  
SPN .81482358 02  
GCT .28094591 03  
VEP .86046733 00

Z .47554106 08  
LCN .31054329 03  
ZE .47597737 08  
ZT .47560661 08  
LTI .18243267 02  
SEP .97333776 02  
SMP .36602218 02  
SIP .14104301 03  
CPT .93983527 02  
CPS .77053636 02

DX .23638786 02  
V .30196918 02  
DXE .22988717 02  
DXT .22496215 02  
LGT .31057318 03  
EPM .13407436 03  
SEM .10196329 03  
CPT .93983527 02  
CPS .77053636 02

DY .17256211 02  
PTH .33952956 00  
DVE .16723300 02  
DYT .17543983 02  
RST .15192565 09  
EMP .41296060 02  
EPM .41296060 02  
SIN .91638304 02  
DZ .10101683 01

EQUATORIAL COORDINATES  
DZ .74353770 01  
AZ .75089216 02  
AZE .72514790 01  
DZS .76538675 01  
DZM .29537310 02  
DZT .46295607 01  
VT .10382655 01  
LOM .12286425 01  
DEM .67748769 01

1 DAYS 19 HRS. 32 MIN. 2.000 SEC.

235666622770202000000000 J.D.= 2438607.75000000 JULY 31, 1964 06 00 00.000  
TFL 2 DAYS 13 HRS. 9 MIN. 52.127 SEC.

## GEOCENTRIC

X .29954566 06  
R .34971582 06  
N .34971581 06  
XS -.93593138 08  
XM .33624231 06  
XT .33624231 06  
RS .15184623 09  
GED .73239499 01  
DUT .35000000 02

Y .17496408 06  
DEC .72749095 01  
LAT .72749095 01  
YS .10976230 09  
YM .16662600 06  
VS .29338265 02  
ALT .34333796 06  
DT .24000000 03

Z .44284596 05  
RA .30289121 02  
LCN .35139522 03  
ZS .47571622 08  
ZW .38522696 05  
ZT .38522696 05  
LCS .16580001 03  
CR .84231663 00

DX .65031997 00  
V .85479225 00  
VE .25185688 02  
DXS -.22976060 02  
DXM -.50164480 00  
DXT -.50164480 00  
VH .10386853 01  
RAS .13046940 03  
SHA .34689188 06

DY .52449829 00  
PTH .80199046 02  
PTE .19165716 01  
DYS -.16738328 02  
DYM .81617203 00  
DYT .81617203 00  
RT .37723614 06  
RAM .26360868 02  
DES .18257498 02

EQUATORIAL COORDINATES  
DZ .18070771 00  
AZ .59135949 02  
AZE .27016991 02  
DZS -.72579850 01  
DZM .40135140 00  
DZT .40135140 00  
VT .10386853 01  
LOM .13474708 03  
DEM .58611628 01

## HELIOCENTRIC

X .93892684 08  
R .15189098 09  
N .93593138 08  
XE .93593138 08  
XT .93929381 08  
LTE .18257498 02  
EPS .82582968 02  
MPS .14323893 03  
RPM .38076555 05  
GCE .10059803 03  
REP .34971582 06

Y .10952711 09  
LAT .18234341 02  
YE .10976230 09  
YT .10953545 09  
LOE .31046940 03  
ESP .13084791 00  
MSP .98911702 02  
SPN .81537969 02  
GCT .28074153 03  
VEP .85479225 00

Z .47527335 08  
LCN .31060500 03  
ZE .47571622 08  
ZT .47533097 08  
LTI .18232840 02  
SEP .97286175 02  
SMP .36752475 02  
SIP .14062687 03  
CPT .94055260 02  
CPS .77057834 02

DX .23626380 02  
V .30191806 02  
DXE .22976060 02  
DXT .22474416 02  
LGT .31061391 03  
EPM .13417793 03  
SEM .10143672 03  
CPT .94055260 02  
CPS .77057834 02

DY .17262827 02  
PTH .32451223 00  
DVE .16738328 02  
DYT .17554501 02  
RST .15192148 09  
EMP .41671513 02  
EPM .41671513 02  
SIN .91443200 02  
DZ .11261467 01

EQUATORIAL COORDINATES  
DZ .74386927 01  
AZ .75075400 02  
AZE .72579850 01  
DZS .76593365 01  
DZM .29528381 02  
DZT .41505451 01  
VT .10386853 01  
LOM .83606271 01

## SELENCENTRIC

X -.36696648 05  
R .38007655 05  
N .38007655 05  
LTS .93672287 00  
ALT .36355555 05  
HGE .27741703 03

Y .83380871 04  
DEC .87050495 01  
LAT .87050495 01  
LNS .27620483 03  
SHA .22779867 05  
SVL .90190084 01

Z .57618991 04  
RA .16719875 03  
LCN .31263843 03  
LFE .60744665 01  
ALP .39570814 01  
HNG .14323902 03

DX .11519648 01  
V .12086273 01  
VP .12093925 01  
LNE .35466258 03  
DR .12078675 01  
SIA .13156587 03

DY .29167374 00  
PTH .87716411 02  
PTP .86939368 02  
DZ .22064369 00  
AZP .24851000 03  
DP .72476656 04  
ASD .26120598 01

EQUATORIAL COORDINATES  
DZ .22064369 00  
AZ .24851000 03  
AZP .24851000 03  
DZS .26120598 01

1 DAYS 20 HRS. 32 MIN. 2.000 SEC.

235666624574202000000000 J.D.= 2438607.79166666 JULY 31, 1964 07 00 00.000  
TFL 2 DAYS 14 HRS. 9 MIN. 52.127 SEC.

## GEOCENTRIC

X .30189148 06  
R .35274380 06  
N .35274380 06  
XS -.93675832 08  
XM .33441998 06  
XT .33441998 06  
RS .15184550 09  
GED .73669466 01  
DUT .35000000 02

Y .17683643 06  
DEC .73176247 01  
LAT .73176247 01  
YS .10964178 09  
YM .16955598 06  
VS .29338796 02  
ALT .34636594 06  
DT .48000000 03

Z .44928874 05  
RA .30360130 02  
LCN .33642915 02  
ZS .47545478 08  
ZW .39965637 05  
ZT .39965637 05  
LCS .16580001 03  
CR .84031546 00

DX .65348665 00  
V .85103400 00  
VE .25412387 02  
DXS -.22963393 02  
DXM .51075156 00  
DXT .51075156 00  
VH .10391065 01  
RAS .13050994 03  
SHA .34992730 06

DY .51558823 00  
PTH .80896907 02  
PTE .18949531 01  
DYS -.16753351 02  
DYM .81157612 00  
DYT .81157612 00  
RT .37707188 06  
RAM .26885695 02  
DES .18247204 02

EQUATORIAL COORDINATES  
DZ .17715202 00  
AZ .58327045 02  
AZE .27015948 01  
DZS -.72644881 01  
DZM .40027404 00  
DZT .40027404 00  
VT .10391065 01  
LOM .33295470 03  
DEM .60841762 01

## HELIOCENTRIC

X .93977723 08  
R .15189039 09  
N .93675832 08  
XE .93675832 08  
XT .94010252 08  
LTE .18247204 02  
EPS .82622775 02  
MPS .14302960 03  
RPM .33700774 05  
GCE .10058382 03  
REP .35274380 06

Y .10946495 09  
LAT .18223777 02  
YE .10964178 09  
YT .10947223 09  
LOE .31050994 03  
ESP .13270400 00  
MSP .98911702 02  
SPN .81586748 02  
GCT .28048294 03  
VEP .85103400 00

Z .47500549 08  
LCN .31064671 03  
ZE .47545478 08  
ZT .47505512 08  
LTI .18222404 02  
SEP .97245222 02  
SMP .36962754 02  
SIP .14007856 03  
CPT .94142531 02  
CPS .77062037 02

DX .23616879 02  
V .30188595 02  
DXE .22963393 02  
DXT .22452641 02  
LGT .31065463 03  
EPM .13434754 03  
SEM .10090967 03  
CPT .94142531 02  
CPS .77062037 02

DY .17268939 02  
PTH .30445224 00  
DVE .16753351 02  
DYT .17564927 02  
RST .15191731 09  
EMP .41988000 02  
EPM .41988000 02  
SIN .91191497 02  
DZ .12734992 01

EQUATORIAL COORDINATES  
DZ .74416402 01  
AZ .75061850 02  
AZE .72644881 01  
DZS .76647622 01  
DZM .29519233 02  
DZT .36644387 01  
VT .10391065 01  
LOM .33295470 03  
DEM .10594151 00

## SELENCENTRIC

X -.32528503 05  
R .33700774 05  
N .33700774 05  
LTS .93750478 00  
ALT .31965771 05  
HGE .27737722 03

Y .72864507 04  
DEC .84689666 01  
LAT .84689666 01  
LNS .27569590 03  
SHA .20244131 05  
SVL .60666592 01

Z .49632370 04  
RA .16738411 03  
LCN .31255185 03  
LFE .60460074 01  
ALP .37315782 01  
HNG .14302664 03

DX .11642382 01  
V .12218195 01  
VP .12215310 01  
LNE .35468368 03  
DR .12205434 01  
SIA .13139651 03

DY .29598789 00  
PTH .87381160 02  
PTP .87695763 02  
DZ .22312202 00  
AZ .14175774 03  
AZP .23718593 03  
DP .94912533 04  
ASD .29510327 01

EQUATORIAL COORDINATES  
DZ .22312202 00  
AZ .14175774 03  
AZP .23718593 03  
DZS .29510327 01

1 DAYS 21 HRS. 32 MIN. 2.000 SEC.

235666626402020000000000 J.D.= 2438607.83333333 JULY 31, 1964 08 00 00.000  
TFL 2 DAYS 15 HRS. 9 MIN. 52.127 SEC.

## JPL TECHNICAL REPORT NO. 32-694

GEOCENTRIC

X .30425574 06	Y .17867544 06	Z .45559475 05	DX .66083973 00	DY .50592980 00	DZ .17308061 00
R .35576978 06	DEC .73574378 01	RA .30423766 02	V .85007706 00	PTH .81809615 02	AZ .57047776 02
R .35576978 06	LAT .73574378 01	RA .32145171 03	VE .25641811 02	PTE .18804313 01	AZE .27014727 03
XS .93758477 08	YS .10958144 09	ZS .47519313 08	DXS .22950713 02	DYS .16768366 02	DZS .72709884 01
XM .33256494 06	YM .17246926 06	ZM .41404626 05	DXM .51982092 00	DYM .80689567 00	DZM .39915648 00
XT .33256494 06	YT .17246926 06	ZT .41404626 05	DXT .51982092 00	DYT .80689567 00	DZT .39915648 00
RS .15184475 09	VS .29339062 02	WS .37650772 06	RAS .13055048 03	RAM .27411400 02	LDM .31843935 03
GED .74070222 01	ALT .34939192 06	LDS .61578427 02	SHA .35295496 06	DES .18236900 02	DEM .63068711 01
DUT .35000000 02	DT .48000000 02	CR .84140640 00			

HELIOCENTRIC

X .94062732 08	Y -.10940277 09	Z -.47473754 08	DX .23611552 02	DY .17274296 02	DZ .74440690 01
R .15188983 09	LAT -.18213204 02	RA .31068841 03	V .30188091 02	PTH -.27848645 00	AZ .75048632 02
XE .93758477 08	YE -.10958144 09	ZE -.47519313 08	DXE .22950713 02	DYE .16768366 02	DZE .72709884 01
XT .94062732 08	YT -.10940277 09	ZT -.47473754 08	DXT .22430892 02	DYT .17575262 02	DZT .76701449 01
LTE -.18236900 02	LOE .31055047 03	LTT -.18211962 02	LOT .31069532 03	RST .15190895 09	VST .29501436 02
EPS .82654708 02	ESP .13288819 00	SEP .97212148 02	EPH .13461013 03	EMP .42219804 02	MEP .21478767 01
MPS .14273379 03	MSP .27453512 18	SPP .37259520 02	SEM .10038214 03	EMS .79478025 02	ESM .13988231 00
RPM .29277805 05	SPN .81627493 02	SIP .13933646 03	CPT .94252907 02	SIN .90855575 02	D1 .17809270 01
GCE .10057707 03	GCT .28014667 03	CPE .98558389 02	CPS .77066246 02	D2 .14676053 01	D3 .13898536 00
REP .35576978 06	VEP .85007706 00				

EQUATORIAL COORDINATES

X -.28309192 05	Y .62061829 04	Z .41548527 04	DX .11806607 01	DY -.30096588 00	DZ -.22607587 00
R .29277805 05	DEC .81584635 01	RA .16763475 03	V .12392136 01	PTH -.86969321 02	AZ .14108713 03
R .29277805 05	LAT .40959423 01	RA .31235437 03	VP .12380280 01	PTP -.88295552 02	AZP .21394404 03
XS .93835870 09	YS .10958144 09	ZS .47519313 08	DXS .22950713 02	DYS .16768366 02	DZS .72709884 01
XM .33256494 06	YM .17246926 06	ZM .41404626 05	DXM .51982092 00	DYM .80689567 00	DZM .39915648 00
XT .33256494 06	YT .17246926 06	ZT .41404626 05	DXT .51982092 00	DYT .80689567 00	DZT .39915648 00
RS .15184475 09	VS .29339062 02	WS .37650772 06	RAS .13055048 03	RAM .27411400 02	LDM .31843935 03
ALT .27754529 03	SHL -.26061013 00	HNG .14273456 03	SIA .13121280 03	DP .12821575-03	ASD .33973318 01

1 DAYS 22 HRS. 32 MIN. 2.000 SEC. 2356666302C420200000000 J.D.= 2438607.87500000 JULY 31, 1964 09 00 00.000  
TFL 2 DAYS 16 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .30665716 06	Y .18047774 06	Z .46174154 05	DX .67462447 00	DY .49510014 00	DZ .16825085 00
R .35880757 06	DEC .73937719 01	RA .30478196 02	V .85395180 00	PTH .83036599 02	AZ .54755004 02
R .35880757 06	LAT .73937719 01	RA .30464508 03	VE .25876536 02	PTE .18763264 01	AZE .27013229 03
XS .93841081 08	YS .10952105 09	ZS .47493125 08	DXS .22938021 02	DYS .16783374 02	DZS .72717485 01
XM .33067732 06	YM .17536553 06	ZM .42839519 05	DXM .52885193 00	DYM .80213095 00	DZM .39799871 00
XT .33067732 06	YT .17536553 06	ZT .42839519 05	DXM .52885193 00	DYT .80213095 00	DZT .39799871 00
RS .15184402 09	VS .29339329 02	WS .37614365 06	VM .10403775 01	RT .37674365 06	VT .10395256 01
GED .74435965 01	ALT .35242973 06	LMS .46517892 02	RAS .13059101 03	RAM .27938000 02	LDM .30392488 03
DUT .35000000 02	DT .48000000 02	CR .84725584 00	SHA .35598702 06	DES .18226587 02	DEM .65292262 01

HELIOCENTRIC

X .94147738 08	Y -.10934057 09	Z -.47446951 08	DX .23612646 02	DY .17278474 02	DZ .74457363 01
R .15188933 09	LAT -.18202623 02	RA .31073011 03	V .30191749 02	PTH -.24286957 00	AZ .75035847 02
XE .93841081 08	YE -.10952105 09	ZE -.47493125 08	DXE .22938021 02	DYE .16783374 02	DZE .72717485 01
XT .94147738 08	YT -.10934057 09	ZT -.47446951 08	DXE .22938021 02	DYT .17585505 02	DZT .76754842 01
LTE -.18226587 02	LOE .31059101 03	LTT -.18201515 02	LOT .31073601 03	RST .15190895 09	VST .29501422 02
EPS .82676873 02	ESP .13417039 00	SEP .97188838 02	EPH .13501262 03	EMP .42321838 02	MEP .26655208 01
MPS .14230473 03	MSP .27453512 18	SMP .37689551 02	SEM .99854144 02	EMS .80005854 02	ESM .13988231 00
RPM .24783506 05	SPN .81658355 02	SIP .13829038 03	CPT .94399649 02	SIN .90385303 02	D1 .21053525 01
GCE .10057053 03	GCT .27949258 03	CPE .98558301 02	CPS .77070465 02	D2 .17362648 01	D3 .19123863 00
REP .35880757 06	VEP .85355180 00				

EQUATORIAL COORDINATES

X -.24020153 05	Y .51122044 04	Z .33346352 04	DX .12034764 01	DY -.0703081 00	DZ -.22974786 00
R .24783506 05	DEC .77326346 01	RA .16798502 03	V .12630944 01	PTH -.86437491 02	AZ .14063452 03
R .24783506 05	LAT .38419634 01	RA .31229364 03	VP .12611723 01	PTP -.88356459 02	AZP .21394766 03
XS .93917662 00	YS .10952105 09	ZS .47493125 08	DXS .22938021 02	DYS .16783374 02	DZS .72717485 01
XM .33067732 06	YM .17536553 06	ZM .42839519 05	DXM .52885193 00	DYM .80213095 00	DZM .39799871 00
XT .33067732 06	YT .17536553 06	ZT .42839519 05	DXM .52885193 00	DYT .80213095 00	DZT .39799871 00
RS .15184402 09	VS .29339329 02	WS .37614365 06	VM .10403775 01	RT .37674365 06	VT .10395256 01
ALT .27732312 03	SHL -.53682042 00	HNG .14230798 03	SIA .13099827 03	DP .18144545-03	ASD .40143454 01

1 DAYS 23 HRS. 32 MIN. 2.000 SEC. 235666632010202000000000 J.D.= 2438607.91666666 JULY 31, 1964 10 00 00.000  
TFL 2 DAYS 17 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC

X .30912585 06	Y .18223786 06	Z .46769492 05	DX .69925626 00	DY .48232034 00	DZ .16224628 00
R .36187956 06	DEC .74257064 01	RA .30520471 02	V .86482141 00	PTH .84740169 02	AZ .49604837 02
R .36187956 06	LAT .74257064 01	RA .29146630 03	VE .26121229 02	PTE .18893020 01	AZE .27011276 03
XS .93923636 08	YS .10946060 09	ZS .47466914 08	DXS .22925317 02	DYS .16798376 02	DZS .72839797 01
XM .32875724 06	YM .17824451 06	ZM .44270173 05	DXM .53784354 00	DYM .79728218 00	DZM .39680075 00
XT .32875724 06	YT .17824451 06	ZT .44270173 05	DXT .53784354 00	DYT .79728218 00	DZT .39680075 00
RS .15184328 09	VS .29339597 02	WS .37657971 06	VM .10403775 01	RT .37657971 06	VT .10403775 01
GED .74757405 01	ALT .35550171 06	LCS .31577353 02	RAS .13063153 03	RAM .28465515 02	LDM .28941133 03
DUT .35000000 02	DT .48000000 02	CR .86117585 00	SHA .35904312 06	DES .18216268 02	DEM .67512227 01

HELIOCENTRIC

X .94232762 08	Y -.10927836 09	Z -.47420144 08	DX .23624574 02	DY .17280696 02	DZ .74462260 01
R .15188892 09	LAT -.18192030 02	RA .31077181 03	V .30202470 02	PTH -.19107454 00	AZ .75023618 02
XE .93923636 08	YE -.10946060 09	ZE -.47466914 08	DXE .22925317 02	DYE .16798376 02	DZE .72839797 01
XT .94232762 08	YT -.10927836 09	ZT -.47420144 08	DXT .22387474 02	DYT .17595658 02	DZT .76807805 01
LTE -.18216268 02	LOE .31063153 03	LTT -.18191155 02	LOT .31077567 02	RST .15190475 09	VST .29492381 02
EPS .82686187 02	ESP .13525975 00	SEP .97178372 02	EPH .13564575 03	EMP .42206363 02	MEP .21478767 01
MPS .14165033 03	MSP .27453512 18	SMP .38344940 02	SEM .99325661 02	EMS .80534176 02	ESM .14023158 00
RPM .20188732 05	SPN .81676316 02	SIP .13672031 03	CPT .94608550 02	SIN .89678524 02	D1 .25877444 01
GCE .10056410 03	GCT .27904504 03	CPE .98555130 02	CPS .77074689 02	D2 .21359120 01	D3 .28218266 00
REP .36187956 06	VEP .86482141 00				



SELENOCENTRIC EQUATORIAL COORDINATES

X	-19631390 05	Y	.39933513 04	Z	.24953193 04	DX	.12370998 01	DY	-.31496184 00	DZ	-.23455447 00
R	.20188732 05	DEC	.71113324 01	RA	.16850196 03	V	.12979340 01	PTH	-.85702498 02	AZ	.14036327 03
R	.20188731 05	LAT	.34742235 01	LCN	.31246281 03	VP	.12954454 01	PTP	-.87574251 02	AZP	.14372974 03
LTS	.93999368 00	LNS	.27416904 03	LTE	.59554058 01	LNE	.35474950 03				
ALT	.18453732 05	SHA	-.12524976 05	ALP	.25108051 01	DR	-.12942847 01	DP	.27602750-03	ASD	.49300245 01
HGE	.27731381 03	SVL	-.94244572 00	HNG	.14166013 03	STA	.13071572 03				

2 DAYS 0 HRS. 32 MIN. 2.000 SEC.

235666633614202000000000 J.D.= 2438607.95833333 JULY 31, 1964 11 00 00.000  
TFL 2 DAYS 18 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.31171641 06	Y	.18394624 06	Z	.47340034 05	DX	.74492919 00	DY	.46596135 00	DZ	.15436614 00
R	.36502660 06	DEC	.74516381 01	RA	.30545177 02	V	.89210417 00	PTH	.87096193 02	AZ	.30159509 02
R	.36502660 06	LAT	.74516381 01	LCN	.27644593 03	VE	.26385722 02	PTE	.19350540 01	AZE	.27008493 03
XS	-.94006147 08	YS	.10940010 09	ZS	.47440675 08	DXS	-.22912602 02	DYS	-.16813370 02	DZS	-.72904710 01
XM	.32680488 06	YM	.18110588 06	ZM	.45696440 05	DXM	-.54679476 00	DYM	.79234964 00	DZM	.39556261 00
XT	.32680488 06	YT	.18110588 06	ZT	.45696440 05	DXT	-.54679476 00	DYT	.79234964 00	DZT	.39556261 00
RS	.15184253 09	VS	.29339865 02	RV	.37641590 06	YM	.10408036 01	RT	.37641590 06	VT	.10408036 01
GED	.75018430 01	ALT	.35864872 06	LCS	.16576813 02	RAS	.13067206 03	RAM	.28993958 02	LOM	.27489871 03
DUT	.35000000 02	DT	.24000000 03	DR	.89095794 00	SHA	.36215916 06	DES	.18205939 02	DEM	.69728392 01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.94317863 08	Y	-.10921615 09	Z	-.47353335 08	DX	.23657531 02	DY	.17279331 02	DZ	.74447772 01
R	.15188863 09	LAT	-.18181423 02	RA	.31081353 03	V	.30227119 02	PTH	-.10841303 00	AZ	.75012011 02
XE	.94006147 08	YE	-.10940010 09	ZE	-.47440675 08	DXE	.22912602 02	DYE	-.16813370 02	DZE	-.72904710 01
XT	.94329552 08	YT	-.10921899 09	ZT	-.47394583 08	DXT	.22365807 02	DYT	.17605720 02	DZT	.72904710 01
LTE	-.18252939 02	LOE	.31067206 03	LTT	-.18180598 02	LOT	.31081732 03	RST	.15190055 09	VST	.29483313 02
EPS	.82677043 02	ESP	.13669873 00	SEP	.97186335 02	EPH	.13671458 03	EMP	.41673710 02	MEP	.16116918 01
RPM	.15441205 05	SPH	.81675881 02	SPP	.39438798 02	SEM	.98796699 02	EMS	.81062986 02	ESM	.14023158 00
GCE	.10055750 03	GCT	.27803552 03	SIP	.13410602 03	CPT	.94938326 02	SIN	.88486849 02	D1	.33923332 01
REP	.36502660 06	VEP	.89210417 00	CPE	.98547232 02	CPS	.77078923 02	D2	.28034234 01	D3	.46635502 00

SELENOCENTRIC EQUATORIAL COORDINATES

X	-.15088464 05	Y	.28403666 04	Z	.16435937 04	DX	.12917239 01	DY	-.32638830 00	DZ	-.24125647 00
R	.15441205 05	DEC	.61102564 01	RA	.16933897 03	V	.13539884 01	PTH	-.84579439 02	AZ	.14024974 03
R	.15441204 05	LAT	.28844865 01	LCN	.31303752 03	VP	.13511256 01	PTP	-.86060692 02	AZP	.12854752 03
LTS	.94081245 00	LNS	.27366007 03	LTE	.59239690 01	LNE	.35477229 03				
ALT	.13706205 05	SHA	-.98090815 04	ALP	.16877161 01	DR	-.13479336 01	DP	.47460112-03	ASD	.64514764 01
HGE	.27732296 03	SVL	-.15993793 01	HNG	.14058465 03	STA	.13026311 03				

2 DAYS 1 HRS. 32 MIN. 2.000 SEC.

2356666334202000000000 J.D.= 2438608.00000000 JULY 31, 1964 12 00 00.000  
TFL 2 DAYS 19 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.31454879 06	Y	.18558384 06	Z	.47876595 05	DX	.84271238 00	DY	.44189690 00	DZ	.14311788 00
R	.36834016 06	DEC	.74683568 01	RA	.30540609 02	V	.96224724 00	PTH	.86958617 02	AZ	.29109829 03
R	.36834015 06	LAT	.74683568 01	LCN	.26140429 03	VE	.26696863 02	PTE	.20626736 01	AZE	.27003947 03
XS	-.94088612 08	YS	.10933554 09	ZS	.47414421 08	DXS	-.22899874 02	DYS	-.16828357 02	DZS	-.72969592 01
XM	.32482037 06	YM	.18394934 06	ZM	.47118180 05	DXM	-.55570460 00	DYM	.78733362 00	DZM	.39428431 00
XT	.32482037 06	YT	.18394934 06	ZT	.47118180 05	DXT	-.55570460 00	DYT	.78733362 00	DZT	.39428431 00
RS	.15184179 09	VS	.29340134 02	RV	.37625224 06	YM	.10412310 01	RT	.37625224 06	VT	.10412310 01
GED	.75187120 01	ALT	.36196232 06	LDS	.15762634 01	RAS	.13071258 03	RAM	.29523351 02	LOM	.26038703 03
DUT	.35000000 02	DT	.24000000 03	DR	.96089190 00	SHA	.36541573 06	DES	.18195601 02	DEM	.71940563 01

HELIOCENTRIC EQUATORIAL COORDINATES

X	.94403161 08	Y	-.10915396 09	Z	-.47366545 08	DX	.23742587 02	DY	.17270254 02	DZ	.74400771 01
R	.15188855 09	LAT	-.18170793 02	RA	.31085530 03	V	.30287404 02	PTH	.47925729-01	AZ	.75000118 02
XE	.94088612 08	YE	-.10933554 09	ZE	-.47414421 08	DXE	.22899874 02	DYE	.16828357 02	DZE	.72969592 01
XT	.94413433 08	YT	-.10915559 09	ZT	-.47367303 08	DXT	.22344170 02	DYT	.17615691 02	DZT	.72969592 01
LTE	-.18195601 02	LOE	.31071258 03	LTT	-.18170130 02	LOT	.31085796 03	RST	.15189635 09	VST	.29474221 02
EPS	.82637423 02	ESP	.13741256 00	SEP	.97224731 02	EPH	.13882450 03	EMP	.40129924 02	MEP	.10455350 01
RPM	.13837408 03	SPH	.81645267 02	SPP	.41623305 02	SEM	.98267257 02	EMS	.81592292 02	ESM	.14057498 00
GCE	.10054985 03	GCT	.27621877 03	SIP	.12879711 03	CPT	.95563982 02	SIN	.85987014 02	D1	.50617151 01
REP	.36834016 06	VEP	.96224724 00	CPE	.98530790 02	CPS	.77083170 02	D2	.41945804 01	D3	.96113168 00

SELENOCENTRIC EQUATORIAL COORDINATES

X	-.10271567 05	Y	.16345024 04	Z	.15841539 03	DX	.13984170 01	DY	-.34543671 00	DZ	-.25116643 00
R	.10428417 05	DEC	.41705655 01	RA	.17095839 03	V	.14621837 01	PTH	-.82535466 02	AZ	.14028300 03
R	.10428415 05	LAT	.17443509 01	LCN	.31477895 03	VP	.14591995 01	PTP	-.83490510 02	AZP	.12126005 03
LTS	.94163036 00	LNS	.27315108 03	LTE	.58919166 01	LNE	.35479549 03				
ALT	.86934166 04	SHA	-.69268704 04	ALP	.26485467 00	DR	.14497924 01	DP	.10436551-02	ASD	.95769668 01
HGE	.27736257 03	SVL	-.28754481 01	HNG	.13845542 03	STA	.12924753 03				

2 DAYS 2 HRS. 32 MIN. 2.000 SEC.

235666637224202000000000 J.D.= 2438608.04166666 JULY 31, 1964 13 00 00.000  
TFL 2 DAYS 20 HRS. 9 MIN. 52.127 SEC.

GEOCENTRIC EQUATORIAL COORDINATES

X	.31802455 06	Y	.18710406 06	Z	.48369547 05	DX	.11756720 01	DY	.39760646 00	DZ	.13512609 00
R	.37213868 06	DEC	.74683388 01	RA	.30469665 02	V	.12484208 01	PTH	.78232968 02	AZ	.26440562 03
R	.37213867 06	LAT	.74683388 01	LCN	.24629228 03	VE	.27187535 02	PTE	.25765343 01	AZE	.26994950 03
XS	-.94171030 08	YS	.10927893 09	ZS	.47388139 08	DXS	-.22887135 02	DYS	-.16843337 02	DZS	-.73034444 01
XM	.32280385 06	YM	.18677459 06	ZM	.48535243 05	DXM	-.56457204 00	DYM	.78223440 00	DZM	.39296588 00
XT	.32280385 06	YT	.18677459 06	ZT	.48535243 05	DXT	-.56457204 00	DYT	.78223440 00	DZT	.39296588 00
RS	.15184104 09	VS	.29340403 02	RV	.37608875 06	YM	.10416594 01	RT	.37608875 06	VT	.10416594 01
GED	.75186536 01	ALT	.36576083 06	LDS	.13465757 03	RAS	.13075309 03	RAM	.30053709 02	LOM	.24587633 03
DUT	.35000000 02	DT	.24000000 03	DR	.12221852 01	SHA	.36909683 06	DES	.18185254 02	DEM	.74146533 01



## APPENDIX D

## Tables related to trajectory printout

Table D-1. Ranger VII trajectory key

COLUMN ROW	1	2	3	4	5	6
GROUP A	1 GME	J	H	D	RE	REM
	2 G	A	B	C	OME	AU
	3 GMM	GMS	GMV	GMA	GMB	GMJ
	4 EGM	MGM	JA			RA
	5 ARA	GB	MAS			SC
INJECTION CONDITIONS		TARGET	JULIAN DATE	MONTH, DAY, YEAR	hr,min,sec	
GROUP B	6 GEOCENTRIC	XO	YO	ZO DXO	DYO	DZO
	7 CARTESIAN			TO GHA	GHO	
TIME PAST INJECTION			JULIAN DATE	MONTH, DAY, YEAR	hr,min,sec	
GEOCENTRIC			EQUATORIAL COORDINATES			
GROUP C	8 X	Y	Z	DX	DY	DZ
	9 R	DEC	RA	V	PTH	AZ
	10 R	LAT	LON	VE	PTE	AZE
	11 XS	YS	ZS	DXS	DYS	DZS
	12 XM	YM	ZM	DXM	DYM	DZM
	13 XT	YT	ZT	DXT	DYT	DZT
	14 RS	VS	RM	VM	RT	VT
	15 GED	ALT	LOS	RAS	RAM	LOM
16 DUT	DT	DR	SHA	DES	DEM	
GEOCENTRIC CONIC						
EPOCH PERICENTER PASSAGE			JULIAN DATE	MONTH, DAY, YEAR	hr,min,sec	
GROUP D	17 SMA	ECC	B	SLR	APO	RCA
	18 VH	C3	C1	TFP	TF	PER
	19 TA	MTA	EA	MA	C3J	TFI
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE						
GROUP E	20 X	Y	Z	DX	DY	DZ
	21 INC	LAN	APF	MX	MY	MZ
	22 WX	WY	WZ	PX	PY	PZ
	23 QX	QY	QZ	RX	RY	RZ
	24 BX	BY	BZ	TX	TY	TZ
	25 DAP	RAP				
	26 BTQ	BRQ	B	THA		
HELIOCENTRIC			EQUATORIAL COORDINATES			
GROUP F	27 X	Y	Z	DX	DY	DZ
	28 R	LAT	LON	V	PTH	AZ
	29 XE	YE	ZE	DXE	DYE	DZE
	30 XT	YT	ZT	DXT	DYT	DZT
	31 LTE	LOE	LTT	LOT	RST	VST
	32 EPS	ESP	SEP	EPM	EMP	MEP
	33 MPS	MSP	SMP	SEM	EMS	ESM
	34 EPT	ETP	TEP	TPS	TSP	STP
	35 SET	STE	EST	RPM	RPT	SPN
	36 GCE	GCT	SIP	CPT	SIN	D1
	37 REP	VEP	CPE	CPS	D2	D3

Table D-1. *Ranger VII* trajectory key (Cont'd)

COLUMN ROW	1	2	3	4	5	6	
SELENOCENTRIC				EQUATORIAL COORDINATES			
GROUP G	38	X	Y	Z	DX	DY	DZ
	39	R	DEC	RA	V	PTH	AZ
	40	R	LAT	LON	VP	PTP	AZP
	41	LTS	LNS	LTE	LNE		
	42	ALT	SHA	ALP	DR	DP	ASD
	43	HGE	SVL	HNG	SIA		
SELENOCENTRIC CONIC							
EPOCH OF PERICENTER PASSAGE			JULIAN DATE		MONTH, DAY, YEAR		hr, min, sec
GROUP H	44	SMA	ECC	B	SLR	APO	RCA
	45	VH	C3	C1	TFP	TF	LTF
	46	TA	MTA	EA	MA	C3J	TFI
	47	ZAE	ZAP	ZAC	DEF	IR	GP
	48	OP1	OY	OP2			
ALL VECTORS REFERENCED TO PRINCIPAL PLANE							
GROUP I	49	X	Y	Z	DX	DY	DZ
	50	INC	IAN	APF	MX	MY	MZ
	51	WX	WY	WZ	PX	PY	PZ
	52	QX	QY	QZ	RX	RY	RZ
	53	BX	BY	BZ	TX	TY	TZ
	54	SXI	SYI	SZI	DAI	RAI	
	55	SXO	SYO	SZO	DAO	RAO	
	56	ETE	ETS	ETC			
	57	BT—	BR—	B	THA		
GROUP J	58	XOCTAL	YOCTAL	ZOCTAL	XOCTAL	YOCTAL	ZOCTAL
	59		YYMMDDHH		TTSSSSS		SOCTAL

Table D-2. Ranger VII trajectory key definitions

Group A			Row 5			ARA			Frontal area of spacecraft, m <sup>2</sup>		
Row 1			GME						Universal gravitational constant times the mass of Earth, km <sup>3</sup> /sec <sup>2</sup>		
			J						Coefficient of the second harmonic in the Earth's potential function		
			H						Coefficient of the third harmonic in the Earth's potential function		
			D						Coefficient of the fourth harmonic in the Earth's potential function		
			RE						Earth radius used in the potential function, km		
			REM						Conversion factor for converting lunar ephemerides into km		
Row 2			G						Universal constant of gravitation, km <sup>3</sup> /kg sec <sup>2</sup>		
			A } B } C }						Moments of inertia about principal axis for the Moon, kg km <sup>2</sup>		
			OME						Sidereal rotation rate of the Earth, deg/sec		
			AU						Astronomical unit, km		
Row 3			GMM						Universal gravitational constant times the mass of Moon, km <sup>3</sup> /sec <sup>2</sup>		
			GMS						Universal gravitational constant times the mass of Sun, km <sup>3</sup> /sec <sup>2</sup>		
			GMV						Universal gravitational constant times the mass of Venus, km <sup>3</sup> /sec <sup>2</sup>		
			GMA						Universal gravitational constant times the mass of Mars, km <sup>3</sup> /sec <sup>2</sup>		
			GMB						Universal gravitational constant times the mass of Earth-Moon, km <sup>3</sup> /sec <sup>2</sup>		
			GMJ						Universal gravitational constant times the mass of Jupiter, km <sup>3</sup> /sec <sup>2</sup>		
Row 4			EGM						Universal gravitational constant times the mass of Earth used for scaling ephemeris, km <sup>3</sup> /sec <sup>2</sup>		
			MGM						Universal gravitational constant times the mass of Moon used for scaling ephemeris, km <sup>3</sup> /sec <sup>2</sup>		
			JA						Coefficient of second harmonic in Mars potential function		
			RA						Mars radius used in the potential function		
Group B									Injection conditions are vernal equinox Cartesian coordinates in a geocentric equatorial system. The principal direction X is the vernal equinox direction of date, and the principal plane XY is the equatorial plane of date. Z is along the direction of the Earth's spin axis of date.		
Row 6			XO } YO } ZO }						Cartesian components of the probe radius vector, km		
			DXO } DYO } DZO }						Cartesian components of the probe space-fixed velocity vector, km/sec		
Row 7			TO						Time of injection in seconds past midnight of day before launch, sec		
			GHA						HA of Greenwich at injection epoch, deg		
			GHO						HA of Greenwich at midnight of day before launch, deg		
Group C									Inertial position and velocity of the probe, Sun, Moon and target body in a geocentric equatorial system. The principal direction X is the vernal equinox direction of date, and the principal plane XY is the equatorial plane of date. Z is along the direction of the Earth's spin axis of date. Miscellaneous parameters are also included.		
Row 8			X } Y } Z }						Cartesian components of the probe radius vector, km		
			DX } DY } DZ }						Cartesian components of the probe space-fixed velocity vector, km/sec		
Row 9			R						Probe radius distance, km		
			DEC						Probe declination angle, deg		
			RA						Probe right-ascension angle, deg		
			V						Probe space-fixed velocity, km/sec		
			PTH						Pitch angle of the probe space-fixed velocity vector with respect to the local horizontal, deg		
			AZ						Azimuth angle of the probe space-fixed velocity vector measured East of true North, deg		

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 10* R	Probe radius distance, km	Row 16 DUT	Ephemeris time minus Universal Time, sec
LAT	Probe geocentric latitude, deg	DT	Adams-Moulton step size, sec
LON	Probe East longitude, deg	DR	Radial velocity of probe, km/sec
VE	Probe Earth-fixed velocity, km/sec	SHA	Sun shadow parameter, km
PTE	Pitch angle of the probe Earth-fixed velocity vector with respect to the local horizontal, deg	DES	Declination of the Sun, deg
AZE	Azimuth angle of the probe Earth-fixed velocity vector measured East of true North, deg	DEM	Declination of the Moon, deg
Row 11 XS } YS } ZS }	Cartesian components of the Sun radius vector, km	Group D	General characteristics of the geocentric conic
DXS } DYS } DZS }	Cartesian components of the Sun space-fixed velocity vector, km/sec	Row 17 SMA	Semimajor axis, km
Row 12 XM } YM } ZM }	Cartesian components of the Moon radius vector, km	ECC	Eccentricity
DXM } DYM } DZM }	Cartesian components of the Moon space-fixed velocity vector, km/sec	B	Magnitude of the impact parameter,** km
Row 13 XT } YT } ZT }	Cartesian components of the target radius vector, km	SLR	Semilatus rectum, km
DXT } DYT } DZT }	Cartesian components of the target space-fixed velocity vector, km/sec	APO	Apogee distance, km
Row 14 RS	Sun radius distance, km	RCA	Magnitude of the closest approach vector, km
VS	Sun space-fixed velocity, km/sec	Row 18 VH	Hyperbolic excess speed, km/sec
RM	Moon radius distance, km	C3	Twice the energy (vis viva energy integral, km <sup>2</sup> /sec <sup>2</sup> )
YM	Moon space-fixed velocity, km/sec	C1	Angular momentum, km <sup>2</sup> /sec
RT	Target radius distance, km	TFP	Time from pericenter passage, sec
VT	Target space-fixed velocity, km/sec	TF	Time from injection to pericenter passage, hr
Row 15 GED	Geodetic latitude of the probe, deg	PER	Period, min
ALT	Altitude of the probe above the Earth's surface, km	Row 19 TA	True anomaly, deg
LOS	East longitude of the Sun in coordinate system defined in Row 10, deg	MTA	Maximum true anomaly, deg
RAS	Right ascension of the Sun, deg	EA	Eccentric anomaly, deg
RAM	Right ascension of the Moon, deg	MA	Mean anomaly, deg
LOM	East longitude of the Moon in coordinate system defined in Row 10, deg	C3J	Earth-Moon Jacobi constant, km <sup>2</sup> /sec <sup>2</sup>
		TFI	Time from injection, hr
		Group E	Characteristics of the Earth conic in the geocentric equatorial system described under Group B
		Row 20 X } Y } Z }	Cartesian components of the probe radius vector, km
		DX } DY } DZ }	Cartesian components of the probe space-fixed velocity vector, km/sec
		Row 21 INC	Inclination of the orbit plane to the equatorial plane, deg
		LAN	Longitude of the ascending node, deg
		APF	Argument of pericenter, deg

\*These are Earth-fixed spherical coordinates in a geocentric equatorial system. The principal direction X is directed toward Greenwich and is the intersection of the meridian plane of Greenwich with the equatorial plane. The principal plane is the Earth's geometrical equatorial plane. X, Y, Z is along the direction of the Earth's geometrical North direction.

\*\*See Appendix A.

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 21	MX } (Cont'd) MY } MZ }	Components of a unit vector which lies in the orbit plane and is normal to the radius vector <b>R</b> $\mathbf{M} = \mathbf{W} \times \frac{\mathbf{R}}{ \mathbf{R} }$	Row 27	X } Y } Z } DX } DY } DZ }	Cartesian components of the probe radius vector, km  Cartesian components of the probe space-fixed velocity vector, km/sec
Row 22	WX } WY } WZ }	Components of a unit vector normal to the conic $\mathbf{W} = \frac{\mathbf{R} \times \mathbf{V}}{ \mathbf{R} \times \mathbf{V} }$	Row 28	R LAT LON V PTH  AZ	Sun-probe radius distance, km Probe celestial declination, deg Probe celestial right ascension, deg Probe space-fixed velocity, km/sec Pitch angle of the probe space-fixed velocity vector with respect to the local horizontal, deg Azimuth angle of the probe space-fixed velocity vector measured East of true North, deg
Row 23	QX } QY } QZ }	Components of a unit vector perpendicular to the perigee direction, vector <b>P</b> , and being in the orbit plane $\mathbf{Q} = \mathbf{W} \times \mathbf{P}$	Row 29	XE } YE } ZE } DXE } DYE } DZE }	Cartesian components of the Earth radius vector, km  Cartesian components of the Earth space-fixed velocity vector, km/sec
	RX } RY } RZ }	Components of the unit vector <b>R</b> **	Row 30	XT } YT } ZT } DXT } DYT } DZT }	Cartesian components of the target radius vector, km  Cartesian components of the target space-fixed velocity vector, km/sec
Row 24	BX } BY } BZ }	Components of the impact parameter <b>B</b> **, km	Row 31	LTE LOE LTT LOT RST VST	Celestial latitude of the Earth, deg Celestial longitude of the Earth, deg Celestial latitude of the target, deg Celestial longitude of the target, deg Sun-target range, km Sun-target velocity, km/sec
	TX } TY } TZ }	Components of the unit vector <b>T</b> **	Row 32	EPS ESP SEP EPM EMP MEP	Earth-probe-Sun angle, deg Earth-Sun-probe angle, deg Sun-Earth-probe angle, deg Earth-probe-Moon angle, deg Earth-Moon-probe angle, deg Moon-Earth-probe angle, deg
Row 25	DAP RAP	Declination of the asymptote, deg Right ascension of the asymptote, deg	Row 33	MPS MSP SMP SEM EMS ESM	Moon-probe-Sun angle, deg Moon-Sun-probe angle, deg Sun-Moon-probe angle, deg Sun-Earth-Moon angle, deg Earth-Moon-Sun angle, deg Earth-Sun-Moon angle, deg
Row 26	BTQ  BRQ  B THA	Projection of the impact parameters <b>B</b> ** upon the vector <b>T</b> , km Projection of the impact parameters <b>B</b> ** upon the vector <b>R</b> , km The magnitude of the impact parameter, ** km Angle between the parameter <b>B</b> ** and the vector <b>T</b> measured clockwise from <b>T</b> , deg	Row 34	EPT ETP TEP TPS TSP STP	Earth-probe-target angle, deg Earth-target-probe angle, deg Target-Earth-probe angle, deg Target-probe-Sun angle, deg Target-Sun-probe angle, deg Sun-target-probe angle, deg
Group F		Inertial position and velocity of the probe, Sun, Moon, and target body in a heliocentric equatorial system. The principal direction X is the vernal equinox direction of date and the principal plane XY is the equatorial plane of date. Z is along the direction of the Earth's spin axis of date. Miscellaneous parameters are also included.			

\*\*See Appendix A.

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 35	SET STE EST RPM RPT SPN	Sun-Earth-target angle, deg Sun-target-Earth angle, deg Earth-Sun-target angle, deg Moon-probe radius distance, km Target-probe radius distance, km Sun-probe-near limb of Earth angle, deg	Row 39	PTH (Cont'd) AZ	Pitch angle of the probe space-fixed velocity vector with respect to the local horizontal, deg Azimuth angle of the probe space-fixed velocity vector measured East of true North, deg
Row 36	GCE GCT SIP CPT SIN D1	Clock angle of Earth, deg Clock angle of target, deg Sun-probe-near limb of target angle, deg Canopus-probe-near limb of target angle, deg Canopus-probe-near limb of target angle, deg Radius of a circle (target) used in construction of visible planet, cm	Row 40	R LAT LON VP PTP  AZP	Probe radius distance, km Probe selenocentric latitude, deg Probe selenocentric East longitude, deg Probe selenocentric-fixed velocity, km/sec Pitch angle of the probe selenocentric-fixed velocity vector with respect to the local horizontal, deg Azimuth angle of the probe selenocentric fixed velocity vector measured East of the Moon's mean spin axis, deg
Row 37	REP VEP  CPE CPS D2  D3	Earth-probe distance, km Velocity of the probe with respect to Earth, km/sec  Canopus-probe-Earth angle, deg Canopus-probe-Sun angle, deg Semiminor axis of ellipse used in construction of visible planet, cm  Distance from intersection of ellipse with circle to the diameter (of the circle) that is perpendicular to D1, in construction of visible planet, cm	Row 41	LTS  LNS  LTE  LNE	Selenocentric latitude of the Sun, deg  Selenocentric longitude of the Sun, deg  Selenocentric latitude of the Earth, deg  Selenocentric longitude of the Earth, deg
Group G Row 38, 39		Inertial position of probe in a selenocentric equatorial system. The principal direction X is the vernal equinox direction of date and the principal plane XY is the geocentric equatorial plane of date. Z is along the direction of the Earth's spin axis of date.	Row 42	ALT  SHA  ALP  DR  DP  ASD	Altitude of the probe above the Moon's surface, km  Sun shadow parameter, km  Illuminated crescent orientation viewing angle, deg  First time derivative of the probe radius distance, km/sec  First time derivative of the probe radius direction, deg/sec  Angular semidiameter of Moon as seen from the probe, deg
Row 40, 41, 42		Selenocentric-fixed spherical coordinates of the probe, Sun, and Earth in a selenocentric equatorial system. The principal direction X is in the direction of the mean Moon-Earth line. The principal plane XY is the mean selenocentric equatorial plane. Z is along the direction of the Moon's mean spin axis. Miscellaneous parameters are also included.	Row 43	HGE  SVL  HNG  SIA	Right ascension of Earth in probe coordinate system, <sup>†</sup> deg  Declination of the Moon in probe coordinate system, <sup>†</sup> deg  Right ascension of the Moon in probe coordinate system, <sup>†</sup> deg  Earth-probe-Moon angle minus ASD, deg
Row 38	X Y Z DX DY DZ	Cartesian components of the probe radius vector, km  Cartesian components of the probe velocity vector, km/sec	Group H		Characteristics of the selenocentric conic in the geocentric equatorial system described under Group B, except centered at the Moon.
Row 39	R DEC RA V	Probe radius distance, km Probe declination angle, deg Probe right-ascension angle, deg Probe space-fixed velocity, km/sec			

<sup>†</sup>Same coordinate system as defined under Group B except centered at the probe.



Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 44	SMA	Semimajor axis, km	Row 50	INC	Inclination of the orbit plane to the equatorial plane, deg
	ECC	Eccentricity		LAN	Longitude of the ascending node, deg
	B	The magnitude of the impact parameter,** km		APF	Argument of pericenter, deg
	SLR	Semilatus rectum, km		MX	Components of a unit vector which lies in the orbit plane and is normal to the radius vector $\mathbf{R}$
	APO	Apogee distance, km		MY	
	RCA	Magnitude of the closest approach vector, km		MZ	
					$\mathbf{M} = \mathbf{W} \times \frac{\mathbf{R}}{ \mathbf{R} }$
Row 45	VH	Hyperbolic excess speed, km/sec	Row 51	WX	Components of a unit vector normal to the conic
	C3	Twice the energy (vis viva energy integral, km <sup>2</sup> /sec <sup>2</sup> )		WY	
				WZ	
	C1	Angular momentum, km <sup>2</sup> /sec		PX	Components of a unit vector in the direction of perigee
	TFP	Time from pericenter passage, sec		PY	
	TF	Time from injection to pericenter passage, hr		PZ	
	LTF	Linearized time-of-flight, hr			
Row 46	TA	True anomaly, deg	Row 52	QX	Components of a unit vector perpendicular to the perigee direction, vector $\mathbf{P}$ , and being in the orbit plane $\mathbf{Q} = \mathbf{W} \times \mathbf{P}$
	MTA	Maximum true anomaly, deg		QY	
	EA	Eccentric anomaly, deg		QZ	
	MA	Mean anomaly, deg		RX	Components of the unit vector $\mathbf{R}$ **
	C3J	Earth-Moon Jacobi constant, km <sup>2</sup> /sec <sup>2</sup>		RY	
	TFI	Time from injection, hr		RZ	
Row 47	ZAE	Angle between the incoming asymptote and the Moon-Earth vector, deg	Row 53	BX	Components of the impact parameter $\mathbf{B}$ ,** km
	ZAP	Angle between the incoming asymptote and the Moon-Sun vector, deg		BY	
				BZ	
	ZAC	Angle between the incoming asymptote and the Moon-Canopus vector, deg		TX	Components of the unit vector $\mathbf{T}$ **
	DEF	Angle between the incoming and outgoing asymptotes, deg		TY	
	IR	Maximum $\mathbf{B}$ vector magnitude for lunar impact, km		TZ	
	GP	Angle between the incoming asymptote and its projection on the lunar orbital plane.	Row 54	SXI	Components of the unit vector $\mathbf{S}_i$ ** along the direction of the incoming asymptote
				SYI	
				SZI	
Row 48	OP1	Spacecraft nominal terminal maneuver first pitch turn, deg		DAI	Declination of the outgoing asymptote,** deg
	OY	Spacecraft nominal terminal maneuver yaw turn, deg		RAI	
	OP2	Spacecraft nominal terminal maneuver second pitch turn, deg	Row 55	SXO	Components of the unit vector $\mathbf{S}_0$ ** along the direction of the outgoing asymptote
				SYO	
				SZO	
				DAO	Declination of the outgoing asymptote,** deg
				RAO	
Group I		Characteristics of the selenocentric conic in the specified "principal plane" coordinate system	Row 56	ETE	Angle between the $\mathbf{T}$ vector and the projection of the Moon-Earth vector on the $\mathbf{R}$ - $\mathbf{T}$ plane, deg
Row 49	X	Cartesian components of the probe radius vector, km		ETS	Angle between the $\mathbf{T}$ vector and the projection of the Moon-Sun vector on the $\mathbf{R}$ - $\mathbf{T}$ plane, deg
	Y			ETC	Angle between the $\mathbf{T}$ vector and the projection of the Moon-Canopus vector on the $\mathbf{R}$ - $\mathbf{T}$ plane, deg
	Z				
	DX	Cartesian components of the probe space-fixed velocity vector, km/sec			
	DY				
	DZ				

\*\*See Appendix A.

Table D-2. Ranger VII trajectory key definitions (Cont'd)

Row 57	BT††	Projection of the impact parameter <b>B**</b> upon the vector <b>T</b> , km	Row 59	Epoch of injection
	BR††	Projection of the impact parameter <b>B**</b> upon the vector <b>R</b> , km	YY	Years past 1900
	B	The magnitude of the impact parameter,** km	MM	Month
	THA	Angle between the parameter <b>B</b> and the vector <b>T</b> , measured clockwise from <b>T</b> , deg	DDD	Day of month
			HH	Hours
			TT	Minutes
			SSSSS	Milliseconds
			SOCTAL	Seconds in octal representation, GMT
Group J		Cartesian coordinates and epoch of injection conditions in the geocentric equatorial system described under Group B.		Time past midnight on day (DD), month (MM), and year (YY + 1900) at which the injection epoch occurs is the time determined by the sum of HH, TT, SSSSS and SOCTAL.
Row 58	XOCTAL YOCTAL ZOCTAL	Cartesian components of the probe radius vector at injection in octal representation, km	††Principal planes: Q Earth equatorial plane C Ecliptic plane O Lunar orbital plane T True lunar equator.	
	XOCTAL YOCTAL ZOCTAL	Cartesian components of the probe space-fixed velocity vector at injection in octal representation, km/sec		
**See Appendix A.				

Table D-3. Ranger VII trajectory constants and conversion factors

Constants	Conversion factors	Constants	Conversion factors
$GM_{Sun}$	$1.32715445 \times 10^{11} \text{ km}^3/\text{sec}^2$	Moon moments of inertia about principal axis	$A = 0.88746 \times 10^{29} \text{ kg km}^2$ $B = 0.88764 \times 10^{29} \text{ kg km}^2$ $C = 0.88801 \times 10^{29} \text{ kg km}^2$
$GM_{Venus}$	$3.247695 \times 10^5 \text{ km}^3/\text{sec}^2$	Lunar and solar ephemerides	The Moon and Sun positions are obtained from the joint JPL-STL ephemerides. For purposes of converting into kilometers, the conversion factors are: 1 AU = $1.495990 \times 10^8 \text{ km}$ 1 e.r. = 6378.3149
$GM_{\oplus}^*$	$3.986032 \times 10^5 \text{ km}^3/\text{sec}^2$		
$GM_{\oplus-\dagger}$	$4.03503 \times 10^5 \text{ km}^3/\text{sec}^2$		
$GM_{\dagger}^{**}$	$4.900759 \times 10^3 \text{ km}^3/\text{sec}^2$		
$GM_{Mars}$	$4.297780 \times 10^4 \text{ km}^3/\text{sec}^2$		
$GM_{Jupiter}$	$1.267106 \times 10^8 \text{ km}^3/\text{sec}^2$		
$M_{Sun}/M_{Venus}$	408645		
$M_{Sun}/M_{Earth}$	332951.3	Geometrical Earth model, used in locating tracking and launching facilities upon the Earth	Clarke spheroid of 1866 $a = 6378.2064 \text{ km}$ $b = 6356.5838 \text{ km}$ $e^2 = 0.006768657997291$
$M_{Earth}/M_{Moon}$	81.335		
$M_{Sun}/M_{Earth-Moon}$	328908		
$M_{Sun}/M_{Mars}$	3,088,000		
$M_{Sun}/M_{Jupiter}$	1047.39	Earth potential function:	
Equatorial radius of Earth	6378.3149 km	$\Phi(R, \phi) = \frac{GM_{\oplus}}{R} \left[ 1 + \frac{JR_{\oplus}^2}{3R^2} (1 - 3 \sin^2 \phi) + \frac{H}{5} \frac{R_{\oplus}^3}{R^3} (3 - 5 \sin^2 \phi) (\sin \phi) + \frac{D}{35} \frac{R_{\oplus}^4}{R^4} (3 - 30 \sin^2 \phi + 35 \sin^4 \phi) \right]$	
1 AU	$1.495990 \times 10^8 \text{ km}$	where	
Ellipticity of Earth	1/298.3	$R$ = geocentric distance	
Conversion from feet to meters	0.3048	$\phi$ = geocentric latitude	
Atmospheric model	1959 ARDC	$J = 1.62345 \times 10^{-3}$	
Sidereal rotation rate of Earth	$4.1780742 \times 10^{-3} \text{ deg/sec}$	$H = -0.575 \times 10^{-5}$	
Universal constant of gravitation	$6.671 \times 10^{-20} \text{ km}^3/\text{kg sec}^2$	$D = 0.7875 \times 10^{-5}$	
Speed of light	$2.997925 \times 10^5 \text{ km/sec}$		
Mean Moon radius	1738.09 km		
*3.9860005 $\times 10^5 \text{ km}^3/\text{sec}^2$ was used for the premidcourse orbit.			
**4.9007604 $\times 10^3 \text{ km}^3/\text{sec}^2$ was used for the premidcourse orbit.			

## APPENDIX E

## Ranger VII premaneuver ODP printout

PAGE HEADING		
[RA7 PRE M/C WITH POST DATA AS APRIORI 17 NOV]		[23
EPOCH		[01
PRCBE POSITION AND VELOCITY AT EPOCH		[02
X=-.48336203F4,Y=-.42062278E4,Z=-.14413927E4		
DX=-.70601156E1,DY=-.68713167E1,DZ=-.47795362E1		
OTHER PARAMETER VALUES		[03
KE=.3986C128F6,RE=.63783173E4,GRMOON=.38917128E0		
KM=-.49026712F4,R1(1)=-.63757069E4,L0(1)=-.27705399E2		
R1(3)=-.63719898E4,LAI(3)=-.35118806E2,L0(3)=-.24319449E3		
R1(4)=-.63725939E4,LAI(4)=-.31211947E2,L0(4)=-.13688761F3		
R1(5)=-.63754893E4,L0(5)=-.27683591E2		
ARMOUN=3.567,MSMCN=374.1		
RSTCP=1735.6		
ESTIMATE THESE PARAMETERS		[04
X,Y,Z,DX,DY,DZ,KE,RE,G,KM,R1(1),L0(1)		
R1(3),LAI(3),L0(3),R1(4),LAI(4),L0(4),R1(5),L0(5)		
COVARIANCE MATRIX OF ESTIMATED PARAMETERS		[10
R01	234670527060201750161206/F	634743044454601467110666/F
	634506647174601567325222/F	222674167434167340150444/F
	222653671233167614475012/F	221466313265166677051124/F
	206673231044153233013454/F	175631473155142571011460/F
	573652674661340567670226/F	202426456474147731714456/F
	4000000000000000000000/F	4000000000000000000000/F
	571522466664536557711354/F	56147732761526015564266/F
	170702301363135037772532/F	174536073330141112712336/F
	164711676167131070436500/F	171435437644136455704326/F
	575446500556542712757472/F	171422775276136146060132/F
R02	634743044454601467110666/F	2354263511702223175007/F
	234564426167201045166762/F	62275474711456762377424/F
	6227562423565674322496/F	62155700642736333064/F
	606661144706553763451712/F	57541173343542037463504/F
	171425363505136057156676/F	601636171657546343646554/F
	0000000000000000000000/F	0000000000000000000000/F
	172456405660137644245542/F	162547437354127356043230/F
	570561042342535730062534/F	57253257521537157337322/F
	56342002677350252320166/F	57063752344535775277654/F
	175506026200142412205702/F	570637415106535057271514/F
R03	634506647174601567325222/F	235454426167201045166762/F
	233765171630200630374632/F	622514226241567107567450/F
	622514155607567650174476/F	620736203251565236672110/F
	606433231066553152077010/F	57462326662754164643412/F
	171446567571134238271006/F	601417212263546552243610/F
	4000000000000000000000/F	4000000000000000000000/F
	17154575445413656635536/F	162441125152127116270512/F
	567722237302534023230716/F	572403663514597606623140/F
	562621211117527433235450/F	570407653060535707310052/F
	174626067060141467322006/F	570407421302535574062004/F
R04	222674167434167340150444/F	62275474711456762377422/F
	622514155607567650174476/F	210701142117155611240612/F
	21066416744415562650372/F	20750451760154270236766/F
	17467570637141311473152/F	163640516426130426427624/F
	561551240317526165574664/F	170424110254135663074570/F
	0000000000000000000000/F	0000000000000000000000/F
	536746550711523515376610/F	547765633072514022608716/F
	15667156000143151376776/F	162553044117127472732002/F
	152736001673117331225750/F	157427345623124441166554/F
	563441722570530776256006/F	157415433126124376773500/F
R05	222653671233167614475012/F	622756242356567430025444/F
	622514155607567650174502/F	21066416744415562650374/F
	21067231062159770646036/F	207473146323154476654462/F
	174747512067510750706/F	161757525040126370742220/F
	155606672207122051367644/F	167414024474134730057612/F
	4000000000000000000000/F	4000000000000000000000/F
	560765310503525067072000/F	547472622303514005173332/F
	156437105607123266665504/F	561466342344526032251350/F
	5515444264431516131050766/F	156425413232123730574702/F
	56346273707753056320544/F	15643741236312323415524/F
R06	221466312351666770511302/F	62155700642736333064/F
	620736203251565236672116/F	207500451760154270236772/F
	207473146323154476654470/F	206425067153153716672734/F
	173501314371140152224000/F	163404622464130253313476/F
	527405171757524507724536/F	166743746422133225226716/F
	0000000000000000000000/F	0000000000000000000000/F
	1605613646311261333277100/F	551427156121516136502014/F
	154774013037121246110750/F	162620610272127760516552/F
	153410312761120664467452/F	155652163337122056261762/F
	560474503424525431425162/F	155620231502122430065510/F
R07	206673231044153233013454/F	606661144706553763451715/F
	606433231066553152077010/F	174675766373141311473154/F
	174537452031437114015224002/F	1745556613214144C164720/F
	207461177030154072100014/F	1744556613214144C164720/F
	56657726064533034511174/F	202473755466147563752634/F
	0000000000000000000000/F	0000000000000000000000/F
	57452315666754154536613/F	164751040036131674434210/F
	171536677223136175437644/F	574640065301541017302512/F
	56242057415232511664656/F	171556223155138606C44272/F
	57647316756543340103600/F	171554065755136360154234/F
R08	175631473155142571011462/F	57541173343542037463506/F
	574623266627541646343416/F	163640516426130426427626/F
	161757525060126370742232/F	163404622464130253313500/F
	174455566132141440164720/F	170410640422135117046736/F
	561433273711526172377316/F	1705642072135344604746/F
	0000000000000000000000/F	0000000000000000000000/F
	165706354753132724203562/F	556541242762523344551650/F
	561552022344526457606526/F	166705477501133304103170/F
	157463710430124376560044/F	560777406332525143555342/F
	166661107404133445117606/F	56141143666652615056332/F
R09	573652674661340567672330/F	171425343505136057156676/F
	171446567571134238271006/F	561551240317526165574664/F
	155606672207122051367644/F	527405171757524507724536/F
	56657726064533034511174/F	561433273711526172377316/F
	175560255503142273571002/F	16770770143513455564174/F
	0000000000000000000000/F	0000000000000000000000/F
	16161555623126126205776/F	552626740405517427252146/F
	555433640406522554402442/F	560774432342525427152672/F
	530731011442515204152422/F	55640024577552376170272/F
	163423575254130674064742/F	555674503361522626515604/F
R10	202426456474147731714456/F	601636171657546343646556/F
	60141721263546552243610/F	170424110254135663074570/F
	167414024474134730057612/F	166743740422133225226716/F
	202473755466147563752634/F	170560442072135344604746/F
	16770770143513455564174/F	171554065755136360154234/F
	0000000000000000000000/F	0000000000000000000000/F
	566715214217533335417320/F	160554010730125341013602/F
	165442460564132713203010/F	170417477105135465034404/F
	160457040047125135422152/F	165561351107132167707366/F
	571465537017536155020372/F	165532221520132575661770/F

[illegible]

INPUT COVARIANCE MATRIX OF ESTIMATED PARAMETERS

ITERATION NUMBER

2

X	Y	Z	DX	DY	DZ	RE	RE	G	
X	-44676934-02	-63087476-02	-30665630-03	-20085102-05	-10957090-04	-13377595-04	-54456109-01	-13411488-02	-91068737-03
Y	-63087476-02	-11822721-01	-49878432-01	-31038328-05	-23569562-03	-23569562-03	-11117888-00	-88517815-03	-12042937-02
Z	-30665630-03	-49878432-01	-22593463-01	-24311760-06	-28653484-04	-23598630-04	-34852169-01	-22597131-02	-16943803-02
DX	-20085102-05	-31038328-05	-24311760-06	-58092729-08	-65180225-08	-19019268-07	-20518082-05	-72952374-01	-24802045-05
DY	-23569562-03	-23569562-03	-24633484-04	-65890229-08	-10423920-06	-13903705-06	-16663998-03	-41694735-05	-2960268-06
DZ	-13377595-04	-24965862-04	-25986302-04	-19031528-07	-13903705-06	-23413783-06	-26891548-03	-93401898-05	-9704112-05
RE	-54456109-01	-11822721-01	-49878432-01	-31038328-05	-23569562-03	-23569562-03	-11117888-00	-88517815-03	-12042937-02
RE	-13411488-02	-88517815-03	-12042937-02	-22597131-02	-16943803-02	-91068737-03	-21376812-02	-97053817-04	-8975804-01
G	-91068737-03	-12042937-02	-16943803-02	-97053817-04	-8975804-01	-21376812-02	-97053817-04	-8975804-01	-21376812-02
RI(01)	-11445711-02	-82405724-02	-36666686-01	-27932656-05	-18171405-04	-75353503-04	-15444709-02	-44950572-05	-33209043-02
RI(02)	-161320708-05	-12791367-03	-14910518-02	-32253077-07	-38661292-06	-35250004-06	-93589992-01	-39362467-06	-21208975-04
RI(03)	-34730575-01	-91927073-04	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32123954-06
LI(01)	-23232373-05	-18391167-05	-1565886-05	-2021693-08	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
LI(02)	-27390607-04	-25684682-04	-3689884-04	-37156279-05	-67147364-07	-16888131-04	-31837370-01	-20314357-04	-30283114-04
LI(03)	-68726263-04	-24167088-00	-72373201-03	-23063847-05	-33108331-05	-33984667-05	-22084762-01	-29631731-06	-96854822-05
LI(04)	-23070735-04	-44161717-04	-20075123-04	-20246364-07	-54395164-07	-20291444-07	-7890028-04	-26222348-05	-18080642-05
LI(05)	-25533690-04	-20541226-04	-32531330-04	-85522100-08	-85522100-08	-16118294-05	-15858770-07	-20564555-05	-44904227-05
LI(06)	-35849649-04	-42318140-04	-36255658-03	-54394405-05	-53326424-07	-64328282-05	-5654295-02	-36400036-03	-81792080-03
LI(07)	-26231165-04	-24766036-04	-35486630-08	-89205301-07	-16483491-06	-24682427-06	-11992041-06	-453782705-04	
RI(01)		LI(01)	RI(03)	LI(03)	LI(03)	RI(04)	LI(04)	LI(04)	LI(04)
X	-41845308-02	-114645711-02	-32602028-04	-34725051-03	-23237375-05	-27390607-04	-68726263-04	-23030735-04	-25973690-04
Y	-51820432-02	-40845724-02	-12791367-03	-38529705-03	-38931167-05	-25684682-04	-12836469-04	-44181717-04	-29541226-04
Z	-18764362-02	-38646862-01	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32531330-04
DX	-46625541-05	-79732656-05	-32253077-07	-40268694-05	-2021693-08	-87316275-08	-23089997-05	-20246364-07	-38022008-08
DY	-10619567-04	-1717403-04	-35604122-06	-15349495-05	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
DZ	-13377595-04	-24965862-04	-25986302-04	-19031528-07	-13903705-06	-23413783-06	-26891548-03	-93401898-05	-9704112-05
RE	-54456109-01	-11822721-01	-49878432-01	-31038328-05	-23569562-03	-23569562-03	-11117888-00	-88517815-03	-12042937-02
RE	-13411488-02	-88517815-03	-12042937-02	-22597131-02	-16943803-02	-91068737-03	-21376812-02	-97053817-04	-8975804-01
G	-91068737-03	-12042937-02	-16943803-02	-97053817-04	-8975804-01	-21376812-02	-97053817-04	-8975804-01	-21376812-02
RI(01)	-11445711-02	-82405724-02	-36666686-01	-27932656-05	-18171405-04	-75353503-04	-15444709-02	-44950572-05	-33209043-02
RI(02)	-161320708-05	-12791367-03	-14910518-02	-32253077-07	-38661292-06	-35250004-06	-93589992-01	-39362467-06	-21208975-04
RI(03)	-34730575-01	-91927073-04	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32123954-06
LI(01)	-23232373-05	-18391167-05	-1565886-05	-2021693-08	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
LI(02)	-27390607-04	-25684682-04	-3689884-04	-37156279-05	-67147364-07	-16888131-04	-31837370-01	-20314357-04	-30283114-04
LI(03)	-68726263-04	-24167088-00	-72373201-03	-23063847-05	-33108331-05	-33984667-05	-22084762-01	-29631731-06	-96854822-05
LI(04)	-23070735-04	-44161717-04	-20075123-04	-20246364-07	-54395164-07	-20291444-07	-7890028-04	-26222348-05	-18080642-05
LI(05)	-25533690-04	-20541226-04	-32531330-04	-85522100-08	-85522100-08	-16118294-05	-15858770-07	-20564555-05	-44904227-05
LI(06)	-35849649-04	-42318140-04	-36255658-03	-54394405-05	-53326424-07	-64328282-05	-5654295-02	-36400036-03	-81792080-03
LI(07)	-26231165-04	-24766036-04	-35486630-08	-89205301-07	-16483491-06	-24682427-06	-11992041-06	-453782705-04	
RI(01)		LI(01)	RI(03)	LI(03)	LI(03)	RI(04)	LI(04)	LI(04)	LI(04)
X	-41845308-02	-114645711-02	-32602028-04	-34725051-03	-23237375-05	-27390607-04	-68726263-04	-23030735-04	-25973690-04
Y	-51820432-02	-40845724-02	-12791367-03	-38529705-03	-38931167-05	-25684682-04	-12836469-04	-44181717-04	-29541226-04
Z	-18764362-02	-38646862-01	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32531330-04
DX	-46625541-05	-79732656-05	-32253077-07	-40268694-05	-2021693-08	-87316275-08	-23089997-05	-20246364-07	-38022008-08
DY	-10619567-04	-1717403-04	-35604122-06	-15349495-05	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
DZ	-13377595-04	-24965862-04	-25986302-04	-19031528-07	-13903705-06	-23413783-06	-26891548-03	-93401898-05	-9704112-05
RE	-54456109-01	-11822721-01	-49878432-01	-31038328-05	-23569562-03	-23569562-03	-11117888-00	-88517815-03	-12042937-02
RE	-13411488-02	-88517815-03	-12042937-02	-22597131-02	-16943803-02	-91068737-03	-21376812-02	-97053817-04	-8975804-01
G	-91068737-03	-12042937-02	-16943803-02	-97053817-04	-8975804-01	-21376812-02	-97053817-04	-8975804-01	-21376812-02
RI(01)	-11445711-02	-82405724-02	-36666686-01	-27932656-05	-18171405-04	-75353503-04	-15444709-02	-44950572-05	-33209043-02
RI(02)	-161320708-05	-12791367-03	-14910518-02	-32253077-07	-38661292-06	-35250004-06	-93589992-01	-39362467-06	-21208975-04
RI(03)	-34730575-01	-91927073-04	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32123954-06
LI(01)	-23232373-05	-18391167-05	-1565886-05	-2021693-08	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
LI(02)	-27390607-04	-25684682-04	-3689884-04	-37156279-05	-67147364-07	-16888131-04	-31837370-01	-20314357-04	-30283114-04
LI(03)	-68726263-04	-24167088-00	-72373201-03	-23063847-05	-33108331-05	-33984667-05	-22084762-01	-29631731-06	-96854822-05
LI(04)	-23070735-04	-44161717-04	-20075123-04	-20246364-07	-54395164-07	-20291444-07	-7890028-04	-26222348-05	-18080642-05
LI(05)	-25533690-04	-20541226-04	-32531330-04	-85522100-08	-85522100-08	-16118294-05	-15858770-07	-20564555-05	-44904227-05
LI(06)	-35849649-04	-42318140-04	-36255658-03	-54394405-05	-53326424-07	-64328282-05	-5654295-02	-36400036-03	-81792080-03
LI(07)	-26231165-04	-24766036-04	-35486630-08	-89205301-07	-16483491-06	-24682427-06	-11992041-06	-453782705-04	
RI(01)		LI(01)	RI(03)	LI(03)	LI(03)	RI(04)	LI(04)	LI(04)	LI(04)
X	-41845308-02	-114645711-02	-32602028-04	-34725051-03	-23237375-05	-27390607-04	-68726263-04	-23030735-04	-25973690-04
Y	-51820432-02	-40845724-02	-12791367-03	-38529705-03	-38931167-05	-25684682-04	-12836469-04	-44181717-04	-29541226-04
Z	-18764362-02	-38646862-01	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32531330-04
DX	-46625541-05	-79732656-05	-32253077-07	-40268694-05	-2021693-08	-87316275-08	-23089997-05	-20246364-07	-38022008-08
DY	-10619567-04	-1717403-04	-35604122-06	-15349495-05	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
DZ	-13377595-04	-24965862-04	-25986302-04	-19031528-07	-13903705-06	-23413783-06	-26891548-03	-93401898-05	-9704112-05
RE	-54456109-01	-11822721-01	-49878432-01	-31038328-05	-23569562-03	-23569562-03	-11117888-00	-88517815-03	-12042937-02
RE	-13411488-02	-88517815-03	-12042937-02	-22597131-02	-16943803-02	-91068737-03	-21376812-02	-97053817-04	-8975804-01
G	-91068737-03	-12042937-02	-16943803-02	-97053817-04	-8975804-01	-21376812-02	-97053817-04	-8975804-01	-21376812-02
RI(01)	-11445711-02	-82405724-02	-36666686-01	-27932656-05	-18171405-04	-75353503-04	-15444709-02	-44950572-05	-33209043-02
RI(02)	-161320708-05	-12791367-03	-14910518-02	-32253077-07	-38661292-06	-35250004-06	-93589992-01	-39362467-06	-21208975-04
RI(03)	-34730575-01	-91927073-04	-16810518-02	-41885915-03	-12548486-05	-36826849-04	-96136485-05	-29403120-03	-32123954-06
LI(01)	-23232373-05	-18391167-05	-1565886-05	-2021693-08	-84625117-08	-47658153-08	-15511616-05	-15120767-05	-20030677-07
LI(02)	-27390607-04	-25684682-04	-3689884-04	-37156279-05	-67147364-07	-16888131-04	-31837370-01	-20314357-04	-30283114-04
LI(03)	-68726263-04	-24167088-00	-72373201-03	-23063847-05	-33108331-05	-33984667-05	-22084762-01	-29631731-06	-96854822-05
LI(04)	-23070735-04	-44161717-04	-20075123-04	-20246364-07	-54395164-07	-20291444-07	-7890028-04	-26222348-05	-18080642-05
LI(05)	-25533690-04	-20541226-04	-32531330-04	-85522100-08	-85522100-08	-16118294-05	-15858770-07	-20564555-05	-44904227-05
LI(06)	-35849649-04	-42318140-04	-36255658-03	-54394405-05	-53326424-07	-64328282-05	-5654295-02	-36400036-03	-81792080-03
LI(07)	-26231165-04	-24766036-04	-35486630-08	-89205301-07	-16483491-06	-24682427-06	-11992041-06	-453782705-04	
RI(01)		LI(01)	RI(03)	LI(03)	LI(03)	RI(04)	LI(04)	LI(04)	LI(04)
X	-41845308-02	-114645711-02	-32602028-04	-34725051-03	-23237375-05	-27390607-04	-68726263-04	-23030735-04	-25973690-04
Y									

CASE 1		SPACE TRAJECTORIES									
EPHEMERIS TAPE IV WITH MARKS VELOCITIES. B-8 IS											
GPE	.39880146 C6	J	.16234500-C2	H	-.57499999-C5	D	.78749999-05	RE	.63781650 C4	REM	.63783098 C4
G	.66703998-19	A	.86782497 29	B	.88800499 29	C	.88837498 29	OME	.41780741-02	AU	.41959900 09
GPM	.49026944 C4	GMS	.13271544 12	GMV	.32476952 C6	GMA	.49277799 05	GMC	.37918700 C8	GMJ	.12671062 09
EGM	.39882322 C6	POM	.49027779 24	JA	.29200000-C2	HA	.00000000 C0	DA	.00000000 C0	RA	.34170000 09
APA	.35670000 C1	GB	.38302165 C0	MAS	.37410000 C3	GB1	.00000000 C3	GB2	.00000000 C0	SC	.10200000 09
INJECTION CONDITIONS MOON 2356645C2572020C00000000 J.D.= 2438605.22217592 JULY 28, 1964 17 19 56.000											
GEOCENTRIC XC=-.48336127 C4 YC=-.42062469 C4 ZC=-.14413982 C4 DXO=.70601055 C1 DYO=-.68712140 C1 DZO=-.47797493 C1											
EARTH IS THE CENTRAL BODY FOR INTEGRATION COWELL EQUATIONS OF MOTION											
C DAYS C HRS. C MIN. C SEC. 2356645C2572020C00000000 J.D.= 2438605.22217592 JULY 28, 1964 17 19 56.000											
EQUATORIAL COORDINATES											
X	-.48336126 C4	Y	-.42062467 C4	Z	-.14413981 C4	DX	.70601052 C1	DY	-.68712138 C1	DZ	-.47797492 C1
R	.65676442 C4	DEC	-.12677880 C2	RA	.22103004 C3	V	.10950099 C2	PTH	.13272500 C1	AZ	.11625195 C3
R	.65676440 C4	LAT	-.12677881 C2	LON	.14648304 C2	VE	.10533192 C2	PTH	.13272500 C1	AZ	.11625195 C3
XS	.88492695 C8	YS	.11325740 C9	ZS	.45113300 C8	DXS	.23722515 C2	DYS	-.15814252 C2	DZS	-.68579680 C1
XM	.38246583 C6	YM	-.30198953 C5	ZM	-.50845669 C5	DXM	.23722515 C2	DYM	.92298025 C0	DZM	.39361316 C0
XT	.38246581 C6	YT	-.30198953 C5	ZT	-.50845669 C5	DXT	.23722515 C2	DYT	.92298025 C0	DZT	.39361316 C0
RS	.15188914 C9	VS	.29323712 C2	RM	.38701081 C6	VM	.15199979 C1	RT	.38701081 C6	VT	.15199979 C1
GED	-.12761458 C2	ALT	.49047778 C3	LOS	.28162025 C3	RAS	.12800198 C3	RAM	.35548937 C3	LOM	.14910364 C3
DUT	.35000000 C2	DT	.37500000 C1	DR	.25362648 C0	SHA	.26503966 C4	DES	.18865618 C2	DEM	-.75493738 C1
DAC	.00000000 C0	CCL	.81724560 C2	MCL	.18380597 C3	TCL	.18380597 C3				
GEOCENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE 2356645C247202760431550 J.D.= 2438605.22185045 JULY 28, 1964 17 19 27.879											
SPA	.26955725 C6	ECC	.97564866 C0	B	.59124471 C5	SLR	.12963810 C5	APD	.53259040 C6	RCA	.65640768 C4
VH	.13502917 C0	C3	-.14787266 C1	CI	.71897360 C5	TFP	.28210701 C2	TF	-.18713050 C2	PEN	.23213232 C5
TA	.26875432 C1	MTA	.00000000 C0	EA	.29842718 C0	MA	.72684483 C2	C3J	-.18712425 C1	TFI	.00000000 C5
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE											
X	-.48336126 C4	Y	-.42062467 C4	Z	-.14413981 C4	DX	.70601052 C1	DY	-.68712138 C1	DZ	-.47797492 C1
INC	.28956008 C2	LAN	.17040877 C2	APF	.20426936 C3	MX	.66169785 C0	MY	-.61283272 C0	MZ	.43153523 C0
MX	.14187853 C0	MY	-.46288231 C0	MZ	.87499167 C0	PX	-.76620368 C0	PY	-.61101013 C0	PZ	.10899382 C0
CX	.62673950 C0	CY	-.64218888 C0	CZ	-.44135136 C0	RX	.15558130 C0	RY	.13406085 C0	RZ	-.98000074 C0
BX	-.62673951 C2	BY	.64218888 C0	BZ	.44135136 C0	TX	.62347925 C0	TY	.78183989 C0	TZ	.00000000 C0
DAP	-.11678126 C2	RAP	.21857066 C3	THA	.33323333 C3						
BTQ	.52789164 C5	BRQ	-.26627190 C5	THA	.33323333 C3						
EQUATORIAL COORDINATES											
X	-.88487856 C8	Y	-.11326160 C9	Z	-.49114741 C8	DX	.30782620 C2	DY	.89430408 C1	DZ	.20782188 C1
R	.15188993 C9	LAT	-.18866090 C2	LON	.30799943 C3	V	.32122681 C2	PTH	.19255932 C2	AZ	.78943390 C2
XE	.88492690 C8	YE	-.11325740 C9	ZE	-.49113300 C8	DXE	.23722515 C2	DYE	.15814255 C2	DZE	.68579680 C1
XT	.88492690 C8	YT	-.11325740 C9	ZT	-.49113300 C8	DXE	.23722515 C2	DYE	.15814255 C2	DZE	.68579680 C1
LTE	-.18866108 C2	LOE	.30800198 C3	LTY	-.18866108 C2	LOE	.30811751 C3	RST	.15215119 C0	VST	.12090789 C0
EPS	.83120794 C2	ESP	.27453512 C1	SEP	.96876744 C2	EPH	.48087164 C2	EMP	.73205182 C0	NEP	.13043020 C0
MPS	.13183428 C3	MSP	.15922114 C0	SMP	.48055927 C2	SEM	.13256592 C3	EMS	.47326739 C2	ESM	.10698938 C0
RPM	.39130200 C6	SPN	.65231538 C1								
SAC	.58302410 C0										
GCE	.27829544 C3	GCT	.28210141 C3	SIP	.13157579 C3	CPT	.90011781 C2	SIM	.89575295 C2	D1	.13324878 C0
REP	.65676442 C4	VEP	.12950099 C2	CPE	.80398066 C2	CP5	.76821219 C2	D2	.89358467 C1	D3	.53189111 C0

CASE 1		SPACE TRAJECTORIES										2	
C DAYS 16 HRS. 54 MIN. 36.000 SEC.				235668506042202000000000 J.D.= 2438605.92675926 JULY 29, 1964 10 14 32.000									
GEOCENTRIC				EQUATORIAL COORDINATES									
X	.15549425 C6	Y	.62245145 C5	Z	.78473311 C4	DX	.14697794 C1	DY	.99202382 C0	DZ	.28791905 C0		
R	.16767379 C6	DEC	.26824884 C1	RA	.21816481 C2	VE	.17964577 C1	PTM	.74202115 C2	AZ	.41142563 C2		
R	.16767379 C6	LAT	.26824884 C1	LON	.28109027 C3	VF	.11968473 C2	PTE	.83824255 C1	AZE	.27099523 C2		
YS	-.89930662 C8	YS	.11228674 C9	ZS	.48692392 C8	DXS	.23318788 C2	DYS	-.76074298 C2	DZS	-.69705388 C1		
XM	.38253017 C6	YM	.26705007 C5	ZM	.26342825 C5	DXM	-.81249022 C1	DYM	.93247216 C0	DZM	.40971036 C0		
XT	.38253017 C6	YT	.26705007 C5	ZT	.26342825 C5	DXT	-.81249022 C1	DYT	.93247216 C0	DZT	.40971036 C0		
RS	.15187753 C9	VS	.29327543 C2	RM	.38436517 C6	VM	.10217477 C1	RT	.38436517 C6	VT	.10217477 C1		
GED	.27027429 C1	ALT	.16129563 C6	LOS	.27965097 C2	RAS	.12969130 C3	RAM	.38436517 C6	LRA	.26342825 C5		
DUT	.35000000 C2	DT	.48000000 C3	DR	.17447587 C1	SHA	.19192291 C6	DES	.18693995 C2	DEM	-.39298996 C1		
DAC	.00000000 C0	CCL	.25839182 C3	MCL	.41099353 C1	TCL	.91049933 C1						
GEOCENTRIC CONIC													
EPOCH OF PERICENTER PASSAGE				235668450255202624200000 J.D.= 2438605.22211988 JULY 28, 1964 17 19 31.158									
SPA	.26099681 C6	ECC	.97494844 C0	B	.58053777 C5	SLR	.14212957 C5	APD	.51545525 C6	RCA	.65383769 C4		
VH	.13918464 C0	C3	-.15272213 C1	CI	.71743458 C5	TFA	.60880841 C5	TF	-.13494192 C2	PER	-.22116795 C4		
TA	.16120973 C3	MTA	.00000000 C0	EA	.68484586 C2	MFA	.16516572 C2	C3J	-.19367272 C1	TFI	.16910000 C2		
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE													
X	.15549425 C6	Y	.62245145 C5	Z	.78473311 C4	DX	.14697794 C1	DY	.99202382 C0	DZ	.28791905 C0		
INC	.28968493 C2	LAN	.16961500 C2	APF	.20433545 C3	MX	.34464309 C0	MY	.80472331 C0	MZ	.48206178 C0		
MX	.14129266 C0	MY	.64260664 C0	MZ	.87499167 C0	PX	.36633964 C0	PY	-.10647191 C0	PZ	-.19958125 C0		
CX	.62670557 C0	CY	.64226064 C0	CZ	-.44129495 C0	RX	.17507300 C0	RY	.12327616 C0	RZ	-.97988126 C0		
BX	-.62670557 C0	BY	.64226064 C0	BZ	.44129495 C0	TX	-.62318560 C0	TY	.78207397 C0	TZ	.90000000 C0		
DAP	-.11512473 C2	RAP	.21854914 C3	THA	.33323350 C3								
BTQ	.51833274 C5	BRQ	-.26144841 C5	THA	.33323350 C3								
HELICENTRIC				EQUATORIAL COORDINATES									
X	.90086156 C8	Y	-.11222450 C9	Z	-.48684544 C8	DX	.24988567 C2	DY	-.17066321 C2	DZ	.72584578 C1		
R	.15192115 C9	LAT	-.18690701 C2	LON	.30875511 C3	V	.31118692 C2	PTM	.212121 C0	AZ	.75819031 C2		
XE	.89930662 C8	YE	-.11228674 C9	ZE	-.48692392 C8	DXE	.23318788 C2	DYE	-.76074298 C2	DZE	.69705388 C1		
XT	.90331392 C8	YT	-.11228674 C9	ZT	-.48692392 C8	DXT	.23318788 C2	DYT	.17006770 C2	DZT	.68202492 C1		
LTE	-.18690701 C2	LOE	.30869130 C3	LTY	-.18690701 C2	LQT	.30881668 C3	RST	.15209308 C9	VST	.29883381 C2		
EPS	.74889462 C2	ESP	.60570802 C1	SEP	.10504947 C3	EPN	.11471679 C3	EMP	.13589370 C2	MEP	.19899385 C2		
MPS	.13789365 C3	MSP	.58923450 C1	SMP	.42241441 C2	SEM	.12404926 C3	EMS	.55830766 C2	ESH	.12012767 C0		
RPM	.23230552 C6	SPN	.72709513 C2										
SAC	.58278452 C0												
REC	.10160817 C3	GCT	.28169927 C3	SIP	.13727103 C3	CPT	.92006943 C2	SIN	.91578325 C2	D1	.22424794 C0		
REP	.16767379 C6	VEP	.17964577 C1	CPE	.97469657 C2	CPS	.67807693 C2	D2	.169698327 C0	D3	.18449126 C0		

[illegible]

	PI(05)	LC(05)
X	-92774377 04	-23627706 08
Y	-83517687 04	-20980391 08
Z	-28621496 04	-78550375 07
BX	.97198157 07	.24293068 11
DY	-.96293478 07	-.24450178 11
DZ	-.67513192 07	-1.0002019 11
KE	-.23003110 03	-.5120701 06
RE	-.11010827 03	-.22668180 06
S	.78564754 03	.83518570 04
KW	.35506251 01	.52162889 04
PI(01)	.00000000 00	.00000000 00
LC(01)	.00000000 00	.00000000 06
PI(03)	.60562052 01	.65800232 04
LA(03)	.14605003 03	.75087527 06
LC(03)	.18031964 05	.16492817 08
RI(04)	.0736919 02	.12676213 05
LI(04)	.70194721 03	-.82803253 06
LI(04)	-.23304895 04	-.28910342 07
PI(05)	.29074231 04	.33801370 05
LC(05)	-.23801370 05	-.31078165 08

CORRELATIONS BASED ON J MATRIX				ITERATION NUMBER					
	X	Y	Z	DX	DY	DZ	KE	RE	G
X	-1.00000000	0.1-19762685	0.0-99467120	0.0-99875730	0.0-99901225	0.0-99920688	0.0-99871010	0.0-92195924	0.0-41942425
Y	-0.22686863	-1.00000000	0.0-99877532	0.0-99792996	0.0-99920408	0.0-99935979	0.0-99915981	0.0-10599481	0.0-62599394
Z	0.99471200	0.0-99877532	-1.00000000	0.0-99792996	0.0-99920408	0.0-99935979	0.0-99915981	0.0-99702074	0.0-10136702
DX	0.99877136	0.0-99792996	0.0-99792996	-1.00000000	0.0-99931986	0.0-99936856	0.0-99845316	0.0-3004532260	0.0-61870664
DY	0.99901225	0.0-99935979	0.0-99900976	0.0-99941986	-1.00000000	0.0-99993512	0.0-99956177	0.0-10325267	0.0-62229667
DZ	0.99920688	0.0-99935979	0.0-99920408	0.0-99941986	0.0-99935979	-1.00000000	0.0-99942872	0.0-10136702	0.0-62202667
KE	0.99871010	0.0-99935979	0.0-99703704	0.0-99846316	0.0-99956177	0.0-99942872	-1.00000000	0.0-11109888	0.0-72725997
RE	0.92195924	0.0-10599481	0.0-10176058	0.0-90044250	0.0-10325267	0.0-10136702	0.0-11109888	-1.00000000	0.0-12626780
G	0.41942425	0.0-62599394	0.0-62202667	0.0-62202667	0.0-62202667	0.0-62202667	0.0-62202667	0.0-12626780	-1.00000000
XR	-1.00022608	0.1-17543177	0.0-17543177	0.0-15850304	0.0-15850304	0.0-17543177	0.0-17543177	0.0-17543177	0.0-17543177
R1(01)	-1.39031491	0.1-27742722	0.1-93595051	0.0-84067732	0.0-68859813	0.0-11711672	0.0-33964824	0.0-13161662	0.0-39955933
R1(02)	-1.26818331	0.1-22638201	0.1-63480731	0.0-13100222	0.0-70848379	0.0-17453371	0.0-34542033	0.0-12524373	0.0-47923664
R1(03)	-0.24781020	0.1-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210
R1(04)	-0.23097148	0.1-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210	0.0-24670210
R1(05)	-0.10161061	0.1-79785041	0.0-89559131	0.0-84196414	0.0-81656887	0.0-80872092	0.0-78624611	0.0-84928890	0.0-50745998
R1(06)	-0.17921518	0.1-17921518	0.0-17921518	0.0-17921518	0.0-17921518	0.0-17921518	0.0-17921518	0.0-17921518	0.0-17921518
R1(07)	-0.30055514	0.1-15283936	0.1-70257446	0.0-29974031	0.0-76407052	0.0-11045634	0.0-26139209	0.0-31647849	0.0-76871164
R1(08)	-0.77747450	0.1-31614777	0.0-35283484	0.0-35283484	0.0-35283484	0.0-35283484	0.0-35283484	0.0-35283484	0.0-35283484
R1(09)	-0.54642561	0.1-57381470	0.0-57381470	0.0-57381470	0.0-57381470	0.0-57381470	0.0-57381470	0.0-57381470	0.0-57381470
XR	-1.00022608	0.1-39031491	0.1-32384533	0.1-24781020	0.0-23997418	0.0-84501828	0.1-17921215	0.1-30055514	0.1-77747450
X	0.17543177	0.0-27742722	0.1-73263809	0.1-25422624	0.0-26470210	0.0-79785041	0.0-18549397	0.0-15283936	0.0-91164777
Y	0.16527333	0.0-93595051	0.1-25360979	0.0-25360979	0.0-24660400	0.0-89559131	0.0-17921186	0.0-25074482	0.0-85083681
Z	0.15850304	0.0-84067732	0.0-13100222	0.0-2463647	0.0-23848784	0.0-84196414	0.0-16114873	0.0-29974031	0.0-55281965
DX	0.17526060	0.0-68859813	0.0-70848379	0.0-25271766	0.0-25427901	0.0-81656887	0.0-17254880	0.0-76407105	0.0-74321235
DY	0.17556630	0.0-70848379	0.0-70848379	0.0-25271766	0.0-25427901	0.0-81656887	0.0-17254880	0.0-76407105	0.0-74321235
DZ	0.18275195	0.0-73616482	0.0-73616482	0.0-25271766	0.0-25427901	0.0-81656887	0.0-17254880	0.0-76407105	0.0-74321235
KE	0.19563856	0.0-11361662	0.0-12542573	0.0-25179346	0.0-26413413	0.0-86628580	0.0-31439575	0.0-31647849	0.0-16157076
RE	0.12540408	0.0-11361662	0.0-12542573	0.0-25179346	0.0-26413413	0.0-86628580	0.0-31439575	0.0-31647849	0.0-16157076
G	0.10000000	0.0-13942683	0.0-14247162	0.0-25739335	0.0-43569355	0.0-50000000	0.0-50000000	0.0-50000000	0.0-50000000
XR	-1.00000000	0.1-39426837	0.1-42471627	0.0-25739335	0.0-43569355	0.0-50000000	0.0-50000000	0.0-50000000	0.0-50000000
R1(01)	-0.23426483	0.1-10000000	0.1-97278188	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(02)	-0.17471472	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(03)	-0.42573335	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(04)	-0.36503555	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(05)	-0.23835834	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(06)	-0.43933333	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(07)	-0.31566666	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(08)	-0.62866202	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
R1(09)	-0.47856343	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
LG(05)	-0.40296422	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000
LG(06)	-0.40296422	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000	0.0-0.00000000

```

RT(05)          LG(05)
X      -39364164-01      -56642560 00
Y      -40342949-01      -57281470 00
Z      -38756436-01      -57803978 00
DX      -39895572-01      -56290502 00
DY      -39825782-01      -57113422 00
DZ      -40517027-01      -56855149 00
KE      -45341665-01      -57024189 00
RE      -19693618-01      -22907056 00
G      -37934817-01      -22784547 00
KW      -403785161-01      -420864225-01
RT(01) -03000000 00      -00000000 00
LG(01) -00053000 00      -00000600 00
RI(03) -93838719-01      -43812971-02
LA(03) 29002647-03      -85256042-02
LG(03) 42963379-01      -22202257 00
RI(04) -31911825-02      -12064761-01
LA(04) 22917321-02      -15287360-01
RI(04) 45757545-02      -32071232-01
RI(05) -10050000 01      -46223094-01
RI(05) -46233074-01      -10060000 01

```





CORRELATION MATRIX OF ESTIMATED PARAMETERS									
ITERATION NUMBER 3									
X	Y	Z	DX	DY	DZ	KE	RE	G	
X	.99999999 00	-.84924863 00	-.29867201-01	-.46072758 00	-.49675753 00	-.42285933 00	-.53943538 00	-.54094467 00	-.24951516-01
Y	-.84924863 00	.10000000 01	.30561466 00	-.37457283 00	-.67141638 00	-.49586047 00	-.66746279 00	-.22427406 00	-.36982179-01
Z	-.29867201-01	.30561466 00	.10000000 01	-.21281626-01	-.59123811 00	.33951437 00	-.15076794 00	-.41466799 00	-.37667340-01
DX	-.46072758 00	-.37457283 00	-.21281626-01	.99999999 00	-.26763861 00	.53874578 00	-.18084627-02	-.28430786 00	-.30580035-02
DY	-.49675753 00	-.67141638 00	-.59123811 00	-.26763861 00	.10000000 01	-.92995845 00	-.33692108 00	-.35809686 00	-.32940415-01
DZ	-.42285933 00	-.49586047 00	.33951437 00	.53874578 00	-.92995845 00	.10000000 01	-.37908104 00	-.55563944 00	-.32409116-01
KE	-.53943538 00	-.66746279 00	-.41466799 00	-.28430786 00	-.33692108 00	-.37908104 00	.10000000 01	-.21142055 00	-.14209916-01
RE	-.54094467 00	.22427406 00	-.36982179-01	-.37667340-01	.32940415-01	-.37908104 00	-.55563944 00	.10000000 01	-.89240579-02
G	-.24951516-01	-.36982179-01	-.37667340-01	.10859377 00	.30580035-02	-.37908104 00	-.55563944 00	-.89240579-02	.10000000 01
KM	.36694901 00	-.28550940 00	.47366836-01	.36644192 00	.19707094 00	-.11466411 00	.52588446-01	.35280598 00	.88811699-01
RI(01)	-.52435981-01	.23714270 00	.80590364 00	.32720571 00	-.75700194 00	.65802698 00	.11439286 00	.34764441-02	-.55545963-02
LC(01)	-.60734072 00	.79625024 00	-.75776549 00	.28638135 00	.76838428 00	-.51935648 00	.26220646 00	.73211361-02	.47893415-01
RI(03)	-.67414642-01	.60952501-01	-.48104120-01	.90861201-01	-.82838026-01	.12326325 00	-.10794593 00	.11397349 00	.18442142-02
LA(03)	-.46037975-01	-.47791531-01	.11329202-01	.35904994-01	.25392757-01	-.25622279-01	.13705873-01	-.56416469-01	-.12667865-03
LC(03)	.64199737 00	-.37824434 00	.39354713 00	-.15363478 00	.43223412 00	-.58376197 00	.33276494 00	-.89613233 00	.16183159-01
RI(04)	-.22474192 00	.19668950 00	.83390139-01	.52401660 00	-.17845787 00	-.58376197 00	.33276494 00	-.89613233 00	.16183159-01
LA(04)	-.43584253 00	.52535499 00	.17290387 00	-.34346803 00	-.21782368 00	.56644378-01	-.22661033 00	-.66640897-01	.93394391-01
LC(04)	-.58271027 00	-.22410898 00	.33731216 00	-.11845376 00	.41204938 00	-.54186570 00	.16116127 00	-.88191463 00	.23328493-01
RI(05)	-.20422924 00	.15386738 00	.25224407 00	.27966294 00	-.52638583 00	.54485585 00	.14254901 00	.39398297 00	.10708837-01
LC(05)	.62106183 00	-.36901637 00	.34958425 00	-.11780315 00	.44724974 00	-.57516232 00	.26231050 00	-.88827868 00	.24731508-01
ITERATION NUMBER 3									
KM	RI(01)	LC(01)	RI(03)	LA(03)	LC(03)	RI(04)	LA(04)	LC(04)	
X	-.36694901 00	-.52435981-01	.60734072 00	-.87414642-01	.46037975-01	.64199737 00	-.22474192 00	-.43584253 00	.58271027 00
Y	-.28550940 00	.23714270 00	.79625024 00	.60952501-01	-.47791531-01	-.37824434 00	-.19668950 00	.52535499 00	-.29410898 00
Z	.47366836-01	.80590364 00	-.75776549 00	.28638135 00	.76838428 00	-.51935648 00	.26220646 00	.73211361-02	.47893415-01
DX	.36644192 00	.32720571 00	.75700194 00	.65802698 00	.11439286 00	.34764441-02	-.55545963-02	.33731216 00	.18442142-02
DY	.19707094 00	.75700194 00	.65802698 00	.11439286 00	.34764441-02	-.55545963-02	.33731216 00	.18442142-02	.47893415-01
DZ	-.11466411 00	.52535499 00	.17290387 00	-.34346803 00	-.21782368 00	.56644378-01	-.22661033 00	-.66640897-01	.93394391-01
KE	-.52588446-01	.11439286 00	.34764441-02	-.55545963-02	.33731216 00	.18442142-02	.47893415-01	.54186570 00	.16116127 00
RE	-.35280598 00	.35280598 00	.14209916-01	-.37667340-01	.32940415-01	-.37908104 00	-.55563944 00	-.89240579-02	.10000000 01
G	.88811699-01	-.55545963-02	.33731216 00	.18442142-02	.47893415-01	.54186570 00	.16116127 00	.10000000 01	-.89240579-02
KM	.10000000 01	.56140207-02	.19390741 00	.75140207-02	.19390741 00	.75140207-02	.19390741 00	.75140207-02	.19390741 00
RI(01)	-.56140207-02	.10000000 01	.56140207-02	.19390741 00	.75140207-02	.19390741 00	.75140207-02	.19390741 00	.75140207-02
LC(01)	.19390741 00	.56140207-02	.10000000 01	.56140207-02	.19390741 00	.75140207-02	.19390741 00	.75140207-02	.19390741 00
RI(03)	.75140207-02	.19390741 00	.56140207-02	.10000000 01	.56140207-02	.19390741 00	.75140207-02	.19390741 00	.75140207-02
LA(03)	.37379118-01	.37205517-02	.21245527-01	.96577984 00	.99999999 00	.72382256-01	-.14748398-01	-.16267305 00	.99999999 00
LC(03)	.47495177 00	.72055177-02	.21245527-01	.96577984 00	.99999999 00	.72382256-01	-.14748398-01	-.16267305 00	.99999999 00
RI(04)	.39314428-01	.15761380 00	.20445129 00	.41608298 00	.81556513-01	.102946024-01	.12857382-01	.63858843-01	.92701181 00
LA(04)	.22830554-01	.18940876-01	.41608298 00	.81556513-01	.102946024-01	.12857382-01	.63858843-01	.92701181 00	.92701181 00
LC(04)	.51551340 00	.44376874-01	.81556513-01	.102946024-01	.12857382-01	.63858843-01	.92701181 00	.92701181 00	.92701181 00
RI(05)	.12837705 00	.46786939 00	.23848317 00	.42663505-01	.25054021-01	.36104337 00	.76848293-01	.93912508-01	.41171490 00
LC(05)	.51626010 00	-.24534961-01	.10226159 00	-.11826192 00	.62489620-01	.95742097 00	-.14083732 00	-.10807816 00	.93428031 00

STATION NUMBER 59 64/07/28 ITERATION NUMBER 3 PASS NUMBER 07/281 PAGE 1									
FREQUENCY 7253.4									
TIME	TC	Q	CC3						
172238	5.59	.87039559 05	.127 01	.0400					
172243	5.59	.90912920 05	.110 01	-.3213					
172248	5.59	.94877226 05	.957 00	.1934					
172253	5.59	.98890349 05	.834 00	-.7500					
172258	5.59	.10290761 06	.734 00	.1865					
172303	5.59	.10688374 06	.652 00	-.1387					

DATA STATISTICS STATION 1 ITERATION 3									
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT	
07/281	CC3	7/28-172238	7/28-172303	5	.198 00	.198 00	-.801-02	.392-01	

STATION		NUMBER 12		64/07/29		ITERATION		NUMBER 3		PASS		NUMBER 07/291	
		FREQUENCY		8300.0									
TIME	TC	Q	CC3										
071132	60	12	.10983475	C6	.113	CC						-.0146	
071232	60	12	.10982933	C6	.111	CC						-.0020	
071332	60	12	.10982397	C6	.108	CC						.0127	
071432	60	12	.10981866	C6	.106	CC						.0098	
071532	60	12	.10981339	C6	.104	CC						.0215	
071632	60	12	.10980818	C6	.103	CC						-.0029	
071732	60	12	.10980303	C6	.101	CC						.0059	
071832	60	12	.10979752	C6	.996	-C1						.0107	
071932	60	12	.10979287	C6	.986	-C1						-.0010	
072032	60	12	.10978786	C6	.972	-C1						.0010	
072132	60	12	.10978291	C6	.962	-C1						.0020	
072232	60	12	.10977802	C6	.952	-C1						.0166	
072332	60	12	.10977317	C6	.945	-C1						-.0029	
072432	60	12	.10976837	C6	.935	-C1						.0088	
072532	60	12	.10976363	C6	.930	-C1						.0020	
072632	60	12	.10975894	C6	.923	-C1						-.0068	
072732	60	12	.10975430	C6	.918	-C1						.0166	
072832	60	12	.10974971	C6	.913	-C1						.0039	
072932	60	12	.10974517	C6	.908	-C1						-.0098	
073032	60	12	.10974069	C6	.903	-C1						.0078	
073132	60	12	.10973626	C6	.898	-C1						.0088	
073232	60	12	.10973188	C6	.896	-C1						-.0107	
073332	60	12	.10972759	C6	.891	-C1						.0195	
073432	60	12	.10972327	C6	.889	-C1						-.0029	
073532	60	12	.10971904	C6	.886	-C1						-.0098	
073632	60	12	.10971487	C6	.884	-C1						.0156	
073732	60	12	.10971074	C6	.881	-C1						.0059	
073832	60	12	.10970667	C6	.879	-C1						-.0068	
073932	60	12	.10970265	C6	.876	-C1						-.0020	
074032	60	12	.10969868	C6	.874	-C1						.0000	
074132	60	12	.10969476	C6	.874	-C1						.0020	
074232	60	12	.10969090	C6	.872	-C1						.0020	
074332	60	12	.10968708	C6	.869	-C1						.0000	
074432	60	12	.10968332	C6	.869	-C1						-.0020	
074532	60	12	.10967961	C6	.867	-C1						.0059	
074632	60	12	.10967594	C6	.867	-C1						.0049	
074732	60	12	.10967233	C6	.864	-C1						-.0010	
074832	60	12	.10966877	C6	.864	-C1						.0088	
074932	60	12	.10966526	C6	.864	-C1						.0010	
075032	60	12	.10966181	C6	.862	-C1						-.0088	
075132	60	12	.10965840	C6	.862	-C1						-.0020	
075232	60	12	.10965504	C6	.862	-C1						-.0127	
075332	60	12	.10965174	C6	.859	-C1						.0088	
075432	60	12	.10964849	C6	.859	-C1						-.0039	
075532	60	12	.10964528	C6	.859	-C1						.0000	
075632	60	12	.10964213	C6	.859	-C1						.0020	
075732	60	12	.10963903	C6	.857	-C1						.0039	
075832	60	12	.10963558	C6	.857	-C1						-.0117	
075932	60	12	.10963298	C6	.857	-C1						.0059	
080032	60	12	.10962903	C6	.857	-C1						-.0098	
080132	60	12	.10962512	C6	.857	-C1						.0068	
080232	60	12	.10962128	C6	.854	-C1						-.0098	
080332	60	12	.10962148	C6	.854	-C1						.0049	
080432	60	12	.10961873	C6	.854	-C1						.0039	
080532	60	12	.10961603	C6	.854	-C1						.0029	
080632	60	12	.10961338	C6	.854	-C1						-.0146	
080732	60	12	.10961078	C6	.854	-C1						.0010	
080832	60	12	.10960823	C6	.854	-C1						-.0010	
080932	60	12	.10960573	C6	.854	-C1						-.0020	
081032	60	12	.10960329	C6	.852	-C1						-.0029	
081132	60	12	.10960089	C6	.852	-C1						.0127	

STATION		NUMBER 12		64/07/29		ITERATION		NUMBER 3		PASS		NUMBER 07/292	
		FREQUENCY		8300.0									
TIME	TC	Q	CC3										
081232	60	12	.10959854	C6	.852	-C1	-.0049						
081332	60	12	.10959624	C6	.852	-C1	-.0234						
081432	60	12	.10959399	C6	.852	-C1	.0117						
081532	60	12	.10959179	C6	.852	-C1	-.0049						
081632	60	12	.10958964	C6	.852	-C1	-.0049						
081732	60	12	.10958754	C6	.852	-C1	-.0137						
081832	60	12	.10958548	C6	.852	-C1	-.0186						
081932	60	12	.10958348	C6	.852	-C1	.0010						
082032	60	12	.10958153	C6	.852	-C1	.0049						
082132	60	12	.10957962	C6	.852	-C1	-.0078						
082232	60	12	.10957777	C6	.852	-C1	-.0020						
082332	60	12	.10957596	C6	.852	-C1	-.0127						
082432	60	12	.10957420	C6	.850	-C1	.0107						
082532	60	12	.10957250	C6	.850	-C1	-.0137						
082632	60	12	.10957084	C6	.850	-C1	-.0039						
082732	60	12	.10956922	C6	.850	-C1	-.0098						
082832	60	12	.10956766	C6	.850	-C1	.0029						
082932	60	12	.10956615	C6	.850	-C1	-.0166						
083032	60	12	.10956468	C6	.850	-C1	.0156						
083132	60	12	.10956327	C6	.850	-C1	-.0166						
083232	60	12	.10956190	C6	.850	-C1	.0020						
083332	60	12	.10956058	C6	.850	-C1	-.0107						
083432	60	12	.10955930	C6	.850	-C1	-.0039						

STATION NUMBER 12		64/07/29		ITERATION NUMBER 1		PASS NUMBER 07/293	
FREQUENCY 8300.0							
TIME	TC	Q	CC3				
084132	60	12	.10955174	06	.116	00	-.0039
084232	60	12	.10955085	06	.116	00	-.0127
084332	60	12	.10955000	06	.116	00	-.0029
084432	60	12	.10954920	06	.116	00	-.0244
084532	60	12	.10954846	06	.116	00	-.0088
084632	60	12	.10954775	06	.116	00	-.0049
084732	60	12	.10954710	06	.116	00	-.0010
084832	60	12	.10954649	06	.116	00	-.0078
084932	60	12	.10954593	06	.116	00	-.0020
085032	60	12	.10954542	06	.116	00	-.0000
085132	60	12	.10954495	06	.116	00	-.0156
085232	60	12	.10954453	06	.116	00	-.0098
085332	60	12	.10954415	06	.116	00	-.0020
085432	60	12	.10954382	06	.116	00	-.0283
085532	60	12	.10954354	06	.116	00	-.0225
085632	60	12	.10954330	06	.116	00	-.0020
085732	60	12	.10954311	06	.116	00	-.0117
085832	60	12	.10954296	06	.116	00	-.0166
085932	60	12	.10954287	06	.116	00	-.0176
090032	60	12	.10954281	06	.116	00	-.0029
090132	60	12	.10954280	06	.116	00	-.0049
090232	60	12	.10954284	06	.116	00	-.0049
090332	60	12	.10954292	06	.116	00	-.0088
090432	60	12	.10954305	06	.116	00	-.0029
090532	60	12	.10954323	06	.116	00	-.0059
090632	60	12	.10954344	06	.116	00	-.0117
090732	60	12	.10954371	06	.116	00	-.0088
090832	60	12	.10954401	06	.116	00	-.0020
090932	60	12	.10954437	06	.116	00	-.0166
091232	60	12	.10954569	06	.117	00	-.0244
091332	60	12	.10954622	06	.117	00	-.0127
091432	60	12	.10954679	06	.117	00	-.0107
091532	60	12	.10954741	06	.117	00	-.0117
091632	60	12	.10954807	06	.117	00	-.0224
091732	60	12	.10954878	06	.117	00	-.0215
091832	60	12	.10954953	06	.117	00	-.0059
091932	60	12	.10955032	06	.117	00	-.0195
092032	60	12	.10955115	06	.117	00	-.0059
092132	60	12	.10955203	06	.117	00	-.0010
092232	60	12	.10955296	06	.117	00	-.0234
092332	60	12	.10955392	06	.117	00	-.0107
092432	60	12	.10955493	06	.117	00	-.0029
092532	60	12	.10955598	06	.117	00	-.0146
092632	60	12	.10955707	06	.117	00	-.0254
092732	60	12	.10955821	06	.117	00	-.0264
092832	60	12	.10955939	06	.117	00	-.0049
092932	60	12	.10956061	06	.117	00	-.0254
093232	60	12	.10956452	06	.117	00	-.0215
093332	60	12	.10956591	06	.117	00	-.0068
093432	60	12	.10956734	06	.117	00	-.0107
093532	60	12	.10956881	06	.117	00	-.0264
093632	60	12	.10957032	06	.117	00	-.0049

093732	60	12	.10957187	06	.117	00	-.0244
093832	60	12	.10957347	06	.117	00	-.0039
093932	60	12	.10957510	06	.117	00	-.0049
094032	60	12	.10957678	06	.117	00	-.0029
094132	60	12	.10957850	06	.117	00	-.0029
094232	60	12	.10958025	06	.117	00	-.0039
094332	60	12	.10958205	06	.117	00	-.0146
094432	60	12	.10958389	06	.118	00	-.0234
094532	60	12	.10958577	06	.118	00	-.0176
094632	60	12	.10958768	06	.118	00	-.0195
094732	60	12	.10958964	06	.118	00	-.0244
094832	60	12	.10959164	06	.118	00	-.0098
094932	60	12	.10959367	06	.118	00	-.0264
095032	60	12	.10959575	06	.118	00	-.0020
095132	60	12	.10959786	06	.118	00	-.0000
095232	60	12	.10960002	06	.118	00	-.0127
095332	60	12	.10960221	06	.118	00	-.0029
095432	60	12	.10960445	06	.118	00	-.0127
095532	60	12	.10960671	06	.118	00	-.0000
095632	60	12	.10960902	06	.118	00	-.0078
095732	60	12	.10961137	06	.118	00	-.0215
095832	60	12	.10961376	06	.118	00	-.0107

DATA STATISTICS			STATION 3			ITERATION 3		
PASS	CATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/291	CC3	7/29-071132	7/29-081132	61	.822-02	.842-02	.181-02	.709-04
07/292	CC3	7/29-081232	7/29-083432	23	.105-01	.112-01	-.399-02	.126-03
07/293	CC3	7/29-084132	7/29-092832	74	.152-01	.144-01	-.230-02	.207-03

## JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 41		64/07/20		ITERATION NUMBER 3		PASS NUMBER 07/201	
FREQUENCY		B169.0					
TIME	TC	Q	CC3				
175332	60	41	.12837663	C6	.850-C1		-.0107
175432	60	41	.12889581	C6	.850-C1		-.0078
175532	60	41	.12926856	C6	.850-C1		-.0283
175632	60	41	.12962240	C6	.850-C1		-.0039
175732	60	41	.12992403	C6	.850-C1		-.0059
175832	60	41	.13017543	C6	.850-C1		-.0166
180432	60	41	.13099978	C6	.852-C1		-.0117
180532	60	41	.13125273	C6	.852-C1		-.0222
180632	60	41	.13108427	C6	.852-C1		-.0078
180732	60	41	.13110242	C6	.852-C1		-.0117
180832	60	41	.13110692	C6	.852-C1		-.0059
180932	60	41	.13109936	C6	.852-C1		-.0156
181032	60	41	.13108112	C6	.852-C1		-.0098
181132	60	41	.13105343	C6	.852-C1		-.0029
181232	60	41	.13101740	C6	.852-C1		-.0029
181332	60	41	.13097398	C6	.852-C1		-.0000
181432	60	41	.13092406	C6	.852-C1		-.0098
181532	60	41	.13086840	C6	.852-C1		-.0020
181632	60	41	.13080769	C6	.852-C1		-.0049
181732	60	41	.13074254	C6	.852-C1		-.0029
181832	60	41	.13067352	C6	.852-C1		-.0156
181932	60	41	.13060109	C6	.852-C1		-.0078
182032	60	41	.13052571	C6	.852-C1		-.0215
182132	60	41	.13044776	C6	.854-C1		-.0020
182232	60	41	.13036760	C6	.854-C1		-.0039
182332	60	41	.13028554	C6	.854-C1		-.0049
182432	60	41	.13020187	C6	.854-C1		-.0010
182532	60	41	.13011682	C6	.854-C1		-.0038
182632	60	41	.13003064	C6	.854-C1		-.0098
182732	60	41	.12994353	C6	.854-C1		-.0068
182832	60	41	.12985566	C6	.854-C1		-.0098
182932	60	41	.12976720	C6	.854-C1		-.0010
183032	60	41	.12967830	C6	.854-C1		-.0020
183132	60	41	.12958202	C6	.854-C1		-.0166
183232	60	41	.12949333	C6	.854-C1		-.0010
183332	60	41	.12940232	C6	.857-C1		-.0107
183732	60	41	.12905315	C6	.857-C1		-.0166
183832	60	41	.12896447	C6	.857-C1		-.0068
183932	60	41	.12887616	C6	.857-C1		-.0078
184032	60	41	.12878824	C6	.857-C1		-.0059
184132	60	41	.12870077	C6	.857-C1		-.0098
184232	60	41	.12861319	C6	.857-C1		-.0049
184332	60	41	.12852733	C6	.857-C1		-.0000
184432	60	41	.12844142	C6	.857-C1		-.0039
184532	60	41	.12835608	C6	.857-C1		-.0010
184632	60	41	.12827134	C6	.857-C1		-.0068
184732	60	41	.12818722	C6	.857-C1		-.0068
184832	60	41	.12810374	C6	.857-C1		-.0078
184932	60	41	.12802091	C6	.859-C1		-.0078
185032	60	41	.12793874	C6	.859-C1		-.0078
185132	60	41	.12785725	C6	.859-C1		-.0010
185232	60	41	.12777644	C6	.859-C1		-.0059
185332	60	41	.12769633	C6	.859-C1		-.0127
185432	60	41	.12761691	C6	.859-C1		-.0039
185532	60	41	.12753820	C6	.859-C1		-.0010
185832	60	41	.12730630	C6	.859-C1		-.0010
185932	60	41	.12723042	C6	.859-C1		-.0059
190032	60	41	.12715525	C6	.862-C1		-.0020
190132	60	41	.12708019	C6	.862-C1		-.0088
190232	60	41	.12700704	C6	.862-C1		-.0039
190332	60	41	.12693399	C6	.862-C1		-.0127
190432	60	41	.12686164	C6	.862-C1		-.0068
190532	60	41	.12678999	C6	.862-C1		-.0059
190632	60	41	.12671903	C6	.862-C1		-.0010
190732	60	41	.12664829	C6	.862-C1		-.0049
191232	60	41	.12630762	C6	.864-C1		-.0010
191332	60	41	.12624138	C6	.864-C1		-.0029
191432	60	41	.12617581	C6	.864-C1		-.0078
191532	60	41	.12611087	C6	.864-C1		-.0078
191632	60	41	.12604658	C6	.864-C1		-.0000
191732	60	41	.12598292	C6	.864-C1		-.0088
191832	60	41	.12591989	C6	.864-C1		-.0107
192132	60	41	.12573455	C6	.864-C1		-.0020
192232	60	41	.12567392	C6	.867-C1		-.0000
192332	60	41	.12561392	C6	.867-C1		-.0088
192432	60	41	.12555452	C6	.867-C1		-.0049
192532	60	41	.12549570	C6	.867-C1		-.0010
192632	60	41	.12543745	C6	.867-C1		-.0049
192932	60	41	.12526610	C6	.867-C1		-.0029
193032	60	41	.12519008	C6	.867-C1		-.0176
193132	60	41	.12515461	C6	.867-C1		-.0039
193232	60	41	.12509968	C6	.869-C1		-.0117
193332	60	41	.12504527	C6	.869-C1		-.0127
193432	60	41	.12499139	C6	.869-C1		-.0215
193532	60	41	.12493802	C6	.869-C1		-.0039
193632	60	41	.12488516	C6	.869-C1		-.0029
193732	60	41	.12483281	C6	.869-C1		-.0098
193832	60	41	.12478095	C6	.869-C1		-.0049
193932	60	41	.12472959	C6	.869-C1		-.0078
194032	60	41	.12467871	C6	.869-C1		-.0029
194132	60	41	.12462831	C6	.872-C1		-.0020
194232	60	41	.12457839	C6	.872-C1		-.0234
194332	60	41	.12452893	C6	.872-C1		-.0010
194432	60	41	.12447994	C6	.872-C1		-.0068
194532	60	41	.12443140	C6	.872-C1		-.0020
194632	60	41	.12438331	C6	.872-C1		-.0029
194732	60	41	.12433567	C6	.872-C1		-.0215
194832	60	41	.12428847	C6	.872-C1		-.0137
194932	60	41	.12424170	C6	.872-C1		-.0176
195032	60	41	.12419536	C6	.874-C1		-.0059
195132	60	41	.12414844	C6	.874-C1		-.0117
195232	60	41	.12410394	C6	.874-C1		-.0039
195332	60	41	.12405886	C6	.874-C1		-.0107
195432	60	41	.12401418	C6	.874-C1		-.0166

STATION NUMBER 41		64/07/28		ITERATION NUMBER 3		PASS NUMBER 07/281	
FREQUENCY 8169.0							
TIME	TC	Q	CC3				
195532	60	41	.12396991	C6	.874-C1		.0078
195632	60	41	.123926C3	C6	.874-C1		-.0146
195732	60	41	.12388255	O6	.874-C1		.0020
195832	60	41	.12383945	C6	.874-C1		-.0029
195932	60	41	.12379674	O6	.876-C1		.0117
200032	60	41	.12375440	C6	.876-C1		-.0049
200132	60	41	.12371244	O6	.876-C1		-.0107
200232	60	41	.12367085	C6	.876-C1		-.0020
200332	60	41	.12362962	O6	.874-C1		-.0088
200432	60	41	.12358876	C6	.876-C1		-.0078
200532	60	41	.12354825	C6	.876-C1		.0029
200632	60	41	.12350809	O6	.876-C1		-.0039
200732	60	41	.12346827	C6	.876-C1		-.0078
200832	60	41	.12342880	C6	.879-C1		.0117
200932	60	41	.12338967	O6	.879-C1		-.0068
201032	60	41	.12335088	O6	.879-C1		-.0107
201132	60	41	.12331241	O6	.879-C1		.0068
201232	60	41	.12327427	C6	.879-C1		-.0020
201332	60	41	.12323645	O6	.879-C1		-.0010
201432	60	41	.12319895	C6	.879-C1		-.0020
201532	60	41	.12316176	O6	.879-C1		-.0156
201632	60	41	.12312489	C6	.881-C1		-.0078
201732	60	41	.12308832	C6	.881-C1		.0078
201832	60	41	.12305206	O6	.881-C1		-.0107
201932	60	41	.12301610	O6	.881-C1		.0039
202032	60	41	.12298043	C6	.881-C1		.0059
202132	60	41	.12294505	O6	.881-C1		-.0010
202232	60	41	.12290996	O6	.881-C1		.0020
202332	60	41	.12287516	O6	.881-C1		-.0127
202432	60	41	.12284064	C6	.881-C1		.0068
202532	60	41	.12280640	O6	.884-C1		-.0020
202632	60	41	.12277244	O6	.884-C1		-.0205
202732	60	41	.12273874	C6	.884-C1		.0078
202832	60	41	.12270532	C6	.884-C1		-.0020
202932	60	41	.12267216	O6	.884-C1		.0068
203032	60	41	.12263926	O6	.884-C1		-.0127
203132	60	41	.12260662	C6	.884-C1		-.0098
203232	60	41	.12257424	C6	.884-C1		.0049
203332	60	41	.12254212	O6	.886-C1		-.0010
203432	60	41	.12251024	O6	.886-C1		-.0244
203532	60	41	.12247861	O6	.886-C1		.0225
203632	60	41	.12244723	C6	.886-C1		-.0098
203732	60	41	.12241608	C6	.886-C1		.0010
203832	60	41	.12238518	O6	.886-C1		-.0117
203932	60	41	.12235451	O6	.886-C1		-.0274
204032	60	41	.12232407	C6	.886-C1		-.0068
204132	60	41	.12229387	C6	.889-C1		-.0020
204232	60	41	.12226389	O6	.889-C1		-.0078
204332	60	41	.12223414	O6	.889-C1		-.0059
204432	60	41	.12220461	C6	.889-C1		-.0088
204532	60	41	.12217520	O6	.889-C1		.0166
204632	60	41	.12214621	C6	.889-C1		-.0078
204732	60	41	.12211733	O6	.889-C1		.0195
204832	60	41	.12208866	C6	.891-C1		.0010
204932	60	41	.12206021	O6	.891-C1		-.0117
205032	60	41	.12203196	O6	.891-C1		.0020
205132	60	41	.12200392	O6	.891-C1		.0117
205232	60	41	.12197608	O6	.891-C1		-.0156
205332	60	41	.12194844	C6	.891-C1		.0059
205432	60	41	.12192100	O6	.891-C1		-.0020
205532	60	41	.12189376	O6	.891-C1		.0088
205632	60	41	.12186671	O6	.894-C1		-.0078
205732	60	41	.12183985	O6	.894-C1		.0029
205832	60	41	.12181318	O6	.894-C1		.0059
205932	60	41	.12178669	C6	.894-C1		.0059
210032	60	41	.12176039	C6	.894-C1		-.0117
FREQUENCY 8510.2							
211132	60	41	.12148798	C6	.898-C1		.0176
211232	60	41	.12145874	O6	.898-C1		-.0137
211332	60	41	.12143467	O6	.898-C1		.0137
211432	60	41	.12141075	O6	.898-C1		.0166
211532	60	41	.12138699	C6	.898-C1		-.0039
211632	60	41	.12136338	O6	.898-C1		.0059
211732	60	41	.12133992	C6	.898-C1		.0127
211832	60	41	.12131661	C6	.901-C1		-.0146
211932	60	41	.12129346	O6	.901-C1		.0088
212032	60	41	.12127028	O6	.901-C1		.0000
212132	60	41	.12124784	C6	.901-C1		.0039
212232	60	41	.12122555	O6	.903-C1		.0186
212332	60	41	.12120339	O6	.903-C1		-.0049
212432	60	41	.12118136	O6	.903-C1		.0029
212532	60	41	.12115947	O6	.903-C1		-.0166
212632	60	41	.12113760	O6	.903-C1		.0088
212732	60	41	.12111584	O6	.903-C1		.0029
212832	60	41	.12109417	O6	.903-C1		-.0088
212932	60	41	.12107260	O6	.903-C1		-.0166
213032	60	41	.12105123	O6	.903-C1		.0088
213132	60	41	.12102998	C6	.903-C1		.0029
213232	60	41	.12100884	O6	.906-C1		.0039
213332	60	41	.12098782	C6	.906-C1		-.0068
213432	60	41	.12096691	O6	.906-C1		.0078
213532	60	41	.12094618	C6	.906-C1		.0146
213632	60	41	.12092562	O6	.906-C1		-.0176
213732	60	41	.12090527	O6	.906-C1		.0107
213832	60	41	.12088505	O6	.906-C1		.0029
FREQUENCY 8470.0							
214132	60	41	.12081845	O6	.908-C1		.0000
214232	60	41	.12079829	O6	.908-C1		.0088
214332	60	41	.12077824	O6	.908-C1		.0039
214432	60	41	.12075831	C6	.908-C1		-.0137
214532	60	41	.12073849	O6	.908-C1		.0088
214632	60	41	.12071878	O6	.911-C1		.0039
214732	60	41	.12069917	O6	.911-C1		.0078

## JPL TECHNICAL REPORT NO. 32-694

STATION		NUMBER	41	64/07/28	ITERATION	NUMBER	3	PASS	NUMBER	07/281
FREQUENCY		8470.0								
TIME		TC	Q	CC3						
214832	60	41		.12067968	C6	.911-C1				.0039
214932	60	41		.12066029	C6	.911-C1				.0117
215032	60	41		.12064100	C6	.911-C1				-.0195
FREQUENCY		8448.0								
230832	60	41		.11937767	C6	.940-C1				-.0078
230932	60	41		.11936370	C6	.942-C1				.0127
231032	60	41		.11934977	C6	.942-C1				-.0029
231132	60	41		.11933587	C6	.942-C1				-.0098
231232	60	41		.11932201	C6	.942-C1				.0186
231332	60	41		.11930819	C6	.942-C1				-.0098
231432	60	41		.11929440	C6	.945-C1				.0107
231532	60	41		.11928065	C6	.945-C1				-.0059
231632	60	41		.11926694	C6	.945-C1				.0273
231732	60	41		.11925326	C6	.945-C1				-.0088
231832	60	41		.11923961	C6	.945-C1				-.0107
231932	60	41		.11922599	C6	.945-C1				.0215
232032	60	41		.11921241	C6	.947-C1				-.0146
232132	60	41		.11919886	C6	.947-C1				.0010
232232	60	41		.11918535	C6	.947-C1				.0186
232332	60	41		.11917186	C6	.947-C1				-.0049
232432	60	41		.11915841	C6	.947-C1				-.0068
232532	60	41		.11914498	C6	.950-C1				-.0156
232632	60	41		.11913159	C6	.950-C1				.0293
232732	60	41		.11911829	C6	.952-C1				-.0107
232832	60	41		.11910504	C6	.952-C1				.0088
232932	60	41		.11909181	C6	.952-C1				.0186
233032	60	41		.11907861	C6	.952-C1				.0020
233132	60	41		.11906544	C6	.952-C1				-.0078
233232	60	41		.11905229	C6	.955-C1				-.0078
233332	60	41		.11899917	C6	.955-C1				-.0039
233432	60	41		.11898607	C6	.955-C1				-.0049
233532	60	41		.11897300	C6	.955-C1				-.0146
233632	60	41		.11895993	C6	.957-C1				-.0156
233732	60	41		.11894686	C6	.957-C1				-.0010
233832	60	41		.11893381	C6	.957-C1				-.0078
233932	60	41		.11892077	C6	.959-C1				.0137
234032	60	41		.11890774	C6	.959-C1				-.0029
234132	60	41		.11889472	C6	.959-C1				-.0078
234232	60	41		.11888172	C6	.959-C1				.0020
234332	60	41		.11886875	C6	.962-C1				-.0078
234432	60	41		.11885579	C6	.962-C1				-.0068
234532	60	41		.11884284	C6	.962-C1				-.0068
234632	60	41		.11882990	C6	.964-C1				-.0049
234732	60	41		.11881697	C6	.964-C1				-.0195
234832	60	41		.11880406	C6	.964-C1				-.0088
234932	60	41		.11879116	C6	.967-C1				-.0146
235032	60	41		.11877827	C6	.967-C1				.0117
235132	60	41		.11876539	C6	.967-C1				-.0117
235232	60	41		.11875252	C6	.969-C1				.0156

235932 60 41 .11870329 C6 .969-C1 -.0059

STATION		NUMBER	41	64/07/29	ITERATION	NUMBER	3	PASS	NUMBER	07/291
FREQUENCY		8448.0								
TIME		TC	Q	CC3						
000032	60	41		.11869064	C6	.969-C1				-.0107
000132	60	41		.11867801	C6	.972-C1				.0039
000232	60	41		.11866539	C6	.972-C1				.0039
000332	60	41		.11865279	C6	.972-C1				-.0059
000432	60	41		.11864020	C6	.974-C1				-.0059
000532	60	41		.11862763	C6	.974-C1				.0020

DATA STATISTICS		STATION 4				ITERATION 3				
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT		
07/281	CC3	7/28-175332	7/28-235932	252	.102-01	.103-01	-.271-03	.105-03		
07/291	CC3	7/29-000032	7/29-000532	6	.603-02	.603-02	-.163-03	.364-04		

STATION NUMBER 51		64/07/29		ITERATION NUMBER 3		PASS NUMBER 07/282	
		FREQUENCY 8424.6					
TIME	TC	Q	CC3				
215332	60	51	11694786	C6	.918-C1	.0059	
215632	60	51	11687403	C6	.918-C1	.0059	
215732	60	51	11684976	C6	.918-C1	.0020	
215832	60	51	11682567	C6	.920-C1	.0098	
220232	60	51	11673100	C6	.920-C1	.0049	
220332	60	51	11670776	C6	.920-C1	.0098	
220432	60	51	11668467	C6	.920-C1	.0088	
220732	60	51	11661641	C6	.922-C1	.0068	
220832	60	51	11659780	C6	.920-C1	.0029	
220932	60	51	11657171	C6	.920-C1	.0068	
221032	60	51	11654960	C6	.923-C1	.0020	
221132	60	51	11652765	C6	.923-C1	.0020	
221232	60	51	11650585	C6	.923-C1	.0137	
221332	60	51	11648421	C6	.923-C1	.0166	
221432	60	51	11646273	C6	.923-C1	.0029	
221532	60	51	11644141	C6	.923-C1	.0088	
221632	60	51	11642023	C6	.923-C1	.0146	
221732	60	51	11639922	C6	.923-C1	.0010	
221832	60	51	11637835	C6	.923-C1	.0000	
221932	60	51	11635763	C6	.925-C1	.0166	
222032	60	51	11633707	C6	.925-C1	.0010	
222132	60	51	11631645	C6	.925-C1	.0146	
222232	60	51	11629638	C6	.925-C1	.0010	
222332	60	51	11627626	C6	.925-C1	.0020	
222432	60	51	11625629	C6	.925-C1	.0068	
222532	60	51	11623646	C6	.925-C1	.0000	
222632	60	51	11621678	C6	.925-C1	.0146	
222732	60	51	11619725	C6	.925-C1	.0176	
222832	60	51	11617786	C6	.928-C1	.0098	
222932	60	51	11615861	C6	.928-C1	.0078	
223032	60	51	11613950	C6	.928-C1	.0166	
223132	60	51	11612048	C6	.928-C1	.0244	
223232	60	51	11610147	C6	.928-C1	.0000	
223332	60	51	11608279	C6	.930-C1	.0117	
223432	60	51	11606466	C6	.930-C1	.0225	
223532	60	51	11599166	C6	.930-C1	.0039	
223632	60	51	11597380	C6	.930-C1	.0010	
223732	60	51	11595607	C6	.930-C1	.0127	
223832	60	51	11593847	C6	.930-C1	.0068	
223932	60	51	11592111	C6	.930-C1	.0020	
224032	60	51	11590368	C6	.930-C1	.0000	
224132	60	51	11588649	C6	.930-C1	.0039	
224232	60	51	11586942	C6	.933-C1	.0146	
224332	60	51	11585248	C6	.933-C1	.0010	
224432	60	51	11583567	C6	.933-C1	.0088	
224532	60	51	11581900	C6	.933-C1	.0039	
224632	60	51	11580244	C6	.933-C1	.0039	
224732	60	51	11578602	C6	.933-C1	.0098	
224832	60	51	11576973	C6	.933-C1	.0059	
224932	60	51	11575356	C6	.933-C1	.0088	
225032	60	51	11573751	C6	.935-C1	.0039	
225132	60	51	11572159	C6	.935-C1	.0107	
225232	60	51	11570580	C6	.935-C1	.0186	
225332	60	51	11568913	C6	.935-C1	.0059	
225432	60	51	11567258	C6	.935-C1	.0059	
230032	60	51	11562866	C6	.935-C1	.0039	
230132	60	51	11561360	C6	.938-C1	.0010	
230232	60	51	11559865	C6	.938-C1	.0117	
230332	60	51	11558383	C6	.938-C1	.0039	
230432	60	51	11556912	C6	.938-C1	.0088	
FREQUENCY 8391.6							
64/07/29							
001132	60	51	11482482	C6	.959-C1	.0068	
001232	60	51	11481692	C6	.959-C1	.0020	
001332	60	51	11480909	C6	.959-C1	.0049	
001432	60	51	11478612	C6	.959-C1	.0068	
001732	60	51	11477863	C6	.959-C1	.0020	
001832	60	51	11477122	C6	.962-C1	.0137	
001932	60	51	11476389	C6	.962-C1	.0049	
002032	60	51	11475664	C6	.962-C1	.0039	
002132	60	51	11474947	C6	.962-C1	.0010	
002232	60	51	11474238	C6	.962-C1	.0068	
002332	60	51	11473536	C6	.962-C1	.0020	
002432	60	51	11472843	C6	.962-C1	.0010	
002532	60	51	11472158	C6	.964-C1	.0059	
002632	60	51	11471480	C6	.964-C1	.0176	
002732	60	51	11470810	C6	.964-C1	.0146	
002832	60	51	11470148	C6	.964-C1	.0020	
002932	60	51	11469493	C6	.964-C1	.0000	
003032	60	51	11468846	C6	.964-C1	.0000	
003132	60	51	11468207	C6	.964-C1	.0059	
003232	60	51	11467575	C6	.967-C1	.0039	
003332	60	51	11466951	C6	.967-C1	.0049	
003432	60	51	11466334	C6	.967-C1	.0059	
003532	60	51	11465725	C6	.967-C1	.0176	
003632	60	51	11465123	C6	.967-C1	.0029	
003732	60	51	11464528	C6	.967-C1	.0166	
003832	60	51	11463941	C6	.967-C1	.0225	
003932	60	51	11463361	C6	.967-C1	.0088	
004032	60	51	11462788	C6	.969-C1	.0029	
004132	60	51	11462222	C6	.969-C1	.0098	
004232	60	51	11461644	C6	.969-C1	.0205	
004332	60	51	11461112	C6	.969-C1	.0059	
004432	60	51	11460568	C6	.969-C1	.0049	
004532	60	51	11460030	C6	.969-C1	.0127	
004632	60	51	11459500	C6	.969-C1	.0176	
004732	60	51	11458976	C6	.972-C1	.0020	
004832	60	51	11458460	C6	.972-C1	.0020	
004932	60	51	11457950	C6	.972-C1	.0010	
005032	60	51	11457447	C6	.972-C1	.0107	
005132	60	51	11456951	C6	.972-C1	.0107	
005232	60	51	11456462	C6	.972-C1	.0010	
005332	60	51	11455979	C6	.972-C1	.0098	

STATION		NUMBER		64/07/29		ITERATION		NUMBER		3		PASS		NUMBER		07/282															
FREQUENCY 8391.6																															
TIME	YC	C	CC3																												
005432	60	51	11455503	C6	.974	-C1											.0029														
005532	60	51	11455034	C6	.974	-C1											-.0029														
005632	60	51	11454571	C6	.974	-C1											-.0088														
005732	60	51	11454114	C6	.974	-C1											.0025														
005832	60	51	11453665	C6	.974	-C1											-.0156														
005932	60	51	11453221	C6	.974	-C1											-.0010														
010032	60	51	11452785	C6	.974	-C1											-.0137														
010132	60	51	11452354	C6	.977	-C1											.0254														
010232	60	51	11451930	C6	.977	-C1											-.0010														
010332	60	51	11451512	C6	.977	-C1											-.0068														
010432	60	51	11451101	C6	.977	-C1											-.0088														
010532	60	51	11450695	C6	.977	-C1											-.0059														
010632	60	51	11450296	C6	.977	-C1											.0186														
010732	60	51	11449903	C6	.977	-C1											-.0020														
010832	60	51	11449517	C6	.977	-C1											-.0176														
010932	60	51	11449136	C6	.979	-C1											.0059														
011032	60	51	11448761	C6	.979	-C1											.0020														
011132	60	51	11448393	C6	.979	-C1											-.0117														
011232	60	51	11448030	C6	.979	-C1											.0156														
011332	60	51	11447673	C6	.979	-C1											-.0010														
011432	60	51	11447323	C6	.979	-C1											.0068														
011532	60	51	11446977	C6	.979	-C1											-.0088														
011632	60	51	11446638	C6	.981	-C1											-.0010														
011732	60	51	11446305	C6	.981	-C1											-.0010														
011832	60	51	11445978	C6	.981	-C1											.0078														
011932	60	51	11445656	C6	.981	-C1											-.0068														
012032	60	51	11445339	C6	.981	-C1											.0049														
012132	60	51	11445029	C6	.981	-C1											.0107														
012232	60	51	11444724	C6	.981	-C1											-.0068														
012332	60	51	11444424	C6	.984	-C1											-.0127														
012432	60	51	11444121	C6	.984	-C1											.0098														
012532	60	51	11443842	C6	.984	-C1											.0107														
012632	60	51	11443559	C6	.984	-C1											-.0107														
012732	60	51	11443282	C6	.984	-C1											-.0020														
012832	60	51	11443010	C6	.984	-C1											.0029														
012932	60	51	11442743	C6	.984	-C1											.0039														
013032	60	51	11442481	C6	.986	-C1											.0022														
013132	60	51	11442225	C6	.986	-C1											-.0029														
013232	60	51	11441974	C6	.986	-C1											.0068														
013332	60	51	11441728	C6	.986	-C1											-.0022														
013432	60	51	11441488	C6	.986	-C1											-.0137														
013532	60	51	11441253	C6	.986	-C1											.0078														
013632	60	51	11441022	C6	.986	-C1											-.0058														
013732	60	51	11440797	C6	.989	-C1											-.0029														
013832	60	51	11440576	C6	.989	-C1											.0010														
013932	60	51	11440361	C6	.989	-C1											-.0127														
014032	60	51	11440151	C6	.989	-C1											.0078														
014132	60	51	11439945	C6	.989	-C1											.0107														
014232	60	51	11439742	C6	.989	-C1											-.0156														
014332	60	51	11439549	C6	.989	-C1											.0078														
014432	60	51	11439358	C6	.991	-C1											-.0166														
014532	60	51	11439172	C6	.991	-C1											-.0049														
014632	60	51	11438991	C6	.991	-C1											.0088														
014732	60	51	11438814	C6	.991	-C1											.0088														
014832	60	51	11438642	C6	.991	-C1											-.0205														
014932	60	51	11438475	C6	.991	-C1											.0215														
015032	60	51	11438312	C6	.991	-C1											-.0176														
015132	60	51	11438153	C6	.994	-C1											-.0176														
015232	60	51	11437992	C6	.994	-C1											-.0098														
015332	60	51	11437830	C6	.994	-C1											.0234														
015432	60	51	11437670	C6	.996	-C1											-.0205														
015532	60	51	11437507	C6	.996	-C1											.0098														
020032	60	51	11436928	C6	.996	-C1											-.0010														
020132	60	51	11436814	C6	.996	-C1											-.005														
020232	60	51	11436704	C6	.996	-C1											.0146														
020332	60	51	11436597	C6	.996	-C1											-.0215														
020432	60	51	11436495	C6	.999	-C1											.0156														
020532	60	51	11436397	C6	.999	-C1											.0127														
020632	60	51	11436303	C6	.999	-C1											-.0127														
020732	60	51	11436213	C6	.999	-C1											.0049														
020832	60	51	11436127	C6	.999	-C1											-.0010														
020932	60	51	11436045	C6	.999	-C1											.0029														
021032	60	51	11435966	C6	.999	-C1											.0029														
021132	60	51	11435892	C6	.100	CC											.0127														
021232	60	51	11435821	C6	.100	CC											.0010														
021332	60	51	11435755	C6	.100	CC											-.0137														
021432	60	51	11435692	C6	.100	CC											.0010														
021532	60	51	11435632	C6	.100	CC											.0254														
021632	60	51	11435577	C6	.100	CC											-.0020														
021732	60	51	11435525	C6	.100	CC											-.0176														
021832	60	51	11435477	C6	.100	CC											-.0010														
021932	60	51	11435432	C6	.100	CC											-.0039														
022032	60	51	11435391	C6	.100	CC											.0059														
022132	60	51	11435353	C6	.100	CC											-.0010														
022232	60	51	11435319	C6	.100	CC											.0059														
022332	60	51	11435289	C6	.100	CC											.0117														
022432	60	51	11435262	C6	.100	CC											-.0166														
022532	60	51	11435238	C6	.101	CC											-.0117														
022632	60	51	11435217	C6	.101	CC											.0078														
022732	60	51	11435200	C6	.101	CC											-.0137														
022832	60	51	11435187	C6	.101	CC											.0166														
022932	60	51	11435176	C6	.101	CC											-.0107														
023032	60	51	11435169	C6	.101	CC											-.0049														
023132	60	51	11435165	C6	.101	CC											.0029														
023232	60	51	11435164	C6	.101	CC											-.0049														
023332	60	51	11435166	C6	.101	CC											.0059														
023432	60	51	11435171	C6	.101	CC											.0029														
023532	60	51	11435180	C6	.101	CC											.0029														
023632	60	51	11435191	C6	.101	CC											-.0117														
023732	60	51	11435205	C6	.101	CC											.0117														
023832	60	51	11435223	C6	.101	CC											-.0127														
023932	60	51	11435243	C6	.101	CC											.0176														
024032	60	51	11435266	C6																											



STATION	NUMBER	51	6470729	ITERATION	NUMBER	3	PASS	NUMBER	07/202
FREQUENCY 8391.6									
TIME	TC	Q	CC3						
024232	60	51	.11435321	C6	.101	CC		.0186	
024332	60	51	.11435353	C6	.101	CC		.0020	
024432	60	51	.11435388	C6	.101	CC		-.0107	
024532	60	51	.11435425	C6	.101	CC		.0010	
024632	60	51	.11435465	C6	.101	CC		.0000	
024732	60	51	.11435507	C6	.101	CC		.0078	
024832	60	51	.11435553	C6	.101	CC		.0049	
024932	60	51	.11435601	C6	.101	CC		-.0068	
025032	60	51	.11435651	C6	.101	CC		.0049	
025132	60	51	.11435704	C6	.102	CC		.0078	
025232	60	51	.11435760	C6	.102	CC		-.0146	
025332	60	51	.11435818	C6	.102	CC		.0049	
025432	60	51	.11435878	C6	.102	CC		.0000	
025532	60	51	.11435941	C6	.102	CC		.0039	
025632	60	51	.11436006	C6	.102	CC		.0010	
025732	60	51	.11436074	C6	.102	CC		.0078	
025832	60	51	.11436144	C6	.102	CC		-.0038	
025932	60	51	.11436216	C6	.102	CC		.0010	
030032	60	51	.11436291	C6	.102	CC		.0059	
030132	60	51	.11436368	C6	.103	CC		.0039	
030232	60	51	.11436447	C6	.102	CC		.0146	
030332	60	51	.11436528	C6	.102	CC		.0029	
030432	60	51	.11436611	C6	.102	CC		.0029	
030532	60	51	.11436697	C6	.102	CC		.0146	
030632	60	51	.11436784	C6	.102	CC		-.0039	
030732	60	51	.11436874	C6	.102	CC		-.0049	
030832	60	51	.11436965	C6	.102	CC		.0127	
030932	60	51	.11437059	C6	.102	CC		-.0068	
031032	60	51	.11437154	C6	.102	CC		.0059	
031132	60	51	.11437252	C6	.102	CC		.0146	
031232	60	51	.11437351	C6	.102	CC		.0049	
031332	60	51	.11437452	C6	.102	CC		-.0178	
031432	60	51	.11437555	C6	.102	CC		.0117	
031532	60	51	.11437660	C6	.102	CC		-.0029	
031632	60	51	.11437767	C6	.102	CC		-.0029	
031732	60	51	.11437875	C6	.103	CC		.0146	
031832	60	51	.11437985	C6	.103	CC		-.0029	
031932	60	51	.11438097	C6	.103	CC		-.0049	
032032	60	51	.11438210	C6	.103	CC		.0127	
032132	60	51	.11438325	C6	.103	CC		-.0215	
032232	60	51	.11438442	C6	.103	CC		.0117	
032332	60	51	.11438560	C6	.103	CC		-.0029	
032432	60	51	.11438680	C6	.103	CC		.0000	
032532	60	51	.11438801	C6	.103	CC		.0059	
032632	60	51	.11438924	C6	.103	CC		-.0059	
032732	60	51	.11439048	C6	.103	CC		.0029	
032832	60	51	.11439173	C6	.103	CC		-.0020	
032932	60	51	.11439300	C6	.103	CC		-.0039	
033032	60	51	.11439428	C6	.103	CC		-.0029	
033132	60	51	.11439558	C6	.103	CC		.0176	
033232	60	51	.11439689	C6	.103	CC		-.0078	
033332	60	51	.11439821	C6	.103	CC		.0029	
033432	60	51	.11439955	C6	.103	CC		.0029	
033532	60	51	.11440089	C6	.103	CC		.0059	
033632	60	51	.11440225	C6	.103	CC		.0156	
033732	60	51	.11440362	C6	.103	CC		-.0039	
033832	60	51	.11440500	C6	.103	CC		.0156	
033932	60	51	.11440639	C6	.103	CC		.0078	
034032	60	51	.11440779	C6	.103	CC		.0029	
034132	60	51	.11440921	C6	.103	CC		-.0068	
034232	60	51	.11441063	C6	.104	CC		.0039	
034332	60	51	.11441206	C6	.104	CC		.0215	
034432	60	51	.11441350	C6	.104	CC		-.0029	
034532	60	51	.11441495	C6	.104	CC		.0127	
034632	60	51	.11441641	C6	.104	CC		.0222	
034732	60	51	.11441788	C6	.104	CC		.0010	
034832	60	51	.11441936	C6	.104	CC		.0244	
034932	60	51	.11442084	C6	.104	CC		-.0107	
035032	60	51	.11442233	C6	.104	CC		-.0029	
035132	60	51	.11442384	C6	.104	CC		.0137	
035232	60	51	.11442534	C6	.104	CC		.0059	
035332	60	51	.11442686	C6	.104	CC		.0078	
035432	60	51	.11442838	C6	.104	CC		.0039	
035532	60	51	.11442991	C6	.104	CC		.0098	
035632	60	51	.11443144	C6	.104	CC		-.0078	
035732	60	51	.11443298	C6	.104	CC		.0205	
035832	60	51	.11443453	C6	.104	CC		-.0068	
040032	60	51	.11443607	C6	.104	CC		-.0029	
040132	60	51	.11443762	C6	.104	CC		.0117	
040232	60	51	.11443918	C6	.104	CC		.0049	
040332	60	51	.11444074	C6	.104	CC		.0127	
040432	60	51	.11444230	C6	.104	CC		.0000	
040532	60	51	.11444386	C6	.104	CC		.0010	
040632	60	51	.11444542	C6	.104	CC		-.0020	
040732	60	51	.11444698	C6	.104	CC		.0117	
040832	60	51	.11444854	C6	.104	CC		-.0127	
040932	60	51	.11445010	C6	.104	CC		.0127	
041032	60	51	.11445166	C6	.104	CC		-.0146	
041132	60	51	.11445322	C6	.105	CC		.0059	
041232	60	51	.11445478	C6	.105	CC		.0098	
041332	60	51	.11445634	C6	.105	CC		-.0049	
041432	60	51	.11445790	C6	.105	CC		.0049	
041532	60	51	.11445946	C6	.105	CC		-.0029	
041632	60	51	.11446102	C6	.105	CC		-.0020	
041732	60	51	.11446258	C6	.105	CC		.0156	
041832	60	51	.11446414	C6	.105	CC		.0010	
041932	60	51	.11446570	C6	.105	CC		.0020	
042032	60	51	.11446726	C6	.105	CC		.0039	
042132	60	51	.11446882	C6	.105	CC		.0068	
042232	60	51	.11447038	C6	.105	CC		-.0186	
042332	60	51	.11447194	C6	.105	CC		.0098	
042432	60	51	.11447350	C6	.105	CC		.0078	
042532	60	51	.11447506	C6	.105	CC		-.0254	
042632	60	51	.11447662	C6	.106	CC		.0068	

STATION		NUMBER	51	64/07/29	ITERATION	NUMBER	3	PASS	NUMBER	07/282
FREQUENCY		8391.6								
TIME	TC	Q	CC3							
044632	60	51	11450998	06	106	CC	-0059			
044732	60	51	11451147	06	106	CC	-0049			
044832	60	51	11451296	06	106	CC	-0078			
044932	60	51	11451444	06	106	CC	-0127			
045032	60	51	11451591	06	106	CC	-0018			
045132	60	51	11451737	06	106	CC	-0059			
045232	60	51	11451883	06	106	CC	-0059			
045332	60	51	11452014	06	106	CC	-0088			
045432	60	51	11452144	06	106	CC	-0107			
045532	60	51	11452297	06	106	CC	-0117			
045632	60	51	11452456	06	106	CC	-0059			
045732	60	51	11452597	06	106	CC	-0059			
045832	60	51	11452737	06	106	CC	-0059			
045932	60	51	11452876	06	106	CC	-0059			
050032	60	51	11453014	06	106	CC	-0049			
050132	60	51	11453151	06	107	CC	-0020			
050232	60	51	11453287	06	107	CC	-0088			
050332	60	51	11453422	06	107	CC	-0254			
050432	60	51	11453556	06	107	CC	-0127			
050532	60	51	11453689	06	107	CC	-0098			
050632	60	51	11453820	06	107	CC	-0127			
050732	60	51	11453951	06	107	CC	-0068			
050832	60	51	11454080	06	107	CC	-0020			
050932	60	51	11454208	06	107	CC	-0186			
051032	60	51	11454355	06	107	CC	-0029			
051132	60	51	11454478	06	107	CC	-0068			
051232	60	51	11454609	06	107	CC	-0078			
051332	60	51	11454753	06	107	CC	-0010			
051432	60	51	11454891	06	107	CC	-0029			
051532	60	51	11455032	06	107	CC	-0205			
051632	60	51	11455174	06	108	CC	-0068			
051732	60	51	11455319	06	108	CC	-0020			
051832	60	51	11455464	06	108	CC	-0127			
051932	60	51	11455605	06	108	CC	-0059			
052032	60	51	11455748	06	108	CC	-0078			
052132	60	51	11455891	06	108	CC	-0020			
052232	60	51	11456032	06	108	CC	-0068			
052332	60	51	11456174	06	108	CC	-0020			
052432	60	51	11456319	06	108	CC	-0127			
052532	60	51	11456464	06	108	CC	-0059			
052632	60	51	11456605	06	108	CC	-0078			
052732	60	51	11456748	06	108	CC	-0020			
052832	60	51	11456891	06	108	CC	-0068			
052932	60	51	11457032	06	108	CC	-0020			
053032	60	51	11457174	06	108	CC	-0127			
053132	60	51	11457319	06	108	CC	-0059			
053232	60	51	11457464	06	108	CC	-0078			
053332	60	51	11457605	06	108	CC	-0020			
053432	60	51	11457748	06	108	CC	-0068			
053532	60	51	11457891	06	108	CC	-0020			
053632	60	51	11458032	06	108	CC	-0127			
053732	60	51	11458174	06	108	CC	-0059			
053832	60	51	11458319	06	108	CC	-0078			
053932	60	51	11458464	06	108	CC	-0020			
054032	60	51	11458605	06	108	CC	-0068			
054132	60	51	11458748	06	108	CC	-0020			
054232	60	51	11458891	06	108	CC	-0127			
054332	60	51	11459032	06	108	CC	-0059			
054432	60	51	11459174	06	108	CC	-0078			
054532	60	51	11459319	06	108	CC	-0020			
054632	60	51	11459464	06	108	CC	-0068			
054732	60	51	11459605	06	108	CC	-0020			
054832	60	51	11459748	06	108	CC	-0127			
054932	60	51	11459891	06	108	CC	-0059			
055032	60	51	11460032	06	108	CC	-0078			
055132	60	51	11460174	06	108	CC	-0020			
055232	60	51	11460319	06	108	CC	-0068			
055332	60	51	11460464	06	108	CC	-0020			
055432	60	51	11460605	06	108	CC	-0127			
055532	60	51	11460748	06	108	CC	-0059			
055632	60	51	11460891	06	108	CC	-0078			
055732	60	51	11461032	06	108	CC	-0020			
055832	60	51	11461174	06	108	CC	-0068			
055932	60	51	11461319	06	108	CC	-0020			
056032	60	51	11461464	06	108	CC	-0127			
056132	60	51	11461605	06	108	CC	-0059			
056232	60	51	11461748	06	108	CC	-0078			
056332	60	51	11461891	06	108	CC	-0020			
056432	60	51	11462032	06	108	CC	-0068			
056532	60	51	11462174	06	108	CC	-0020			
056632	60	51	11462319	06	108	CC	-0127			
056732	60	51	11462464	06	108	CC	-0059			
056832	60	51	11462605	06	108	CC	-0078			
056932	60	51	11462748	06	108	CC	-0020			
057032	60	51	11462891	06	108	CC	-0068			
057132	60	51	11463032	06	108	CC	-0020			
057232	60	51	11463174	06	108	CC	-0127			
057332	60	51	11463319	06	108	CC	-0059			
057432	60	51	11463464	06	108	CC	-0078			
057532	60	51	11463605	06	108	CC	-0020			
057632	60	51	11463748	06	108	CC	-0068			
057732	60	51	11463891	06	108	CC	-0020			
057832	60	51	11464032	06	108	CC	-0127			
057932	60	51	11464174	06	108	CC	-0059			
058032	60	51	11464319	06	108	CC	-0078			
058132	60	51	11464464	06	108	CC	-0020			
058232	60	51	11464605	06	108	CC	-0068			
058332	60	51	11464748	06	108	CC	-0020			
058432	60	51	11464891	06	108	CC	-0127			
058532	60	51	11465032	06	108	CC	-0059			
058632	60	51	11465174	06	108	CC	-0078			
058732	60	51	11465319	06	108	CC	-0020			
058832	60	51	11465464	06	108	CC	-0068			
058932	60	51	11465605	06	108	CC	-0020			
059032	60	51	11465748	06	108	CC	-0127			
059132	60	51	11465891	06	108	CC	-0059			
059232	60	51	11466032	06	108	CC	-0078			
059332	60	51	11466174	06	108	CC	-0020			
059432	60	51	11466319	06	108	CC	-0068			
059532	60	51	11466464	06	108	CC	-0020			
059632	60	51	11466605	06	108	CC	-0127			
059732	60	51	11466748	06	108	CC	-0059			
059832	60	51	11466891	06	108	CC	-0078			
059932	60	51	11467032	06	108	CC	-0020			
060032	60	51	11467174	06	108	CC	-0068			
060132	60	51	11467319	06	108	CC	-0020			
060232	60	51	11467464	06	108	CC	-0127			
060332	60	51	11467605	06	108	CC	-0059			
060432	60	51	11467748	06	108	CC	-0078			
060532	60	51	11467891	06	108	CC	-0020			
060632	60	51	11468032	06	108	CC	-0068			
060732	60	51	11468174	06	108	CC	-0020			
060832	60	51	11468319	06	108	CC	-0127			
060932	60	51	11468464	06	108	CC	-0059			
061032	60	51	11468605	06	108	CC	-0078			
061132	60	51	11468748	06	108	CC	-0020			
061232	60	51	11468891	06	108	CC	-0068			
061332	60	51	11469032	06	108	CC	-0020			
061432	60	51	11469174	06	108	CC	-0127			
061532	60	51	11469319	06	108	CC	-0059			
061632	60	51	11469464	06	108	CC	-0078			
061732	60	51	11469605	06	108	CC	-0020			
061832	60	51	11469748	06	108	CC	-0068			
061932	60	51	11469891	06	108	CC	-0020			
062032	60	51	11470032	06	108	CC	-0127			
062132	60	51	11470174	06	108	CC	-0059			
062232	60	51	11470319	06	108	CC	-0078			
062332	60	51	11470464	06	108	CC	-0020			
062432	60	51	11470605	06	108	CC	-0068			
062532	60	51	11470748	06	108	CC	-0020			
062632	60	51	11470891	06	108	CC	-0127			
062732	60	51	11471032	06	108	CC	-0059			
062832	60	51	11471174	06	108	CC	-0078			
062932	60	51	11471319	06	108	CC	-0020			
063032	60	51	11471464	06	108	CC	-0068			
063132	60	51	11471605	06	108	CC	-0020			
063232	60	51	11471748	06	108	CC	-0127			
063332	60	51	11471891	06	108	CC	-0059			
063432	60	51	11472032	06	108	CC	-0078			
063532	60	51	11472174	06	108	CC	-0020			
063632	60	51	11472319	06	108	CC	-0068			
063732	60	51	11472464	06	108	CC	-0020			
063832	60	51	11472605	06	108	CC	-0127			
063932	60	51	11472748	06	108	CC	-0059			
064032	60	51	11472891	06	108	CC	-0078			
064132	60	51	11473032	06	108	CC	-0020			
064232	60	51	11473174	06	108	CC	-0068			
064332	60	51	11473319	06	108	CC	-0020			
064432	60	51	11473464	06	108	CC	-0127			
064532	60	51	11473605	06	108	CC	-0059			
064632	60	51	11473748	06	108	CC	-0078			
064732	60	51	11473891	06	108	CC	-0020			
064832	60	51	11474032	06	108	CC	-0068			
064932	60	51	11474174	06	108	CC	-0020			

STATION	NUMBER	51	64/07/29	ITERATION	NUMBER	3	PASS	NUMBER	07/282
FREQUENCY 8391.6									
TIME	YC	Q	C63						
065032	60	51	.11457414	06	.111	00	.0098		
065132	60	51	.11457319	06	.111	00	.0088		
065232	60	51	.11457221	06	.112	00	-.0117		
065332	60	51	.11457120	06	.112	00	.0137		
065432	60	51	.11457016	06	.112	00	.0039		
065532	60	51	.11456909	06	.112	00	.0078		
065632	60	51	.11456792	06	.112	00	.0088		
065732	60	51	.11456686	06	.112	00	.0059		
065832	60	51	.11456570	06	.112	00	.0166		
065932	60	51	.11456451	06	.112	00	-.0059		
070232	60	51	.11456374	06	.112	00	.0078		
070332	60	51	.11455942	06	.112	00	-.0088		
070432	60	51	.11455808	06	.112	00	.0058		
070532	60	51	.11455670	06	.112	00	-.0137		
070632	60	51	.11455528	06	.112	00	.0156		

DATA STATISTICS			STATION 5			ITERATION 3			
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT	
07/282	CC3	7/28-215332	7/29-070632	428	.102-01	.106-01	.255-02	.111-03	

## CASE 1 SPACE TRAJECTORIES

EPHEMERIS TAPE IV WITH MARS VELOCITIES. B-R IS																	
GPE	.39860146	06	J	.16234500	-02	H	-.57499999	-05	D	.78749999	-05	RE	.63781650	04	REM	.63783100	04
G	.86709908	-19	A	.88782427	29	B	.88800499	29	C	.88837498	29	DME	.41780741	-02	AU	.14955900	09
GMH	.49024957	04	GMS	.13271544	12	GMV	.32476952	06	GMA	.42977799	05	GMC	.37918700	08	GMJ	.12671062	09
EGM	.39860320	06	EGM	.49027779	04	JA	.29200000	-02	HA	.00000000	00	DA	.00000000	00	RA	.34170800	04
ARA	.35670000	01	GB	.38294392	00	MAS	.37410000	03	GB1	.00000000	00	GB2	.00000000	00	SC	.10200000	09
INJECTION CONDITIONS MOON 235666450257202000000000 J.D.= 2438605.22217592 JULY 28,1964 17 19 56.000																	
GEOCENTRIC XC-.48336123 04 YC-.42062479 04 ZC-.14413998 04 DXC .70601073 01 DYD-.68712135 01 DZD-.47797462 01																	
CARTESIAN XC .00000000 00 YC .00000000 00 ZC .00000000 00 DXC .20638174 03 DYD .30568662 03																	
DATE OF RUN 111764A 000000 EARTH IS THE CENTRAL BODY FOR INTEGRATION COWELL EQUATIONS OF MOTION																	
G DAYS G HRS. G MIN. G.000 SEC. 235666450257202000000000 J.D.= 2438605.22217592 JULY 28,1964 17 19 56.000																	
GEOCENTRIC EQUATORIAL COORDINATES																	
X	-.48336122	04	Y	-.42062477	04	Z	-.14413998	04	DX	.70601070	01	DY	-.68712133	01	DZ	-.47797460	01
R	.65676448	04	DEC	-.12677893	02	RA	.22103005	03	V	.10950098	02	PTH	.13272056	01	AZ	.11625194	03
R	.65676448	04	LAT	-.12677893	02	LOH	.14648313	02	VE	.10533192	02	PTE	.13797477	01	AZE	.11737453	03
XS	-.88492690	08	YS	-.11325740	09	ZS	.49113300	08	DXS	-.23722515	02	DYS	-.15814255	02	DZS	-.68579680	01
XH	.38246584	06	YH	-.30198953	05	ZH	-.50845670	05	DXH	-.82773604	-01	DYH	.93298925	00	DZH	.39361317	00
XT	.38246584	06	YT	-.30198953	05	ZT	-.50845670	05	DXT	.82773604	-01	DYT	.93298925	00	DZT	.39361317	00
RS	.15188914	09	VS	-.29323712	02	RH	.38701081	06	VH	.10159979	01	RAH	.38701081	06	YH	.10159979	01
GED	-.12761470	02	ALT	.19047845	03	LOS	.28162025	03	RAS	.12880198	03	RAM	.35548337	03	LOM	.14910364	03
DUT	.35000000	02	DT	.37500000	01	DR	.25362675	00	SHA	.65203972	04	DES	.18865618	02	DEM	-.75493738	01
DAC	.00000000	00	CCL	-.81704570	02	MCL	.18380598	03	TCL	.18380598	03						
GEOCENTRIC CONIC 235666450247202760427060 J.D.= 2438605.22185045 JULY 28,1964 17 19 27.879																	
EPOCH OF PERICENTER PASSAGE SMA .26955792 06 ECC .97564873 00 B .59124535 05 SLR .12968311 05 APO .53255177 06 RCA .65640773 04																	
WH .13500483 00 C3 -.14787228 01 C1 .71897063 05 TFP .28120741 02 TF -.78113170 -02 PER .23213323 05																	
TA .26875478 01 MTA .00000000 00 EA .29842718 00 MA .72684311 -02 CSJ -.18712397 01 TFI .00000000 00																	
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE																	
X	-.48336122	04	Y	-.42062477	04	Z	-.14413998	04	DX	.70601070	01	DY	-.68712133	01	DZ	-.47797460	01
IAC	.28955996	02	LAN	.17040849	02	APF	.20426939	03	MX	.66197710	00	MY	-.61283270	00	MZ	-.43153496	00
MX	.14187827	03	MY	-.46288225	00	MZ	.87499177	00	PX	.76620355	00	PY	-.61101016	00	PZ	-.19299402	00
QX	.62673964	00	QY	-.64218887	00	QZ	-.44135109	00	RX	.15558145	00	RY	.12406666	00	RZ	-.98000066	00
DX	-.62673967	00	BY	.64218890	00	BZ	.44135111	00	TX	.62347934	00	TY	.78183983	00	TZ	.00000000	00
DAP	-.11478139	02	RAP	.21857066	03												
BTQ	.52789228	05	BRQ	-.26627203	05	B	.59124535	05	THA	.33323335	03						
HELICENTRIC EQUATORIAL COORDINATES																	
X	.88487856	08	Y	-.11326160	09	Z	-.49114741	08	DX	.30782622	02	DY	-.89430414	01	DZ	-.20782219	01
R	.15188914	09	LAT	-.18866090	02	LOH	.30799943	03	V	.32122684	02	PTH	.19253930	02	AZ	.78943384	02
XE	.88492690	08	YE	-.11325740	09	ZE	-.49113300	08	DXE	.23722515	02	DYE	.15814255	02	DZE	.68579680	01
XT	.88492690	08	YT	-.11325740	09	ZT	-.49114741	08	DXT	.23722515	02	DYT	.15814255	02	DZT	.68579680	01
LTE	-.18865618	02	LUQ	.30800198	03	LTT	-.18852131	02	LOT	.30811451	03	RST	.15215119	09	VST	.29955789	02
EPS	.83120780	02	ESP	.27453512	-18	SEP	.96876758	02	EPH	.48837777	02	EMP	.73198500	00	MEP	.13043019	03
MPS	.13183428	03	MSP	.10992114	00	SMP	.48055927	02	SEM	.13256592	03	EMS	.47326738	02	ESM	.10698838	00
RFM	.39130200	06	SPN	.69231634	01												
SAC	.58299142	-10															
GCE	.27829543	03	GCT	.28210141	03	SIP	.13157979	03	CPT	.90011781	02	SIN	.89757295	02	D1	.13324678	00
REP	.65676448	04	VEP	-.10950098	02	CPE	.80398073	02	CPS	.76802219	02	D2	.89358467	-01	D3	.53185111	-03



CASE 1

SPACE TRAJECTORIES

BTO	-38245674	04	BRD	.61345336	03	B	.38734534	C4	THA	.17098748	03
ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE											
X	-15570362	04	Y	-67390634	03	Z	-36578085	03	DX	-28289038	00
INC	-16759723	03	LM	-10202740	03	APF	-28798141	03	MX	.83485302	00
WK	-21036751	00	WV	-44756255	-01	WZ	-97666192	00	MY	-52807194	00
CX	-96683661	-01	QV	.99310416	00	QZ	.68305153	-01	PX	-97289459	00
BX	-7576211	00	BY	-62465997	00	BZ	-19145989	00	TY	-76333296	00
SXI	-61865061	00	SVI	.77961322	00	SZI	-97337492	-01	DAI	-55858729	01
SXD	-75554883	00	SYD	.62656222	00	SZD	.19122158	00	DAO	-11024083	02
ETE	-34505075	03	ETS	-14661640	03	ETC	.23277692	03	RAO	.39668271	02
BTF	-38011185	04	BRT	.74515017	03	B	.38734577	04	THA	.16890867	03

U MATRIX FOR MAPPING FORWARD

ITERATION NUMBER 3

X	Y	Z	DX	DY	DZ	KE	RE	G
X	-14719602	03	.10875338	02	.25615991	02	-.32595615	-02
Y	-13731668	03	.27706392	02	-.49660946	02	-.29962331	-02
Z	-52840490	02	.25753844	02	-.20270947	01	-.11035822	-02
DX	14987952	06	-.25551660	04	-.24631602	05	.33314858	01
DY	-16111938	06	.37165000	05	.42711773	05	-.34919704	01
DZ	-10863741	06	.17132176	05	.32217422	05	-.23841064	01
KE	-32545975	01	.52209142	00	.80158117	00	-.73065969	-04
RE	-21171868	-01	.41395351	-02	.33220201	-02	-.10446693	-05
G	.65223812	-01	-.49480572	-01	-.25215953	-01	.20072020	-05
KF	.79758912	-02	.12332462	-02	-.11460148	-02	.38080588	-06
RI(01)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(01)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
KF	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(01)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(01)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
X	.00000000	00	.00000000	00	.00000000	00	.00000000	00
Y	.00000000	00	.00000000	00	.00000000	00	.00000000	00
Z	.00000000	00	.00000000	00	.00000000	00	.00000000	00
DX	.00000000	00	.00000000	00	.00000000	00	.00000000	00
DY	.00000000	00	.00000000	00	.00000000	00	.00000000	00
DZ	.00000000	00	.00000000	00	.00000000	00	.00000000	00
KE	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RE	.00000000	00	.00000000	00	.00000000	00	.00000000	00
G	.00000000	00	.00000000	00	.00000000	00	.00000000	00
KF	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(01)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(01)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(03)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(04)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
RI(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LA(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00
LC(05)	.00000000	00	.00000000	00	.00000000	00	.00000000	00

RI(05)

LC(05)

X	.00000000	00	.00000000	00
Y	.00000000	00	.00000000	00
Z	.00000000	00	.00000000	00
DX	.00000000	00	.00000000	00
DY	.00000000	00	.00000000	00
DZ	.00000000	00	.00000000	00
KE	.00000000	00	.00000000	00
RE	.00000000	00	.00000000	00
G	.00000000	00	.00000000	00
KF	.00000000	00	.00000000	00
RI(01)	.00000000	00	.00000000	00
LC(01)	.00000000	00	.00000000	00
RI(03)	.00000000	00	.00000000	00
LA(03)	.00000000	00	.00000000	00
LC(03)	.00000000	00	.00000000	00
RI(04)	.00000000	00	.00000000	00
LA(04)	.00000000	00	.00000000	00
LC(04)	.00000000	00	.00000000	00
RI(05)	.00000000	00	.00000000	00
LA(05)	.00000000	00	.00000000	00
LC(05)	.00000000	00	.00000000	00

## JPL TECHNICAL REPORT NO. 32-694

CONDITIONS AFTER FORWARD MAPPING

64/07/28 171956.000 TO 64/07/29 102758.000

X= .15667468 D6 Y= .63043005 D5 Z= .80792135 C4 DX= .14593175 D1 DY= .98778960 Q0 DZ= .28737287 Q0

STANDARD DEVIATIONS

X= .55002608 C0 Y= .18868941 C1 Z= .36752176 C1 DX= .66093543 C5 DY= .15756591 C4 DZ= .32719456 C4

COVARIANCE MATRIX AFTER MAPPING

ITERATION NUMBER

3

X	Y	Z	DX	DY	DZ	KE	KE	G
X	.30252868 C0	-.49532915 D0	.11724207 C1	.31265503 C5	-.73859872 C5	.80026759 C5	-.11479975 D0	.13854552 C1
Y	-.97532915 D0	.35603695 C1	-.55805753 C1	-.92428534 C5	.26619923 C4	-.40547314 C4	.12355904 C1	-.52365176 C1
Z	.11724207 C1	-.55805753 C1	.13507225 C2	.68940546 C5	-.38646011 C4	.10442858 C3	-.38156873 C1	.10688461 D0
DX	.31205503 C5	-.92428534 C5	.68940546 C5	.43683565 C5	-.90717219 C10	.79557373 C10	-.66746557 C06	.99492951 C07
DY	-.73859872 C5	.26619923 C4	-.38646011 C4	-.90717219 C10	.24827216 C09	-.38425991 C05	-.07056208 C08	-.30283843 C04
DZ	.80026759 C5	-.40547314 C4	.10442858 C3	.79557373 C10	-.38425991 C05	-.30283843 C04	.23465833 C1	-.11756211 C1
KE	-.11479975 C0	.12355904 C1	-.38156873 C1	-.66746557 C06	.93201879 C05	-.30283843 C04	.83532136 C06	.44714390 C06
RE	.13854552 C1	-.52365176 C1	.10688461 D0	.99492951 C07	-.36369286 C06	.83532136 C06	-.11756211 C1	.13176632 C02
KG	.80313016 C02	.15453919 C01	.58438504 C01	-.14717053 C06	.45994417 C07	.44714390 C06	.65221256 C02	.97060890 C04
KM	-.59946271 C01	.17019344 C00	-.88679043 C01	-.81013622 C06	.14708519 C05	-.62425256 C06	.13448153 C01	-.21379249 C02
RI(01)	.12386512 C01	-.13751965 C01	-.48763499 C01	-.57543598 C06	.18685316 C05	-.51465294 C05	.56008875 C01	.40580537 C04
LC(01)	.13339052 C03	.55473381 C03	-.55134491 C03	.13141252 C09	-.13494460 C08	-.12093531 C07	.59361497 C03	.39275721 C06
RI(03)	.20390984 C02	-.10891439 C01	.33964888 C01	.25202176 C08	.56368032 C07	.24294704 C06	-.96134286 C02	.24052494 C03
LC(03)	.36587529 C04	.11772512 C03	-.92875793 C04	.43445218 C09	.10144869 C08	.65708112 C09	.15511219 C04	.15129666 C05
RI(04)	.43294151 C02	-.22373741 C01	.50381957 C01	-.85561658 C08	-.57128668 C07	.19668525 C06	.20066952 C01	.29635188 C03
LC(04)	.44586662 C04	-.17261220 C03	.32921882 C03	.42474036 C09	.15626263 C08	.19843803 C08	.78954978 C04	.26220665 C05
RI(05)	.54176781 C02	-.16481845 C01	.23357156 C01	.14208972 C07	.34927928 C07	-.18288466 C07	.55667437 C02	.36458491 C03
LC(05)	.30433225 C03	.10728225 C02	-.17806065 C02	-.27596164 C08	.78265637 C08	-.13376233 C07	.24824384 C03	-.19920318 C04

KE	KE	G	RI(01)	LC(01)	RI(03)	LC(03)	RI(04)	LC(04)	RI(05)	LC(05)
X	-.59946271 C01	.12086512 C01	-.13339052 C03	.20390984 C02	-.36587529 C04	-.28800569 C03	.43294151 C02	.44586662 C04	-.30525284 C03	
Y	-.17019344 C00	-.13751965 C01	.55473381 C03	-.10891439 C01	.11772512 C03	.10674698 C02	-.22373741 C01	-.17261220 C03	.10582263 C02	
Z	-.88679043 C01	-.48763499 C01	.55134491 C03	.23964888 C01	-.92875793 C04	.19288502 C02	.50381957 C01	.32921882 C03	-.17040638 C02	
DX	-.81013622 C06	.57543598 C06	.15141252 C09	.25202176 C08	-.43445218 C09	.24822534 C08	.85561658 C08	.42474036 C09	-.27691396 C08	
DY	.14708519 C05	.18685316 C05	.13494460 C08	.56368032 C07	.10144869 C08	.77924581 C08	.57128668 C07	.15626263 C08	.76622416 C08	
DZ	-.62425256 C06	.51465294 C05	.12093531 C07	.24294704 C06	.65708112 C09	.14900661 C07	.19668525 C06	.20066952 C01	.29635188 C03	
KE	.13448153 C01	.56008875 C01	.59361497 C03	.96134286 C02	-.15511219 C04	.31833395 C03	.20314296 C04	.30281011 C05	.26861058 C04	
RE	-.21379249 C02	.40580537 C04	.39275721 C06	.24052494 C03	-.15129666 C05	.20314296 C04	.29635188 C03	.26220665 C05	.18060700 C05	
G	.44422620 C02	-.53195161 C03	.21207763 C04	.32125143 C08	.28041700 C07	.30281011 C05	.96861058 C04	.18060700 C05	.44901486 C05	
KM	.27868181 C01	-.25954928 C03	.47804011 C04	.72025800 C04	.46100390 C05	.49514367 C04	-.37939258 C03	.29477555 C05	.55282620 C04	
RI(01)	.20954928 C03	.10215877 C00	.32849937 C03	.33020425 C03	.87855413 C06	.15894580 C05	.29121702 C02	.46823161 C05	-.91115239 C05	
LC(01)	.47804011 C04	.32849937 C03	.21841726 C05	-.14115985 C05	.23197022 C07	.76188639 C07	.17466902 C04	-.47560248 C06	.77427723 C07	
RI(03)	.72925800 C04	.33020425 C03	.14115985 C05	.33789330 C02	.41481401 C04	.38096767 C05	.11756580 C03	.49520919 C06	.36914691 C05	
LC(03)	.46100390 C05	.87855413 C06	.23197022 C07	.41481401 C04	.54581171 C06	.33394998 C07	-.62986669 C06	-.73467368 C06	.30306859 C07	
RI(04)	.49514367 C04	.15894580 C05	.76188639 C07	.38096767 C05	.33394998 C07	.38999122 C06	.58725345 C05	.47319934 C07	.37188360 C06	
LC(04)	.37939258 C03	.29121702 C02	.17466902 C04	.11756580 C03	.49520919 C06	.36914691 C05	.46649328 C07	.41265651 C06	.67423294 C05	
RI(05)	.54633714 C03	.11152395 C05	.77427723 C07	.36914691 C05	.47186493 C06	.57478552 C05	.11324932 C03	.18911019 C05	-.87432294 C05	
LC(05)	.53243634 C04	-.48447363 C05	.93368597 C07	-.42476017 C05	.28521603 C07	.36938152 C06	-.50297353 C05	-.51642046 C07	.37078005 C06	

[illegible]

## IMPACT PARAMETERS 64/07/31 124340

## N MATRIX (TARGET ORBITAL PLANE)

	B.RQ	B.TO	TL	C3	S.TS	S.RS
B.RQ	.1C797725 C3	-.42141458 C2	-.7C828736-C2	-.58231506-01	-.97720680-02	-.24702021-02
B.TO	-.42141455 C2	.2687C146 C2	.32450478-C2	.3C892370-01	.10486382-02	.12970878-02
TL	-.7C828734-C2	.32450471-C2	.714013C7-C6	.50120152-05	.19664682-05	.20351964-06
C3	-.58231506-C1	.30892370-C1	.50120153-C5	.4C896348-04	.83996C87-05	.16937951-05
S.TS	-.97720680-C2	.10486345-02	.19664680-05	.83996060-05	.1Q947644-04	.30553659-06
S.RS	-.247C2C29-C2	.12970881-02	.20351973-06	.16937956-05	.30553670-06	.70493541-07

## NORMALIZED N MATRIX

	B.RQ	B.TO	TL	C3	S.TS	S.RS
B.RQ	.99999999 C0	-.78236318 C0	-.8C665954 C0	-.87629358 C0	-.28422352 C0	-.89534764 C0
B.TO	-.78236314 C0	.99999999 C0	.74085462 C0	.93190993 C0	-.61140689-01	.94245298 C0
TL	-.8C665952 C0	.74085446 C0	.99999999 C0	.92750665 C0	.70335326 C0	.90714890 C0
C3	-.87629358 C0	.93190995 C0	.92750667 C0	.10000000 C1	.39696886 C0	.99757130 C0
S.TS	-.28422346 C0	.61140472-C1	.7C335317 C0	.39696874 C0	.99999999 C0	.34779891 C0
S.RS	-.89534792 C0	.94245320 C0	.9C714930 C0	.99757160 C0	.34779904 C0	.10000000 C1

## CM/DQQ MATRIX

	B.RQ	B.TO	TL	C3	S.TS	S.RS
X	-.41490960 C2	.48283439 C3	.71555589 C3	-.11197635-01	.49906201 C0	-.35648690-02
Y	-.77556913 C2	.37485842 C3	.46241C56 C3	-.10040979-01	.51863909 C0	-.33999262-02
Z	.31745284 C2	.11629480 C3	.23962952 C3	-.35340999-02	.21265436 C0	-.14141163-02
CX	.48945C40 C5	-.512C6953 C6	-.73261156 C6	.11558908 C2	-.49476513 C3	.35861535 C1
DY	-.55775649 C5	.43395378 C6	.77000485 C6	-.11669693 C2	.60923413 C3	-.40259533 C1
DZ	-.44701258 C5	.31296403 C6	.52561710 C6	-.8C485114 C1	.40053946 C3	-.27077486 C1

B .3873508C C4

B.RQ .61346638 C3

B.TO -.38246207 C4

B.RT .74515017 C3

B.TT -.38011C85 C4

TL .67152357 C2

SMAA .11220904 C2

SMIA .29897686 C1

THETA .66949971 C2

CEL T .30419746 C1

CEL B .11612381 C2

DEL S .34264471 C1

TF .67395797 C2

## N MATRIX (TARGET EQUATORIAL PLANE)

	B.RT	B.TT	TL
B.RT	.11C78899 C3	-.39242118 C2	-.71906973-02
B.TT	-.39242115 C2	.24058399 C2	.29985502-C2
TL	-.71906970-02	.29985496-C2	.71401307-C6



## APPENDIX F

## Ranger VII postmaneuver ODP printout

PAGE HEADING	(23)
TEXT POST W/C WITH PRE DATA AS APRIORI 14 NOV	
EPOCH	(101)
640702910.2758000	
PROBE POSITION AND VELOCITY AT EPOCH	(102)
X=.156674536 Y=.630416155 Z=.80777204E4	
DX=.14326161E1 DY=.97256996E0 DZ=.28116199E0	
OTHER PARAMETER VALUES	(103)
KE=.39860138E6 RE=.63783085E4 GROUND=.39225373E0	
KM=.49025905E4 RT(1)=.63756450E4 LO(1)=.27705180E2	
RI(3)=.63718804E4 LA(3)=.35117429E2 LO(3)=.24319447E3	
RI(4)=.63726016E4 LA(4)=.31212263E2 LO(4)=.13688755E3	
RI(5)=.63754785E4 LO(5)=.27685332E2	
RSTO=1735.6	
ARMOD=3.567 MSMOD=374.1	
ESTIMATE THESE PARAMETERS	(104)
X,Y,Z,DX,DY,DZ,KE,RE,G,KM,RI(1),LO(1)	
RI(3),LA(3),LO(3),RI(4),LA(4),LO(4),RI(5),LO(5)	
COVARIANCE MATRIX OF ESTIMATED PARAMETERS	(10)
R01 2046072437715164245107078	605722212120155221214757278
60441172740255105057470478	16463101176513106617000278
5654525642133210014480278	5626354302165276424077178
20350171514715004617617478	5564164635152357750651178
16741554614113426726256078	17165455302413625507700078
5767671124025436401260278	57246265247153756517230378
57545276315154256570417078	16574371444513246574421678
5724751717053757353072778	56741516000053431506304078
564705105040678	5725550446445377835532178
17343176170414055340537078	5725132502655710355735278
R02 605722212120155221215004078	20747033277415447027186078
60645573353055373516674278	56566132537653211661143678
16655333176413311260441478	56553607165453206127501478
6014455557205462031143478	5627162341655276511302478
570500035133553351317078	17664360836514345552732278
20043064717414555623161578	17342354106214074143647378
57562043436054263577552278	16650133617513340080662678
17371770455514061604644078	57645417160754345152654678
56643351676453321564431478	17377176557314007367313678
57574232246254200275175078	17374072367214027567371578
R03 60441172740255105057042078	60645573353055373516710478
2116102135041565264155278	56576525267253261100352678
16371716303213000214513678	1706222425081351346442278
60744427341755474736436678	16560672507113224773507778
17045271741713556671301678	60153207372754673356404078
20045076257154502266531678	17455455607314156331002478
20176254755414660177610178	57262230675553733027333678
573730146782504231513523478	20075417101214522032020278
17171007141613667177152478	57356277733054006451412478
20042055156614571522350478	57374256777654030035434678
R04 16463101176513106615007278	56566132537653211660733678
56576525267253261100252078	17251000000013700000000078
54546636317351200062700078	54473306525151127756123478
163636525434130327617135278	54364211102351036620763178
15144175606011636620502478	15754716751012403337156078
55762134125752451644115478	55264654235751750633101778
55650061677652364005132478	14740315766311456102641278
55242533217651710206101278	55554676631652211640262078
54665553671351313631714278	55245535042351712243201678
59471007125152147646371678	55243265301251774606610378
5654525642133210014480278	1665371716813311269443678
1637171630321300021447278	545466363173512000627478
(17251000000013700000000078	14146440134010612657706278
56357244542153041604060078	14245312212110726346432778
5524333030351756237375678	5556124724652243501347678
1605161373512517542170078	15266432604611703664207278
1553760647815225687743778	5646363411451367057236478
1527676230411740517010478	1525043400301713502774678
14546645506211270610033678	153431400431209404043678
5525604452035177515207478	15340416734712077515564678
R06 56263543021652764241303078	56553607165453206127502478
17062224250413515364447478	54473306525151127757002278
14146440134010612657706278	17251000000013700000000078
56643326070513550211234416043178	14540513550211234416043178
55083542451151561054371278	56071143200525353176278
55754526662352452071461678	15362476142112070227773678
16076155245132551021771078	55162144703151605774273478
5527754007235171733073078	15771515317612402653015078
15067020020511524376241078	55285056111751760633346278
157414716509278	54340634316552023224515278
R07 20350171514715004617617478	60744427341755474736436678
60744427341755474736436678	16363652543413032761735278
56357244542153041604060078	56643326070753357550134478
20647702235415352265441778	5645520600053170201465178
17057436247113566316656278	20050711753214547103271378
5746210006475412210613078	56563264242453247477467278
60050000141255556636003078	17140271270513634243546078
1715740500513637670232578	57155262574253647524743578
56272300073152773025540478	57151162321753673774731578
17671174775514320427165278	17075164065413510261233278
R08 55641646353152357750651178	56271623416552776511302478
16560672507113224773507778	54364211102351036620763178
14245312212110726346432778	14540513550211234416043178
56455200600053170201465178	17050753405613517363221078
14745724000411464156670278	15740056421612470200557478
15344661006512035626203778	14545356607611224634772278
55057343546351540136061478	1407755761641054453333078
1515460775514624203723078	55674040324552330175633078
547519475005140624760678	5514037610151615371807078
1576326127212430725377078	55147452817651634271300078
R09 16741554614113426726256078	5706000351335353351317078
17045271741713556671301678	15144175606011635620502478
5524333030351756237375678	55043542451151561054371278
17057436247113566316656278	14745724000411464156670278
175560678142350817177278	56342142516153035323407278
157523607571242417610478	1524102459001503101266478
16150726114212654233660278	55240623321651762455474378
5557153647652252532737078	55757051164752411743022178
54773536401351450010421078	1556561512001223277714478
56446053665253103101047478	56066554654351513210365078
R10 1716545302413625507760078	17644360638514345552732278
60153266404078	15754710751012403337156078
5556124724465243501347678	600711143200525353176278
20050711753214547103271578	15740056421612470200557478
56342142516153035323407278	20561761437015242440352078
56746420559453400234463578	56153503765552652674401078
1666752766241332436662278	55753413527552406727544578
565500067650478	17264640547213737314646478
16344502002613034726667378	1655050071513202042435078
5735663511534051705215178	16542460263413203537357478

```

R11 576767112402543640126027/8 200430647174145556231675/8 10
200450762575145022665316/8 557621341257524516441154/8 10
160516137353125175421700/8 55754526662352520714616/8 10
574621000647541227206130/8 15344461006512035626037/8 10
157523607537124241574104/8 55744242055534002344635/8 10
1761132582213653316412/8 565451517216532520745656/8 10
171611030216136262421120/8 562475456170527137436405/8 10
164643105440131125026464/8 172764630435137151040223/8 10
163510605345130606266636/8 164425277770131545115433/8 10
172551112357137636701246/8 164550263652131257536222/8 10
R12 572462852471537585172303/8 173243541062140741436473/8 10
17455456073141563310024/8 552446542357517506331017/8 10
152644326046117036642072/8 153624761421120702277736/8 10
56563264242453247474672/8 145453566076112246347722/8 10
152410243500117031012664/8 561535037655526562744010/8 10
565451517216532520745656/8 161450322671126412234161/8 10
16443071561113012230264/8 55470575603252147357556/8 10
1575355062124012365016/8 164510026006131646327552/8 10
158613458041121113244126/8 156665464137123654720732/8 10
164442436204131432145376/8 157471401561124701165005/8 10
R13 5754527631515425657041707/8 575620443340542635775522/8 10
201762547554146601776101/8 556500616776523640051324/8 10
155574054025122546677437/8 160761552453123102117710/8 10
600500001412545566360030/8 550573435463515401360614/8 10
16130726114212542356002/8 1666752766241332456622/8 10
171611030216136262421120/8 164430715611131302230264/8 10
17344562033140644413516/8 562657212303527617552576/8 10
564426430431531041202254/8 170456777705135625521260/8 10
16140236256012612615471/8 5617037117432526462527540/8 10
56653062550653343054510/8 56446421076353103602730/8 10
1657437114513245744218/8 1645013361751334006062676/8 10
R14 57262230475537330273336/8 147403157663114561026412/8 10
56463634114513670572364/8 551621447031510057742734/8 10
171402127105136342435460/8 140775576164105445335330/8 10
562406233216517624554743/8 557534135275524067275445/8 10
562475456170527137436405/8 5547057560352147357546/8 10
562657212303527617552576/8 15346355550122723731474/8 10
154702736500121313432450/8 560751146755525071513250/8 10
551641323437516301101631/8 152552171166117203123167/8 10
157425445277124057215666/8 154755257053121244523314/8 10
R15 57247571170537573530727/8 17371770455514061604440/8 10
5573730146752540215135234/8 552425332176517102061012/8 10
1527676230411740570104/8 5527754007251717330730/8 10
17157405005136376702325/8 151546077755116240307230/8 10
55577153647652252537370/8 565500001164532066276504/8 10
164643105440131125026464/8 15753536062124012365016/8 10
564426430431531041202254/8 154702736500121313432450/8 10
16063004522512537777476/8 562746504500527163002075/8 10
5527522607251762555072/8 160552572764125453372522/8 10
56145424445152654601214/8 160604323520125321301070/8 10
R16 5674151600053415063040/8 576454171607543451526546/8 10
200754171012145220320202/8 555546766316522116402620/8 10
152504340030117132027746/8 157715153176124026530150/8 10
571552625742536475247435/8 55674040324523301756330/8 10
557570511647524117430221/8 172646405472137373144464/8 10
177646406451701191040223/8 164510024006131646327552/8 10
170456777705135625521260/8 560751146755525071513250/8 10
562746504500527163002075/8 17245705320137323711030/8 10
156756036722123535234230/8 564403656650531574137052/8 10
17142631326136503000554/8 56344045074553041543621/8 10
R17 564705105021531464450406/8 566433516764533215644314/8 10
17171007146136671171524/8 56665536713513136317142/8 10
14546465506212706100336/8 150670200206115243762410/8 10
562723000731527730255404/8 5475154750065144406247606/8 10
54773364013514500104210/8 163445020026130347266673/8 10
163510605345130606266636/8 15461345604112113244126/8 10
16140236256012612615471/8 5516413234375163031016131/8 10
5527522607251762555072/8 154756067122123535234230/8 10
15472330265121053037350/8 554520604453521626715605/8 10
16240156342127175331474/8 553515747446520706473165/8 10
R18 5725504444537763555321/8 173771765573140073673136/8 10
57356277330540064514124/8 552455350423517122432016/8 10
153431400043120503040436/8 552650561117517606333462/8 10
57151162321753677747315/8 551540376101516153716070/8 10
155656151200122327717144/8 165500500715132204424350/8 10
16442527770131545115433/8 15665464137123654720732/8 10
56170371743256462527340/8 152552171166117203123167/8 10
160552257764125463372622/8 564403656650531574137052/8 10
554520604453521626715605/8 160727716017125276051472/8 10
564426174721531623561376/8 160611314762125607047705/8 10
R19 173431761704140553405730/8 57574232786242002751750/8 10
200420551566145715223504/8 554710071251521476463716/8 10
552560445203517775152074/8 15741716057124403765032/8 10
176711747755143204271652/8 157632612772124307253770/8 10
564460536652931031010474/8 573566351153540517052151/8 10
17255112357137636701246/8 164442436204131432145376/8 10
566530625906533383054510/8 1574236577124057215866/8 10
561454244457526546072164/8 17142631326136503000554/8 10
16240156342127175331474/8 564426174721531623561376/8 10
171570700231136655350224/8 562601142560527313242157/8 10
R20 572513250265537103557352/8 173740723672140725673715/8 10
573742567776540300354366/8 552432653012517746066303/8 10
153404167367120775155646/8 55340634116592022245152/8 10
170751640654135102612332/8 551474525176516342711300/8 10
5506495465435151321036507/8 165424602634132305373574/8 10
164550263652131257556222/8 157471401561124701165005/8 10
564462107633531036022730/8 15475527053212144523314/8 10
160604323520125321301070/8 563440450745530441543621/8 10
55351747446520706473165/8 160613134762125607047705/8 10
562601142560527313242157/8 16062302462712563277316/8 10
NUMERIC VALUES CORRESPONDING TO COVARIANCE MATRIX 115
-15647409E+06 -63043567E+05 .80732194E+04
-14343088E+01 .97265000E+00 .28112921E+00
-39860177E+06 -63783253E+04 -40007859E+00
-49027693E+04 -63756696E+04 -27704883E+02
-63718724E+04 -35117447E+02 -24319473E+03
-63725924E+04 -31212161E+02 -13688810E+03
-63754628E+04 -2768590E+02
STATISTICS, PLOT AND/OR PRINT RESIDUALS FOR THESE PARAMETERS 114
NHR=6.
CC(3)=2,CC(4)=2,CC(5)=2
END DATA 10
DDP 130220

```





CASE 1		SPACE TRAJECTORIES									
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.32029139 06	Y	.18771491 06	Z	.48627676 05	DX	.20228715 01	DY	.43325295 00	DZ	.28010776 00
R	.37441702 06	DEC	.74624110 01	RA	.30373517 02	V	.20876249 01	PTH	.71875013 02	AZ	.27199611 03
X	.37441702 06	LAT	.74624110 01	LUN	.23972541 03	VE	.27791638 02	PTE	.40938121 01	AZE	.27004676 03
XS	.94206473 08	YS	.10925284 09	ZS	.47376826 08	DXS	.22881651 02	DYS	.16849780 02	DZS	.73062335 01
XM	.32192653 06	YM	.18798435 06	ZM	.49143397 05	DXM	.54837358 00	DYM	.78001519 00	DZM	.39238635 00
XT	.32192653 06	YT	.18798435 06	ZT	.49143397 05	DXT	.54837358 00	DYT	.78001519 00	DZT	.39238635 00
XS	.15184073 09	YS	.29340519 02	RM	.37601846 06	VM	.10418442 01	RT	.37601846 06	VT	.10418442 01
GED	.75126868 01	ALT	.36803918 06	LDS	.34012241 03	RAS	.13077052 03	RAM	.30282173 02	LOM	.23963406 03
DUT	.35000000 02	D1	.30000000 02	DL	.19840373 01	SHA	.37126506 06	UES	.18180800 02	DEM	.75097058 01
DAC	.00000000 00	CCL	.25948618 03	MCL	.34215978 03	TCL	.34215978 03				
HELIOCENTRIC						EQUATORIAL COORDINATES					
X	.94526764 08	Y	-.10906513 09	Z	-.47328198 08	DX	.24904522 02	DY	.17283033 02	DZ	.75863412 01
R	.15188968 09	LAT	-.18155433 02	LUN	.31091548 03	V	.31248856 02	PTH	.13294280 01	AZ	.74741732 02
XE	.94206473 08	YE	-.10925284 09	ZE	-.47376826 08	DXE	.22881651 02	DYE	.16849780 02	DZE	.73062335 01
XT	.94526764 08	YT	-.10925284 09	ZT	-.47376826 08	DXT	.22313277 02	DYT	.17629795 02	DZT	.76986198 01
LTE	-.18180800 02	LOE	.31077052 03	LTT	-.18155146 02	LOT	.31091604 03	RST	.15189032 09	VST	.29461173 02
EPS	.82420258 02	ESP	.14023158 00	SEP	.97439692 02	EPN	.15727327 03	ENP	.22624560 02	NEP	.10207974 00
MPS	.11247367 03	MSP	.27453512 18	SMP	.67525719 02	SEM	.97509209 02	EMS	.82350163 02	ESM	.14110097 00
RPM	.17355914 06	SPN	.81444207 02								
SAC	.58689680 -10										
GCE	.10051381 03	GCT	.26267359 03	SIP	.11247367 03	CPT	.10155258 03	SIN	.10155258 03	D1	.57002702 03
REP	.37441702 06	VEP	.20876249 01	CPE	.98443462 02	CPS	.77089278 02	D2	.15380381 03	D3	-.44806634 04
SELENOCENTRIC						EQUATORIAL COORDINATES					
X	-.16351484 04	Y	-.26944140 03	Z	-.51572119 03	DX	.25912451 01	DY	-.34676224 00	DZ	-.11227859 00
R	.17355914 06	DEC	-.17286166 02	RA	.18935717 03	V	.26167540 01	PTH	-.64108317 02	AZ	.13807651 03
R	.17355914 06	LAT	.10702065 02	LUN	.33931677 03	VP	.26149379 01	PTP	-.64190488 02	AZP	.11489072 03
LTS	.94280089 00	LNS	.27242310 03	LTE	.58450094 01	LNE	.35482939 03				
ALT	-.24086304 01	SHA	-.16037753 04	ALP	.51317579 01	DR	-.23540874 01	DP	.37721811 -01	ASD	.90000000 02
HGE	.27757974 03	SVL	-.16445120 02	HNG	.11348841 03	SIA	.67273270 02				
SAC	.58689680 -10										
SELENOCENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE				235666640246202234142061 J.D. = 2438608.06621782 JULY 31, 1964 13 35 21.220							
SHA	-.40925620 04	ECC	.10936287 01	B	.18119645 04	SLR	.80223978 03	APD	.00000000 00	RCA	.38318149 03
VM	.10944984 01	C3	.11979268 01	C1	.19831925 04	TFP	-.57248462 03	TF	.51123116 02	LTF	.51030153 02
ZA	.13175616 03	MTA	.15611883 03	EA	-.43489393 02	RA	-.87721557 01	C3J	-.21691096 01	YFI	.50964093 02
ZAE	.13175616 03	ZAP	.14504333 03	ZAC	.93425516 02	DEF	.13223766 03	IR	.41528773 04	GP	.78468457 00
OPI	.00000000 00	OY	.00000000 00	OP2	.38000000 02						
ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET											
X	.15283784 04	Y	.64237957 03	Z	-.51350307 03	DX	-.26025235 01	DY	.46403378 -01	DZ	.26855069 00
INC	.28508090 02	LAN	.16802832 03	APF	.33776305 03	MX	-.23160707 -02	MY	-.79847646 00	MZ	.42451182 00
WX	.99001862 -01	WY	-.46690211 00	WZ	.87874972 00	PX	-.83651419 00	PY	.51731984 00	PZ	-.18062169 00
QX	-.93892729 00	QY	-.71720470 00	QZ	-.44178585 00	RX	-.13464395 -01	RY	.25019707 -02	RZ	-.99990620 00
BX	.15413292 00	BY	.86523502 00	BZ	-.47708635 00	TX	.80561252 00	TY	.59244279 00	TZ	.00000000 00
SXI	-.98307765 00	SVI	.18267671 00	SZI	-.13694882 -01	DAI	.78468371 00	RAI	.16947329 03		
SXD	-.54671790 00	SYD	-.76338446 00	SZO	.34401118 00	DAO	.20121445 02	RAO	.30560934 03		
ETE	.17929943 03	ETS	.35560455 03	ETC	.28369052 03						
2 DAYS 2 HRS. 57 MIN. 50.736 SEC.				235666640027202136121461 J.D. = 2438608.05959184 JULY 31, 1964 13 25 48.736							
CHANGE OF PHASE OCCURS AT THIS POINT				EARTH IS THE CENTRAL BODY FOR INTEGRATION COMELL EQUATIONS OF MOTION							
2 DAYS 2 HRS. 58 MIN. 3.446 SEC.				235666640032202271106270 J.D. = 2438608.05973896 JULY 31, 1964 13 26 01.446							
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.32031722 06	Y	.18772044 06	Z	.48631275 05	DX	.20426511 01	DY	.43655695 00	DZ	.28642609 00
R	.37444235 06	DEC	.74624597 01	RA	.30372237 02	V	.21083276 01	PTH	.71852001 02	AZ	.27230430 03
XS	.94206764 08	YS	.10925263 09	LUN	.23967102 03	VE	.27801945 02	PTE	.41323993 01	AZE	.27004565 03
XM	.32191931 06	YM	.18799427 06	ZM	.49148384 05	DXM	.56840474 00	DYM	.77999692 00	DZM	.39238157 00
XT	.32191931 06	YT	.18799427 06	ZT	.49148384 05	DXT	.56840474 00	DYT	.77999692 00	DZT	.39238157 00
XS	.15184072 09	YS	.29340519 02	RM	.37601788 06	VM	.10418457 01	RT	.37601788 06	VT	.10418457 01
GED	.75127357 01	ALT	.36806452 06	LDS	.34006944 03	RAS	.13077066 03	RAM	.30284047 02	LOM	.23958283 03
DUT	.35000000 02	D1	.30000000 02	DL	.19840373 01	SHA	.37128907 06	UES	.18180764 02	DEM	.75104836 01
DAC	.00000000 00	CCL	.25948661 03	MCL	.34198665 03	TCL	.34198665 03				
HELIOCENTRIC						EQUATORIAL COORDINATES					
X	.94527081 08	Y	-.10906491 09	Z	-.47328101 08	DX	.24924256 02	DY	.17286389 02	DZ	.75926824 01
R	.15188967 09	LAT	-.18155394 02	LUN	.31091563 03	V	.31267980 02	PTH	.13432352 01	AZ	.74733561 02
XE	.94206764 08	YE	-.10925263 09	ZE	-.47376733 08	DXE	.22881605 02	DYE	.16849832 02	DZE	.73062563 01
XT	.94527081 08	YT	-.10925263 09	ZT	-.47376733 08	DXT	.22313200 02	DYT	.17629829 02	DZT	.76986378 01
LTE	-.18180764 02	LOE	.31077066 03	LTT	-.18155110 02	LOT	.31091618 03	RST	.15189031 09	VST	.29461141 02
EPS	.82418928 02	ESP	.13988231 00	SEP	.97441012 02	EPN	.15742806 03	ENP	.22472177 02	NEP	.99405042 -01
MPS	.11201326 03	MSP	.27453512 -18	SMP	.67986140 02	SEM	.97507337 02	EMS	.82352034 02	ESM	.14057998 00
RPM	.17056085 04	SPN	.81442942 02								
SAC	.58689674 -10										
GCE	.10051338 03	GCT	.26267002 03	SIP	.11201326 03	CPT	.10163627 03	SIN	.10163627 03	D1	.15611640 03
REP	.37444236 06	VEP	.21083276 01	CPE	.98442715 02	CPS	.77089293 02	D2	.20720501 03	D3	-.32846401 03
SELENOCENTRIC						EQUATORIAL COORDINATES					
X	-.16020976 04	Y	-.27382812 03	Z	-.51710888 03	DX	.26110558 01	DY	-.34343996 00	DZ	-.10595548 00
R	.17056085 04	DEC	-.17648789 02	RA	.18969918 03	V	.26356764 01	PTH	-.63822186 02	AZ	.13787364 03
R	.17056085 04	LAT	.10906361 02	LUN	.33780093 03	VP	.26338731 01	PTP	-.63902027 02	AZP	.11486023 03
LTS	.94280430 00	LNS	.27242131 03	LTE	.58448925 01	LNE	.35482948 03				
ALT	-.32391510 02	SHA	-.15812580 04	ALP	.51008391 01	DR	-.23653332 01	DP	.39059785 -01	ASD	.90000000 02
HGE	.27758107 03	SVL	-.16660146 02	HNG	.11303198 03	SIA	.67428062 02				
SAC	.58689674 -10										

## JPL TECHNICAL REPORT NO. 32-694

CASE 1

SPACE TRAJECTORIES

## SELENCENTRIC CONIC

EPOCH OF PERICENTER PASSAGE 235666640246202234343670 J.D. = 2438608.06621785 JULY 31, 1964 13 35 21.222  
 SMA -40923017 04 ECC -10936349 01 B -18119113 04 SLR -80224361 03 APO .00000000 00 RCA .38318219 03  
 VH -10945332 01 C3 -11980030 01 C1 -19831972 04 TFP -55977584 03 TF -51123117 02 LTF -51030157 02  
 TA -11896641 03 MTA -15611811 03 EA -43027463 02 RA -85782381 01 CJJ -21707725 01 TFI -50967623 02  
 ZAE -13175450 03 ZAP -14584314 03 ZAC -93425743 02 DEF -13223621 03 IR -41527683 04 GP -78500558 00  
 UPI -00000000 00 DY -00000000 00 DP2 -76000000 02

## ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET

X -14951697 04 Y -64297388 03 Z -51005141 03 DX -26210278 01 DY -38446821-01 DZ -27481774 00  
 INC -28507907 02 LAN -16803009 03 APF -33776301 03 MX -47655158-03 MY -70561015 00 MZ -42277499 00  
 WX -98986872-01 WY -46690253 00 WZ -87875125 00 PX -83652968 00 PY -51729508 00 PZ -18062099 00  
 QX -53890600 00 QY -71722238 00 QZ -4778322 00 RX -13470000-01 RY -25024353-02 RZ -99990611 00  
 SX -15409478 00 SY -86524362 00 SZ -47708347 00 TX -18265315 00 TY -98317742 00 TZ -00000000 00  
 SXI -98308511 00 SYI -18263600 00 SZI -13700478-01 DAI -78500303 00 RAI -16947566 03  
 SXO -54673020 00 SYO -76337459 00 SZO -34401364 00 DAO -20121595 02 RAO -30561030 03  
 ETE -17929918 03 ETS -35560502 03 ETC -28369054 03  
 BTO -15923687 04 BRO -86451402 03 B -18119113 04 THA -28498008 02

## ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE

X -15715911 04 Y -57883000 03 Z -32270775 03 DX -19007108 01 DY -18257060 01 DZ -29734712-01  
 INC -26870192 02 LAN -13742901 03 APF -32371397 03 MX -42298317-01 MY -74519600 00 MZ -26356072 00  
 WX -30575956 00 WY -33284923 00 WZ -89203278 00 PX -23648495 00 PY -93409173 00 PZ -26748364 00  
 QX -92227216 00 QY -12916664 00 QZ -36432130 00 RX -57516250-01 RY -78216498-01 RZ -99527586 00  
 BX -74756947 00 BY -49627442 00 BZ -44141996 00 TX -80563077 00 TY -59241799 00 TZ -00000000 00  
 SXI -58961932 00 SYI -80182485 00 SZI -97087278-01 RAI -12632878 03  
 SXO -15714355 00 SYO -90641095 00 SZO -39207789 00 DAO -23083853 02 RAO -26016445 03  
 ETE -34498536 03 ETS -14469855 03 ETC -23295823 03  
 BTT -16239669 04 BRT -80361553 03 B -18119234 04 THA -26328379 02

## J MATRIX

## ITERATION NUMBER 2

	X	Y	Z	DX	DY	DZ	KE	RE	G
X	.16970309 05	.39899749 04	.63881525 03	.18980165 10	-.16279886 09	-.65764090 07	-.24389978 04	-.40540256 06	-.47755162 04
Y	.39899749 04	-.96720529 03	.16312822 03	.43763136 09	-.31426166 08	.97231213 06	-.56712879 03	-.92773499 05	.10792825 05
Z	.63881525 03	.16312822 03	-.32966515 02	.69654358 08	.22005730 07	.11297926 07	-.88601646 02	-.14283404 05	.16039950 05
DX	.18980165 10	.43763136 09	.69654358 08	.22551448 15	.17491077 14	.54911370 12	-.28748439 09	-.47282010 11	.56030034 09
DY	-.16279886 09	-.31426166 08	-.22005730 07	.17491077 14	.54911370 12	.10120460 13	.20432735 08	.47344032 10	-.56095477 08
DZ	-.65764090 07	.97231213 06	.11297926 07	.54911370 12	.10120460 13	.38278893 12	.16779415 06	.25736805 09	-.48447285 07
KE	-.24389978 04	-.56712879 03	-.88601646 02	-.28748439 09	.20432735 08	.16779415 06	.37477857 03	.59619459 05	-.70956901 03
RE	-.40540256 06	-.92773499 05	-.14283404 05	.47344032 10	.25736805 09	.59619459 05	.10440718 08	-.12122856 06	.14492996 04
G	-.47755162 04	.10792825 05	.16039950 05	.56030034 09	-.56095477 08	-.48447285 07	-.70956901 03	-.12122856 06	.14492996 04
KM	.16795320 05	.37832119 04	.55310088 03	.19738730 10	-.19236794 09	-.17652058 08	-.25150989 04	-.42240601 06	.50511039 04
RI(01)	-.10782327 03	-.39245117 02	-.10622564 02	.58088388-03	.13701642-02	.30789632-02	-.71318755 01	-.91926836 00	.59659083 00
LO(01)	-.28437181 05	-.10315742 05	-.30037066 04	-.11522820-01	.11327891 00	.29554281 00	-.20269867 04	-.24135938 03	.18652183 03
RI(03)	-.14027254 04	-.30939179 03	-.15988280 02	-.64857917 08	.14131137 08	.59194472 07	.18721081 03	.91091532 04	-.21576971 03
LO(03)	.10386702 06	.22033429 05	.46152305 03	.44390734 10	.13646346 10	.51349976 09	-.13724351 05	-.70421673 06	.16498879 05
LO(03)	.37020680 06	.10064388 06	.30577152 05	.54186565 11	.11300400 11	.21674890 10	-.74800795 05	-.42059277 05	.77183721 05
RI(04)	-.23783708 03	-.10452200 03	-.29361665 02	.23955915 08	.11239207 08	.30351139 07	.62116030 01	-.11397275 03	.85629790 01
LO(04)	.90057119 04	-.19835784 04	-.44445065 03	.15636342 10	.73432201 09	.19808052 09	-.12493157 04	-.76882660 04	.71753117 03
LO(04)	.26179351 05	.85152803 04	.41345714 04	.57039849 10	.25616695 10	.73586065 09	-.25904420 04	-.32671444 05	.24551444 04
RI(05)	.25989436 02	.11686282 02	-.10302046 02	.60972927 07	.17755313 07	.20925618 06	-.40858149 02	-.20012375 03	.12256203 02
LO(05)	.17964204 06	.58587658 05	.14257273 05	.64955681 10	.26334543 10	.77967992 09	-.14964518 05	-.10384517 06	.49864408 04

	KM	RI(01)	LO(01)	RI(03)	LO(03)	RI(04)	LO(04)	LO(04)
X	.16795320 05	-.10782327 03	-.28437181 05	-.14027254 04	.10386702 06	.37020680 06	.23783708 03	-.90057119 04
Y	.37832119 04	-.39245117 02	-.10315742 05	.30939179 03	.22033429 05	.10064388 06	.30577152 05	.29361665 02
Z	.55310088 03	-.10622564 02	-.30037066 04	-.15988280 02	.46152305 03	.44390734 10	.54186565 11	.23955915 08
DX	.19738730 10	-.10452200 03	-.29361665 02	.23955915 08	.11239207 08	.30351139 07	.62116030 01	-.11397275 03
DY	-.19236794 09	-.13701642-02	.11327891 00	.29554281 00	.59194472 07	.18721081 03	.91091532 04	-.21576971 03
DZ	-.17652058 08	-.30789632-02	.20432735 08	.16779415 06	.37477857 03	.59619459 05	.10440718 08	-.12122856 06
KE	-.25150989 04	-.71318755 01	-.91926836 00	.59659083 00	-.47282010 11	.56030034 09	-.56095477 08	-.48447285 07
RE	-.42240601 06	-.91926836 00	-.24135938 03	.91091532 04	-.70421673 06	-.42059277 05	-.77183721 05	.85629790 01
G	.50511039 04	.58587658 05	.14257273 05	.64955681 10	.26334543 10	.77967992 09	-.14964518 05	-.10384517 06
KM	.17920411 05	.34664852 00	.91178983 02	.13748997 04	.10586406 06	.31372414 06	.35086030 02	.23785339 04
RI(01)	.34664852 00	.74304435 02	.16271992 05	.44584900 07	.11263179 05	.14345966 05	-.83060753 06	-.83060753 06
LO(01)	.91178983 02	.16271992 05	.44584900 07	.11263179 05	.14345966 05	-.83060753 06	-.83060753 06	-.83060753 06
RI(03)	.13748997 04	.10586406 06	.31372414 06	.35086030 02	.23785339 04	.10091504 05	.10091504 05	.10091504 05
LO(03)	.10586406 06	.31372414 06	.35086030 02	.23785339 04	.10091504 05	.10091504 05	.10091504 05	.10091504 05
RI(04)	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05
LO(04)	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05
RI(05)	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05
LO(05)	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05	.10091504 05

	RI(05)	LO(05)
X	.25989436 02	.11686282 02
Y	.11686282 02	.14257273 05
Z	.14257273 05	.64955681 10
DX	.60972927 07	.26334543 10
DY	.17755313 07	.20925618 06
DZ	.20925618 06	.40858149 02
KE	-.40858149 02	.20012375 03
RE	-.20012375 03	.10384517 06
G	.10384517 06	.49864408 04
KM	.38419044 02	.26743580 05
RI(01)	-.47263028 02	-.11211580 05
LO(01)	.12143414 05	-.34050930 07
RI(03)	.12203543 02	-.4824372 04
LO(03)	.90126955 03	-.35561785 06
RI(04)	.32313102 03	-.25206016 06
LO(04)	.20702050 03	-.56762017 05
RI(05)	.75700005 04	-.61964460 07
LO(05)	.18564167 05	-.89941672 05
RI(05)	.28108323 04	.18952934 05
LO(05)	.18952934 05	.92106505 08







STATION NUMBER 12			64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/291	
FREQUENCY 8300.0								
TIME	TC	Q	CC3					
104132	60	12	.10956325	06	.850-01	.0029		
104232	60	12	.10956714	06	.850-01	.0225		
104332	60	12	.10957107	06	.850-01	-.0039		
104732	60	12	.10958708	06	.850-01	.0049		
104832	60	12	.10959115	06	.850-01	-.0215		
104932	60	12	.10959526	06	.850-01	-.0107		
105432	60	12	.10961623	06	.850-01	.0049		
105532	60	12	.10962051	06	.850-01	.0098		
105632	60	12	.10962481	06	.850-01	-.0146		
105732	60	12	.10962915	06	.850-01	.0166		
105832	60	12	.10963351	06	.850-01	.0029		
105932	60	12	.10963790	06	.850-01	-.0215		
110032	60	12	.10964232	06	.850-01	.0107		
110132	60	12	.10964677	06	.850-01	-.0020		
110232	60	12	.10965124	06	.850-01	-.0254		
110332	60	12	.10965574	06	.850-01	-.0078		
110432	60	12	.10966027	06	.850-01	.0000		
110532	60	12	.10966482	06	.850-01	-.0039		
110932	60	12	.10968329	06	.850-01	-.0088		
111032	60	12	.10968797	06	.850-01	.0078		
111132	60	12	.10969268	06	.850-01	.0166		
111232	60	12	.10969741	06	.850-01	-.0156		
111332	60	12	.10970217	06	.850-01	-.0098		
111432	60	12	.10970695	06	.850-01	-.0059		
111532	60	12	.10971176	06	.850-01	.0039		
111632	60	12	.10971659	06	.850-01	.0059		
112132	60	12	.10974111	06	.850-01	.0059		
112232	60	12	.10974608	06	.850-01	-.0010		
112532	60	12	.10976114	06	.850-01	-.0078		
112632	60	12	.10976620	06	.850-01	.0107		
112732	60	12	.10977129	06	.850-01	-.0088		

STATION		NUMBER	12	64/07/29		ITERATION		NUMBER	2	PASS		NUMBER	07/292
		FREQUENCY		8300.0									
TIME		TC	Q	CC3									
113132	60	12	.10979185	06	.850-01	-.0059							
113232	60	12	.10979705	06	.850-01	.0000							
113332	60	12	.10980226	06	.850-01	.0020							
113432	60	12	.10980750	06	.850-01	.0000							
113532	60	12	.10981276	06	.850-01	.0098							
113632	60	12	.10981803	06	.850-01	.0000							
113732	60	12	.10982333	06	.850-01	-.0137							
113832	60	12	.10982865	06	.850-01	.0020							
113932	60	12	.10983398	06	.850-01	-.0010							
114032	60	12	.10983934	06	.850-01	.0098							
114132	60	12	.10984471	06	.850-01	.0000							
114232	60	12	.10985011	06	.850-01	-.0107							
114332	60	12	.10985552	06	.850-01	-.0078							
114432	60	12	.10986096	06	.850-01	.0098							
114532	60	12	.10986641	06	.850-01	-.0068							
114632	60	12	.10987187	06	.850-01	.0068							
114732	60	12	.10987736	06	.850-01	.0039							
114832	60	12	.10988287	06	.850-01	-.0020							
114932	60	12	.10988839	06	.850-01	-.0068							
115032	60	12	.10989393	06	.850-01	.0020							
115132	60	12	.10989949	06	.850-01	-.0049							
115232	60	12	.10990506	06	.850-01	.0049							
115332	60	12	.10991065	06	.850-01	-.0039							
115432	60	12	.10991626	06	.850-01	.0059							
115532	60	12	.10992188	06	.850-01	-.0020							
115632	60	12	.10992752	06	.850-01	-.0088							
115732	60	12	.10993318	06	.850-01	.0176							
115832	60	12	.10993885	06	.850-01	-.0049							
115932	60	12	.10994454	06	.850-01	-.0088							
120032	60	12	.10995024	06	.850-01	.0049							
120132	60	12	.10995596	06	.850-01	.0049							
120232	60	12	.10996174	06	.850-01	.0156							
120332	60	12	.10996758	06	.850-01	-.0078							
120432	60	12	.10997347	06	.850-01	-.0078							
120532	60	12	.10997938	06	.850-01	-.0039							
120632	60	12	.10998477	06	.850-01	.0029							
120732	60	12	.10999058	06	.850-01	-.0088							
120832	60	12	.11000223	06	.850-01	.0029							
120932	60	12	.11000807	06	.850-01	-.0088							
121032	60	12	.11001393	06	.850-01	.0156							
121132	60	12	.11001980	06	.850-01	-.0049							
121232	60	12	.11002569	06	.850-01	-.0049							
121332	60	12	.11003158	06	.850-01	-.0010							
121432	60	12	.11003749	06	.850-01	.0078							
121532	60	12	.11004341	06	.850-01	.0039							
121632	60	12	.11004934	06	.850-01	-.0107							
121732	60	12	.11005529	06	.850-01	-.0117							
121832	60	12	.11006124	06	.850-01	-.0098							
121932	60	12	.11006721	06	.850-01	.0078							
122032	60	12	.11007318	06	.850-01	-.0020							
122132	60	12	.11007917	06	.850-01	.0098							
122232	60	12	.11008517	06	.850-01	-.0039							
122332	60	12	.11009118	06	.850-01	.0039							
122432	60	12	.11009720	06	.850-01	.0029							
122532	60	12	.11010322	06	.850-01	-.0088							

STATION		NUMBER	12	64/07/29		ITERATION	NUMBER	2	PASS	NUMBER	07/292		
FREQUENCY		8300.0											
TIME	TC	Q	CC3										
122732	60	12	11010926	06	.850-01					.0049			
122832	60	12	11011531	06	.850-01					.0068			
122932	60	12	11012136	06	.850-01					.0019			
123032	60	12	11012743	06	.850-01					.0020			
123132	60	12	11013350	06	.850-01					-.0039			
123232	60	12	11013959	06	.850-01					-.0039			
123332	60	12	11015788	06	.850-01					.0166			
123632	60	12	11016400	06	.850-01					.0029			
123732	60	12	11017012	06	.850-01					-.0029			
123832	60	12	11017625	06	.850-01					.0186			
124132	60	12	11019468	06	.850-01					.0059			
124232	60	12	11020083	06	.850-01					-.0166			
124332	60	12	11020699	06	.850-01					.0049			
124432	60	12	11021316	06	.850-01					-.0137			
124532	60	12	11021934	06	.850-01					.0137			
124632	60	12	11022552	06	.850-01					.0010			
124732	60	12	11023170	06	.850-01					-.0010			
124832	60	12	11023789	06	.850-01					-.0068			
124932	60	12	11024408	06	.850-01					-.0020			
125032	60	12	11025028	06	.850-01					-.0019			
125132	60	12	11025649	06	.850-01					.0127			
125232	60	12	11026269	06	.850-01					-.0127			
125332	60	12	11026891	06	.850-01					.0088			
125432	60	12	11027512	06	.850-01					-.0059			
125532	60	12	11028134	06	.850-01					-.0088			
125632	60	12	11028756	06	.850-01					.0020			
125732	60	12	11029379	06	.850-01					-.0068			
125832	60	12	11030002	06	.850-01					.0146			
125932	60	12	11030625	06	.850-01					.0000			
130032	60	12	11031248	06	.850-01					-.0010			
130132	60	12	11031872	06	.850-01					-.0039			
130232	60	12	11032496	06	.850-01					-.0088			
130332	60	12	11033120	06	.850-01					.0010			
130432	60	12	11033744	06	.850-01					-.0088			
130532	60	12	11034368	06	.850-01					.0000			
130632	60	12	11034993	06	.850-01					-.0117			
130732	60	12	11035617	06	.850-01					.0098			
130832	60	12	11036242	06	.850-01					-.0029			
130932	60	12	11036866	06	.850-01					.0000			
131032	60	12	11037491	06	.850-01					-.0029			
131132	60	12	11038116	06	.850-01					.0107			
131232	60	12	11038741	06	.850-01					-.0078			
131332	60	12	11039365	06	.850-01					-.0049			
131432	60	12	11039990	06	.850-01					-.0010			
131532	60	12	11040615	06	.850-01					.0029			
131632	60	12	11041239	06	.850-01					-.0088			
131732	60	12	11041863	06	.850-01					-.0020			
131832	60	12	11042488	06	.850-01					.0059			
131932	60	12	11043112	06	.850-01					-.0010			
132032	60	12	11043736	06	.850-01					.0098			
132132	60	12	11044359	06	.850-01					-.0107			
132232	60	12	11044983	06	.850-01					.0049			
132332	60	12	11045607	06	.850-01					-.0107			
132432	60	12	11046229	06	.850-01					.0098			
132532	60	12	11046852	06	.850-01					.0000			
132632	60	12	11047474	06	.850-01					.0088			
132732	60	12	11048096	06	.850-01					.0039			
132832	60	12	11048718	06	.850-01					-.0127			
132932	60	12	11049341	06	.850-01					-.0088			
133032	60	12	11049961	06	.850-01					.0029			
133132	60	12	11050582	06	.850-01					-.0117			
134032	60	12	11056144	06	.850-01					-.0059			
134132	60	12	11056759	06	.850-01					.0088			
134232	60	12	11057374	06	.850-01					-.0059			
134332	60	12	11057988	06	.850-01					.0049			
134432	60	12	11058601	06	.850-01					-.0117			
134532	60	12	11059214	06	.850-01					.0117			
134632	60	12	11059826	06	.850-01					.0098			
134732	60	12	11060437	06	.850-01					-.0020			
134832	60	12	11061047	06	.850-01					-.0068			
134932	60	12	11061657	06	.850-01					-.0020			
135032	60	12	11062265	06	.850-01					.0098			
135132	60	12	11062874	06	.850-01					-.0049			
135232	60	12	11063481	06	.850-01					.0088			
135332	60	12	11064087	06	.850-01					-.0215			
135432	60	12	11064692	06	.850-01					.0078			
135532	60	12	11065297	06	.850-01					.0127			
135632	60	12	11065900	06	.850-01					-.0059			
135732	60	12	11066503	06	.850-01					.0010			
135832	60	12	11067105	06	.850-01					.0010			
135932	60	12	11067705	06	.850-01					-.0049			
140032	60	12	11068305	06	.850-01					-.0020			
140132	60	12	11068904	06	.850-01					.0117			
140232	60	12	11069504	06	.850-01					.0029			
140332	60	12	11070104	06	.850-01					-.0059			
141232	60	12	11075415	06	.850-01					.0127			
141332	60	12	11076000	06	.850-01					-.0010			
141432	60	12	11076584	06	.850-01					-.0029			
141532	60	12	11077166	06	.850-01					.0088			
141632	60	12	11077747	06	.850-01					-.0010			
141732	60	12	11078326	06	.850-01					.0059			
141832	60	12	11078904	06	.850-01					.0068			
141932	60	12	11079481	06	.850-01					-.0107			
142032	60	12	11080056	06	.850-01					.0029			
142132	60	12	11080630	06	.850-01					-.0039			
142232	60	12	11081203	06	.850-01					.0049			
142332	60	12	11081774	06	.850-01					-.0068			
142432	60	12	11082343	06	.850-01					.0146			
142532	60	12	11082911	06	.850-01					.0010			
142632	60	12	11083478	06	.850-01					.0020			
142732	60	12	11084043	06	.850-01					.0020			
142832	60	12	11084606	06	.850-01					.0010			
142932	60	12	11085168	06	.850-01					-.0020			
143032	60	12	11085729	06	.850-01					.0117			

STATION NUMBER 12		64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/292	
FREQUENCY 8300.0							
TIME	TC	Q	CC3				
143132	60	12	.11086287	06	.850-01	.0078	
143232	60	12	.11086845	06	.850-01	.0039	
143332	60	12	.11087430	06	.850-01	.0010	
143432	60	12	.11087954	06	.850-01	.0039	
143532	60	12	.11088506	06	.850-01	.0088	
143632	60	12	.11089056	06	.850-01	.0059	
143732	60	12	.11089605	06	.850-01	.0029	
143832	60	12	.11090152	06	.850-01	.0000	
144232	60	12	.11092321	06	.850-01	.0020	
144332	60	12	.11092859	06	.850-01	.0068	
144432	60	12	.11093395	06	.850-01	.0039	
144532	60	12	.11093929	06	.850-01	.0049	
144632	60	12	.11094462	06	.850-01	.0020	
144732	60	12	.11094992	06	.850-01	.0107	
144832	60	12	.11095521	06	.850-01	.0078	
144932	60	12	.11096047	06	.850-01	.0098	
145032	60	12	.11096572	06	.850-01	.0029	
145132	60	12	.11097094	06	.850-01	.0049	
145232	60	12	.11097615	06	.850-01	.0010	
145332	60	12	.11098133	06	.850-01	.0137	
145432	60	12	.11098650	06	.850-01	.0146	
145532	60	12	.11099165	06	.850-01	.0137	
145632	60	12	.11099677	06	.850-01	.0117	
145732	60	12	.11100187	06	.850-01	.0078	
145832	60	12	.11100696	06	.850-01	.0088	
145932	60	12	.11101202	06	.850-01	.0029	
150032	60	12	.11101706	06	.850-01	.0068	
150132	60	12	.11102208	06	.850-01	.0049	
150232	60	12	.11102707	06	.850-01	.0088	
150332	60	12	.11103205	06	.850-01	.0156	
150432	60	12	.11103700	06	.850-01	.0029	
150532	60	12	.11104193	06	.850-01	.0156	
150632	60	12	.11104684	06	.850-01	.0098	
150732	60	12	.11105173	06	.850-01	.0039	
150832	60	12	.11105659	06	.850-01	.0078	
150932	60	12	.11106143	06	.850-01	.0000	
151032	60	12	.11106625	06	.850-01	.0166	
151132	60	12	.11107104	06	.850-01	.0059	
151232	60	12	.11107581	06	.850-01	.0010	
151332	60	12	.11108056	06	.850-01	.0039	
151432	60	12	.11108529	06	.850-01	.0029	
151532	60	12	.11108999	06	.850-01	.0146	
151632	60	12	.11109466	06	.850-01	.0049	
151732	60	12	.11109931	06	.850-01	.0039	
151832	60	12	.11110394	06	.850-01	.0078	
151932	60	12	.11110854	06	.850-01	.0068	
152032	60	12	.11111312	06	.850-01	.0117	
152132	60	12	.11111767	06	.850-01	.0078	
152232	60	12	.11112220	06	.850-01	.0137	
152332	60	12	.11112670	06	.850-01	.0059	
152432	60	12	.11113118	06	.850-01	.0000	
152532	60	12	.11113563	06	.850-01	.0020	
152632	60	12	.11114006	06	.850-01	.0215	
152732	60	12	.11114446	06	.850-01	.0049	
152832	60	12	.11114886	06	.850-01	.0049	
152932	60	12	.11115319	06	.850-01	.0127	
153032	60	12	.11115751	06	.850-01	.0098	
153132	60	12	.11116182	06	.850-01	.0020	
153232	60	12	.11116613	06	.850-01	.0020	
153332	60	12	.11117032	06	.850-01	.0078	
153432	60	12	.11117453	06	.850-01	.0020	
153532	60	12	.11117872	06	.850-01	.0078	
153632	60	12	.11118289	06	.850-01	.0127	
153732	60	12	.11118702	06	.850-01	.0049	
153832	60	12	.11119113	06	.850-01	.0039	
153932	60	12	.11119521	06	.850-01	.0078	
154032	60	12	.11119926	06	.850-01	.0059	
154132	60	12	.11120328	06	.850-01	.0010	
154232	60	12	.11120728	06	.850-01	.0029	
154332	60	12	.11121125	06	.850-01	.0020	
154432	60	12	.11121519	06	.850-01	.0107	
154532	60	12	.11121910	06	.850-01	.0000	
154632	60	12	.11122298	06	.850-01	.0176	
154732	60	12	.11122684	06	.850-01	.0029	
154832	60	12	.11123066	06	.850-01	.0049	
154932	60	12	.11123446	06	.850-01	.0078	
155032	60	12	.11123822	06	.850-01	.0088	
155132	60	12	.11124196	06	.850-01	.0117	
155232	60	12	.11124567	06	.850-01	.0137	
155332	60	12	.11124935	06	.850-01	.0020	
155432	60	12	.11125299	06	.850-01	.0039	
155532	60	12	.11125661	06	.850-01	.0010	
155632	60	12	.11126020	06	.850-01	.0117	
155732	60	12	.11126376	06	.850-01	.0039	
155832	60	12	.11126729	06	.850-01	.0088	
155932	60	12	.11127079	06	.850-01	.0059	
160032	60	12	.11127426	06	.850-01	.0098	
160132	60	12	.11127769	06	.850-01	.0049	
160232	60	12	.11128110	06	.850-01	.0010	
160332	60	12	.11128448	06	.850-01	.0068	
160432	60	12	.11128782	06	.850-01	.0029	
160532	60	12	.11129113	06	.850-01	.0000	
160632	60	12	.11129441	06	.850-01	.0020	
160732	60	12	.11129766	06	.850-01	.0010	
160832	60	12	.11130088	06	.850-01	.0156	
160932	60	12	.11130407	06	.850-01	.0039	
161032	60	12	.11130722	06	.850-01	.0068	
161132	60	12	.11131035	06	.850-01	.0010	
161232	60	12	.11131344	06	.850-01	.0088	
161332	60	12	.11131650	06	.850-01	.0010	
161432	60	12	.11131953	06	.850-01	.0098	
161532	60	12	.11132252	06	.850-01	.0127	
161632	60	12	.11132548	06	.850-01	.0176	
161732	60	12	.11132841	06	.850-01	.0117	
161832	60	12	.11133131	06	.850-01	.0078	
161932	60	12	.11133417	06	.850-01	.0107	

STATION		NUMBER	12	64/07/29	ITERATION	NUMBER	2	PASS	NUMBER	07/292
FREQUENCY		8300.0								
TIME	TC	Q	CC3							
162032	60	12	.11133700	06	.850-01	-.0020				
162132	60	12	.11133980	06	.850-01	.0000				
162232	60	12	.11134256	06	.850-01	.0195				
162332	60	12	.11134529	06	.850-01	.0059				
162432	60	12	.11134799	06	.850-01	-.0088				
162532	60	12	.11135065	06	.850-01	-.0059				
162632	60	12	.11135328	06	.850-01	.0146				
162732	60	12	.11135588	06	.850-01	.0010				
162832	60	12	.11135844	06	.850-01	.0059				
162932	60	12	.11136097	06	.850-01	-.0059				
163032	60	12	.11136346	06	.850-01	.0166				
163132	60	12	.11136592	06	.850-01	.0068				
163232	60	12	.11136835	06	.850-01	-.0020				
163332	60	12	.11137074	06	.850-01	.0078				
163432	60	12	.11137310	06	.850-01	.0156				
163532	60	12	.11137542	06	.850-01	.0127				
163632	60	12	.11137771	06	.850-01	.0088				
163732	60	12	.11137996	06	.850-01	.0068				
163832	60	12	.11138218	06	.850-01	-.0107				
163932	60	12	.11138436	06	.850-01	.0078				
164032	60	12	.11138650	06	.850-01	-.0049				
164132	60	12	.11138861	06	.850-01	.0000				
164232	60	12	.11139069	06	.850-01	.0068				
164332	60	12	.11139273	06	.850-01	-.0010				
164432	60	12	.11139474	06	.850-01	.0117				
164532	60	12	.11139671	06	.850-01	.0088				
164632	60	12	.11139864	06	.850-01	-.0078				
164732	60	12	.11140054	06	.850-01	.0117				
164832	60	12	.11140240	06	.850-01	-.0010				
164932	60	12	.11140423	06	.850-01	.0068				
165032	60	12	.11140601	06	.850-01	.0020				
165132	60	12	.11140777	06	.850-01	-.0020				
165232	60	12	.11140949	06	.850-01	-.0029				
165332	60	12	.11141116	06	.850-01	.0176				
165432	60	12	.11141281	06	.850-01	-.0088				
165532	60	12	.11141441	06	.850-01	.0000				
165632	60	12	.11141599	06	.850-01	-.0039				
165732	60	12	.11141752	06	.850-01	-.0029				
165832	60	12	.11141902	06	.850-01	.0166				
165932	60	12	.11142048	06	.850-01	-.0107				
170032	60	12	.11142190	06	.850-01	.0166				
170132	60	12	.11142328	06	.850-01	-.0020				
170232	60	12	.11142463	06	.850-01	.0000				
170332	60	12	.11142594	06	.850-01	-.0117				
170432	60	12	.11142722	06	.850-01	.0146				
170532	60	12	.11142845	06	.850-01	-.0049				
170632	60	12	.11142965	06	.850-01	.0029				
170732	60	12	.11143081	06	.850-01	.0029				
171132	60	12	.11143508	06	.850-01	.0039				
171232	60	12	.11143605	06	.850-01	-.0010				
171332	60	12	.11143698	06	.850-01	-.0029				
171432	60	12	.11143788	06	.850-01	.0029				
171532	60	12	.11143874	06	.850-01	.0088				
171632	60	12	.11143955	06	.850-01	.0107				
171732	60	12	.11144034	06	.850-01	-.0029				
171832	60	12	.11144108	06	.850-01	.0049				
171932	60	12	.11144178	06	.850-01	.0020				
172032	60	12	.11144245	06	.850-01	.0029				
172132	60	12	.11144307	06	.850-01	-.0068				
172232	60	12	.11144366	06	.850-01	-.0107				
172332	60	12	.11144421	06	.852-01	-.0098				
172832	60	12	.11144637	06	.852-01	-.0176				
172932	60	12	.11144668	06	.852-01	.0010				
173032	60	12	.11144696	06	.852-01	-.0078				
173132	60	12	.11144719	06	.852-01	.0068				
173232	60	12	.11144739	06	.852-01	-.0068				
173332	60	12	.11144755	06	.852-01	.0029				
173732	60	12	.11144778	06	.854-01	-.0137				
173832	60	12	.11144774	06	.854-01	-.0068				
173932	60	12	.11144766	06	.854-01	.0068				
174032	60	12	.11144754	06	.854-01	-.0049				
174132	60	12	.11144738	06	.854-01	-.0127				
174232	60	12	.11144718	06	.854-01	.0039				
174332	60	12	.11144694	06	.854-01	.0059				
174432	60	12	.11144666	06	.854-01	-.0088				
174532	60	12	.11144634	06	.857-01	-.0049				
174632	60	12	.11144598	06	.857-01	.0039				
174732	60	12	.11144558	06	.857-01	.0049				
174832	60	12	.11144514	06	.857-01	-.0215				
174932	60	12	.11144466	06	.857-01	-.0068				
175032	60	12	.11144413	06	.857-01	-.0029				

STATION NUMBER 12		64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/293	
FREQUENCY 8300.0							
TIME	TC	Q	CC3				
175132	60	12	.11144357	06	.859-01	-.0078	
175232	60	12	.11144297	06	.859-01	-.0234	
175332	60	12	.11144233	06	.859-01	.0020	
175432	60	12	.11144165	06	.859-01	.0010	
175532	60	12	.11144092	06	.862-01	-.0088	
175632	60	12	.11144016	06	.862-01	-.0127	
175732	60	12	.11143936	06	.862-01	-.0088	
175832	60	12	.11143851	06	.864-01	.0029	
175932	60	12	.11143763	06	.864-01	-.0117	
180032	60	12	.11143688	06	.869-01	.0020	
180432	60	12	.11143259	06	.872-01	-.0088	
180532	60	12	.11143146	06	.872-01	-.0127	
180632	60	12	.11143029	06	.874-01	-.0078	
180732	60	12	.11142908	06	.876-01	.0029	
180832	60	12	.11142783	06	.879-01	-.0107	
180932	60	12	.11142653	06	.879-01	-.0010	
181032	60	12	.11142520	06	.881-01	-.0176	
181432	60	12	.11141945	06	.894-01	-.0215	
181532	60	12	.11141791	06	.896-01	.0020	
181632	60	12	.11141633	06	.901-01	-.0176	
181732	60	12	.11141471	06	.906-01	-.0137	
181832	60	12	.11141305	06	.908-01	.0000	
181932	60	12	.11141135	06	.913-01	-.0137	
182032	60	12	.11140960	06	.920-01	-.0186	
182132	60	12	.11140781	06	.925-01	.0010	
182232	60	12	.11140599	06	.933-01	-.0225	
182332	60	12	.11140412	06	.940-01	-.0039	
182432	60	12	.11140221	06	.947-01	-.0117	
182532	60	12	.11140026	06	.957-01	-.0283	
182632	60	12	.11139827	06	.964-01	-.0186	
182732	60	12	.11139624	06	.977-01	-.0195	
182832	60	12	.11139416	06	.989-01	-.0117	
183232	60	12	.11138545	06	.105 00	-.0205	
183332	60	12	.11138317	06	.107 00	-.0244	
183432	60	12	.11138085	06	.109 00	-.0195	
183532	60	12	.11137849	06	.112 00	-.0244	
183632	60	12	.11137609	06	.114 00	-.0205	
183732	60	12	.11137364	06	.117 00	-.0098	
183832	60	12	.11137116	06	.121 00	-.0254	
183932	60	12	.11136863	06	.125 00	-.0322	
184032	60	12	.11136606	06	.129 00	-.0146	
184132	60	12	.11136346	06	.133 00	-.0244	

STATION NUMBER 12			64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/301	
FREQUENCY 8200.0								
TIME	TC	Q	CC3					
071832	60	12	.10475343	06	.119 00	.0234		
071932	60	12	.10475193	06	.116 00	-.0049		
072032	60	12	.10475048	06	.113 00	.0244		
072132	60	12	.10474907	06	.110 00	.0146		
072232	60	12	.10474771	06	.108 00	-.0088		
072332	60	12	.10474639	06	.106 00	-.0234		
072432	60	12	.10474512	06	.104 00	-.0068		
072532	60	12	.10474390	06	.102 00	.0000		
072632	60	12	.10474272	06	.101 00	.0283		
072732	60	12	.10474159	06	.994-01	-.0098		
072832	60	12	.10474050	06	.981-01	-.0039		
072932	60	12	.10473946	06	.969-01	-.0176		
073032	60	12	.10473847	06	.959-01	-.0049		
073132	60	12	.10473752	06	.950-01	.0107		
073232	60	12	.10473662	06	.942-01	.0127		
073332	60	12	.10473576	06	.935-01	.0029		
073432	60	12	.10473495	06	.928-01	.0127		
073532	60	12	.10473419	06	.920-01	-.0068		
073632	60	12	.10473347	06	.916-01	.0117		
073732	60	12	.10473280	06	.911-01	.0020		
073832	60	12	.10473217	06	.906-01	.0107		
073932	60	12	.10473159	06	.901-01	.0088		
074032	60	12	.10473106	06	.898-01	.0098		
074132	60	12	.10473057	06	.894-01	-.0010		
074232	60	12	.10473012	06	.891-01	.0088		
074332	60	12	.10472973	06	.889-01	.0049		
074432	60	12	.10472938	06	.886-01	.0068		
074532	60	12	.10472907	06	.884-01	-.0049		
074632	60	12	.10472881	06	.874-01	.0088		
075032	60	12	.10472823	06	.872-01	.0010		
075132	60	12	.10472820	06	.872-01	.0146		
075232	60	12	.10472821	06	.869-01	.0000		
075332	60	12	.10472828	06	.869-01	.0068		
075432	60	12	.10472838	06	.867-01	.0000		
075532	60	12	.10472853	06	.867-01	.0146		
075632	60	12	.10472873	06	.864-01	-.0010		
075732	60	12	.10472898	06	.864-01	.0059		
075832	60	12	.10472926	06	.862-01	-.0136		
075932	60	12	.10472960	06	.862-01	.0000		
080032	60	12	.10472998	06	.862-01	.0020		
080132	60	12	.10473040	06	.859-01	.0107		
080232	60	12	.10473088	06	.859-01	.0068		
080332	60	12	.10473139	06	.859-01	-.0098		
080432	60	12	.10473195	06	.859-01	-.0117		
080532	60	12	.10473256	06	.857-01	-.0117		
080632	60	12	.10473321	06	.857-01	-.0146		
080732	60	12	.10473391	06	.857-01	.0049		
080832	60	12	.10473465	06	.857-01	.0117		
080932	60	12	.10473544	06	.857-01	-.0098		
081032	60	12	.10473627	06	.857-01	.0078		
081132	60	12	.10473715	06	.854-01	-.0039		
081232	60	12	.10473808	06	.854-01	-.0107		

STATION		NUMBER	12	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/301
FREQUENCY		8200.0								
TIME	TC	Q	CC3							
081332	60	12	-10473904	06	.854-01	-.0049				
081432	60	12	-10474006	06	.854-01	-.0088				
081532	60	12	-10474112	06	.854-01	-.0156				
081632	60	12	-10474222	06	.854-01	-.0205				
081732	60	12	-10474337	06	.854-01	-.0146				
081832	60	12	-10474456	06	.852-01	-.0107				
081932	60	12	-10474580	06	.852-01	-.0010				
082032	60	12	-10474708	06	.852-01	-.0020				
082132	60	12	-10474841	06	.852-01	-.0078				
082232	60	12	-10474978	06	.852-01	-.0039				

STATION		NUMBER	12	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/302
FREQUENCY		8200.0								
TIME	TC	Q	CC3							
082332	60	12	-10475120	06	.852-01	-.0039				
082432	60	12	-10475265	06	.852-01	-.0059				
082532	60	12	-10475416	06	.852-01	-.0049				
082632	60	12	-10475571	06	.852-01	-.0107				
082732	60	12	-10475730	06	.852-01	-.0039				
082832	60	12	-10475894	06	.852-01	-.0078				
082932	60	12	-10476062	06	.852-01	-.0244				
083032	60	12	-10476235	06	.852-01	-.0156				
083132	60	12	-10476412	06	.852-01	-.0049				
083232	60	12	-10476594	06	.852-01	-.0029				
083332	60	12	-10476779	06	.850-01	-.0107				
083432	60	12	-10476969	06	.850-01	-.0195				
083532	60	12	-10477164	06	.850-01	-.0264				
083632	60	12	-10477363	06	.850-01	-.0166				
083732	60	12	-10477567	06	.850-01	-.0010				
083832	60	12	-10477774	06	.850-01	-.0117				
083932	60	12	-10477986	06	.850-01	-.0156				
084032	60	12	-10478203	06	.850-01	-.0195				
084132	60	12	-10478424	06	.850-01	-.0059				
084232	60	12	-10478649	06	.850-01	-.0088				
084332	60	12	-10478878	06	.850-01	-.0010				
084432	60	12	-10479112	06	.850-01	-.0059				
084532	60	12	-10479350	06	.850-01	-.0127				
084632	60	12	-10479593	06	.850-01	-.0117				
084732	60	12	-10479839	06	.850-01	-.0039				
084832	60	12	-10480091	06	.850-01	-.0098				
084932	60	12	-10480346	06	.850-01	-.0098				
085032	60	12	-10480606	06	.850-01	-.0059				
085132	60	12	-10480869	06	.850-01	-.0049				
085232	60	12	-10481137	06	.850-01	-.0068				
085332	60	12	-10481410	06	.850-01	-.0000				
085432	60	12	-10481687	06	.850-01	-.0000				
085532	60	12	-10481967	06	.850-01	-.0098				
085632	60	12	-10482253	06	.850-01	-.0225				
085732	60	12	-10482542	06	.850-01	-.0049				
085832	60	12	-10482836	06	.850-01	-.0088				
085932	60	12	-10483133	06	.850-01	-.0010				
090032	60	12	-10483435	06	.850-01	-.0117				
090132	60	12	-10483741	06	.850-01	-.0000				
090232	60	12	-10484052	06	.850-01	-.0039				
090332	60	12	-10484366	06	.850-01	-.0010				
090432	60	12	-10484685	06	.850-01	-.0029				
090532	60	12	-10485008	06	.850-01	-.0029				
090632	60	12	-10485335	06	.850-01	-.0020				
090732	60	12	-10485666	06	.850-01	-.0029				
090832	60	12	-10486002	06	.850-01	-.0000				
090932	60	12	-10486341	06	.850-01	-.0059				
091032	60	12	-10486684	06	.850-01	-.0127				
091132	60	12	-10487032	06	.850-01	-.0107				
091232	60	12	-10487384	06	.850-01	-.0059				
091332	60	12	-10487740	06	.850-01	-.0020				
091432	60	12	-10488100	06	.850-01	-.0137				

STATION		NUMBER	12	64/07/30		ITERATION		NUMBER	2	PASS		NUMBER	07/302						
FREQUENCY		8200.0																	
TIME	TC	Q	CC3																
091532	60	12	-10488463	06	.850-01								-.0029						
091632	60	12	-10488831	06	.850-01								.0176						
091732	60	12	-10489203	06	.850-01								-.0195						
091832	60	12	-10489580	06	.850-01								.0195						
091932	60	12	-10489960	06	.850-01								-.0156						
092032	60	12	-10490344	06	.850-01								.0098						
092132	60	12	-10490732	06	.850-01								-.0049						
092232	60	12	-10491124	06	.850-01								-.0098						
092332	60	12	-10491520	06	.850-01								-.0039						
092432	60	12	-10491920	06	.850-01								.0117						
092532	60	12	-10492324	06	.850-01								-.0127						
092632	60	12	-10492732	06	.850-01								.0078						
092732	60	12	-10493144	06	.850-01								-.0117						
092832	60	12	-10493560	06	.850-01								-.0029						
092932	60	12	-10493980	06	.850-01								-.0010						
093032	60	12	-10494404	06	.850-01								-.0049						
093132	60	12	-10494831	06	.850-01								-.0029						
093232	60	12	-10495263	06	.850-01								.0039						
093332	60	12	-10495698	06	.850-01								.0000						
093432	60	12	-10496137	06	.850-01								-.0088						
093532	60	12	-10496580	06	.850-01								-.0059						
093632	60	12	-10497027	06	.850-01								.0088						
093732	60	12	-10497478	06	.850-01								.0010						
093832	60	12	-10497933	06	.850-01								.0049						
093932	60	12	-10498391	06	.850-01								-.0127						
094032	60	12	-10498853	06	.850-01								.0156						
094132	60	12	-10499319	06	.850-01								-.0107						
094232	60	12	-10499789	06	.850-01								-.0078						
094332	60	12	-10500263	06	.850-01								.0068						
094432	60	12	-10500740	06	.850-01								.0156						
094532	60	12	-10501221	06	.850-01								-.0088						
094632	60	12	-10501705	06	.850-01								.0117						
094732	60	12	-10502194	06	.850-01								-.0068						
094832	60	12	-10502686	06	.850-01								-.0107						
094932	60	12	-10503182	06	.850-01								-.0020						
095032	60	12	-10503681	06	.850-01								.0029						
095132	60	12	-10504184	06	.850-01								-.0117						
095232	60	12	-10504691	06	.850-01								.0039						
095332	60	12	-10505202	06	.850-01								.0000						
095432	60	12	-10505716	06	.850-01								-.0078						
095532	60	12	-10506233	06	.850-01								.0000						
095632	60	12	-10506755	06	.850-01								.0039						
095732	60	12	-10507279	06	.850-01								-.0107						
095832	60	12	-10507808	06	.850-01								.0049						
095932	60	12	-10508340	06	.850-01								.0020						
100032	60	12	-10508875	06	.850-01								-.0029						
100132	60	12	-10509414	06	.850-01								.0059						
100232	60	12	-10509957	06	.850-01								-.0195						
100332	60	12	-10510503	06	.850-01								.0039						
100432	60	12	-10511052	06	.850-01								.0078						
100532	60	12	-10511605	06	.850-01								-.0059						
100632	60	12	-10512162	06	.850-01								-.0039						
100732	60	12	-10512722	06	.850-01								-.0039						
100832	60	12	-10513285	06	.850-01								-.0039						
100932	60	12	-10513852	06	.850-01								-.0049						
101032	60	12	-10514422	06	.850-01								.0088						
101132	60	12	-10514996	06	.850-01								.0068						
101232	60	12	-10515573	06	.850-01								-.0137						
101332	60	12	-10516153	06	.850-01								.0010						
101432	60	12	-10516737	06	.850-01								-.0029						
101532	60	12	-10517324	06	.850-01								.0107						
101632	60	12	-10517914	06	.850-01								-.0107						
101732	60	12	-10518508	06	.850-01								.0029						
101832	60	12	-10519105	06	.850-01								.0000						
101932	60	12	-10519705	06	.850-01								-.0020						
102032	60	12	-10520309	06	.850-01								-.0039						
102132	60	12	-10520915	06	.850-01								.0127						
102232	60	12	-10521525	06	.850-01								-.0215						
102332	60	12	-10522138	06	.850-01								.0137						
102432	60	12	-10522755	06	.850-01								-.0166						
102532	60	12	-10523374	06	.850-01								.0049						
102632	60	12	-10523997	06	.850-01								-.0068						
102732	60	12	-10524623	06	.850-01								.0000						
102832	60	12	-10525252	06	.850-01								-.0059						
102932	60	12	-10525884	06	.850-01								.0049						
103032	60	12	-10526520	06	.850-01								.0020						
103132	60	12	-10527158	06	.850-01								-.0146						
103232	60	12	-10527800	06	.850-01								.0039						
103332	60	12	-10528444	06	.850-01								-.0088						
103432	60	12	-10529092	06	.850-01								-.0010						
103532	60	12	-10529742	06	.850-01								.0088						
103632	60	12	-10530396	06	.850-01								.0059						
103732	60	12	-10531052	06	.850-01								-.0264						
103832	60	12	-10531712	06	.850-01								.0098						
103932	60	12	-10532375	06	.850-01								.0010						
104032	60	12	-10533040	06	.850-01								-.0049						
104132	60	12	-10533709	06	.850-01								-.0068						
104232	60	12	-10534380	06	.850-01								-.0039						
104332	60	12	-10535055	06	.850-01								.0029						
104432	60	12	-10535732	06	.850-01								-.0020						
104532	60	12	-10536412	06	.850-01								-.0039						
104632	60	12	-10537095	06	.850-01								.0000						
104732	60	12	-10537781	06	.850-01								-.0068						
104832	60	12	-10538469	06	.850-01								.0059						
104932	60	12	-10539161	06	.850-01								-.0078						
105032	60	12	-10539855	06	.850-01								.0010						
105132	60	12	-10540554	06	.850-01								-.0078						
105232	60	12	-10541259	06	.850-01								.0068						
105332	60	12	-10541967	06	.850-01								-.0059						
105432	60	12	-10542678	06	.850-01								-.0167						
105532	60	12	-10543391	06	.850-01								.0059						
105632	60	12	-10544107	06	.850-01								-.0029						
105732	60	12	-10544826	06	.850-01								-.0117						
105832	60	12	-10545547	06	.850-01								-.0176						
105932	60	12	-10546275	06	.850-01														
110032	60	12	-10546947	06	.850-01														





STATION		NUMBER	12	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/302
FREQUENCY		8200.0								
TIME	TC	Q	CC3							
125232	60	12	.10639818	06	.850-01					.0029
125332	60	12	.10640713	06	.850-01					-.0117
125432	60	12	.10641608	06	.850-01					.0020
125532	60	12	.10642504	06	.850-01					-.0049
125632	60	12	.10643400	06	.850-01					.0186
125732	60	12	.10644296	06	.850-01					-.0127
125832	60	12	.10645193	06	.850-01					.0049
125932	60	12	.10646090	06	.850-01					.0020
130032	60	12	.10646987	06	.850-01					-.0029
130132	60	12	.10647884	06	.850-01					-.0098
130232	60	12	.10648782	06	.850-01					.0137
130332	60	12	.10649680	06	.850-01					.0020
130432	60	12	.10650578	06	.850-01					.0059
130532	60	12	.10651476	06	.850-01					-.0088
130632	60	12	.10652374	06	.850-01					.0078
130732	60	12	.10653273	06	.850-01					-.0107
130832	60	12	.10654171	06	.850-01					.0049
130932	60	12	.10655069	06	.850-01					-.0137
131032	60	12	.10655968	06	.850-01					.0000
131132	60	12	.10656867	06	.850-01					.0137
131232	60	12	.10657765	06	.850-01					-.0059
131332	60	12	.10658664	06	.850-01					-.0088
131432	60	12	.10659563	06	.850-01					.0059
131532	60	12	.10660461	06	.850-01					.0039
131632	60	12	.10661360	06	.850-01					.0020
131732	60	12	.10662258	06	.850-01					-.0146
131832	60	12	.10663156	06	.850-01					.0029
131932	60	12	.10664054	06	.850-01					.0059
132032	60	12	.10664952	06	.850-01					-.0098
132132	60	12	.10665850	06	.850-01					-.0010
132232	60	12	.10666748	06	.850-01					-.0107
132332	60	12	.10667645	06	.850-01					-.0010
132432	60	12	.10668542	06	.850-01					.0117
132532	60	12	.10669439	06	.850-01					-.0059
132632	60	12	.10670335	06	.850-01					-.0049
132732	60	12	.10671232	06	.850-01					.0000
132832	60	12	.10672127	06	.850-01					-.0088
132932	60	12	.10673023	06	.850-01					.0020
133032	60	12	.10673918	06	.850-01					.0000
133132	60	12	.10674813	06	.850-01					.0020
133232	60	12	.10675707	06	.850-01					.0088
133332	60	12	.10676601	06	.850-01					-.0137
133432	60	12	.10677495	06	.850-01					.0010
133532	60	12	.10678388	06	.850-01					.0049
133632	60	12	.10679280	06	.850-01					-.0039
133732	60	12	.10680172	06	.850-01					.0088
133832	60	12	.10681064	06	.850-01					-.0049
133932	60	12	.10681955	06	.850-01					.0029
134032	60	12	.10682845	06	.850-01					-.0010
134132	60	12	.10683735	06	.850-01					.0020
134232	60	12	.10684624	06	.850-01					-.0059
134332	60	12	.10685512	06	.850-01					.0098
134432	60	12	.10686400	06	.850-01					-.0010
134532	60	12	.10687287	06	.850-01					-.0059
134632	60	12	.10688174	06	.850-01					-.0019
134732	60	12	.10689059	06	.850-01					.0068
134832	60	12	.10689944	06	.850-01					-.0098
134932	60	12	.10690828	06	.850-01					.0156
135032	60	12	.10691712	06	.850-01					-.0186
135132	60	12	.10692594	06	.850-01					.0049
135232	60	12	.10693476	06	.850-01					-.0049
135332	60	12	.10694357	06	.850-01					-.0049
135432	60	12	.10695237	06	.850-01					-.0059
135532	60	12	.10696116	06	.850-01					.0020
135632	60	12	.10696995	06	.850-01					-.0137
135732	60	12	.10697872	06	.850-01					.0127
135832	60	12	.10698748	06	.850-01					-.0176
135932	60	12	.10699624	06	.850-01					-.0127
140032	60	12	.10700498	06	.850-01					.0010
140132	60	12	.10701372	06	.850-01					.0000
140232	60	12	.10702244	06	.850-01					-.0068
140332	60	12	.10703115	06	.850-01					-.0029
140432	60	12	.10703986	06	.850-01					.0107
140532	60	12	.10704855	06	.850-01					-.0137
140632	60	12	.10705723	06	.850-01					.0049
140732	60	12	.10706590	06	.850-01					.0029
140832	60	12	.10707455	06	.850-01					-.0049
140932	60	12	.10708320	06	.850-01					-.0010
141032	60	12	.10709183	06	.850-01					-.0020
141132	60	12	.10710046	06	.850-01					.0088
141232	60	12	.10710907	06	.850-01					.0000
141332	60	12	.10711766	06	.850-01					.0020
141432	60	12	.10712625	06	.850-01					.0020
141532	60	12	.10713482	06	.850-01					-.0029
141632	60	12	.10714338	06	.850-01					-.0117
141732	60	12	.10715192	06	.850-01					.0098
141832	60	12	.10716045	06	.850-01					-.0059
141932	60	12	.10716897	06	.850-01					.0098
142032	60	12	.10717748	06	.850-01					-.0107
142132	60	12	.10718597	06	.850-01					-.0010
142232	60	12	.10719444	06	.850-01					.0068
142332	60	12	.10720290	06	.850-01					-.0039
142432	60	12	.10721135	06	.850-01					.0000
142532	60	12	.10721978	06	.850-01					.0020
142632	60	12	.10722820	06	.850-01					.0020
142732	60	12	.10723660	06	.850-01					.0010
142832	60	12	.10724498	06	.850-01					-.0020
142932	60	12	.10725335	06	.850-01					.0117
143032	60	12	.10726171	06	.850-01					-.0098
143132	60	12	.10727005	06	.850-01					-.0137
143232	60	12	.10727837	06	.850-01					.0137
143332	60	12	.10728667	06	.850-01					.0078
143432	60	12	.10729496	06	.850-01					-.0137
143532	60	12	.10730323	06	.850-01					-.0029

STATION		NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302			
		FREQUENCY		8200.0							
TIME	TC	Q	CC3								
143632	60	12	.10731149	06	.850-01			.0098			
143732	60	12	.10731973	06	.850-01			.0039			
143832	60	12	.10732795	06	.850-01			.0010			
143932	60	12	.10733615	06	.850-01			.0020			
144032	60	12	.10734434	06	.850-01			.0029			
144132	60	12	.10735250	06	.850-01			.0029			
144232	60	12	.10736065	06	.850-01			.0029			
144332	60	12	.10736878	06	.850-01			.0016			
144432	60	12	.10737689	06	.850-01			.0215			
144532	60	12	.10738499	06	.850-01			.0049			
144632	60	12	.10739306	06	.850-01			.0127			
144732	60	12	.10740112	06	.850-01			.0010			
144832	60	12	.10740915	06	.850-01			.0293			
144932	60	12	.10741717	06	.850-01			.0205			
145032	60	12	.10742517	06	.850-01			.0010			
145132	60	12	.10743314	06	.850-01			.0049			
145232	60	12	.10744110	06	.850-01			.0155			
145332	60	12	.10744904	06	.850-01			.0049			
145432	60	12	.10745695	06	.850-01			.0049			
145532	60	12	.10746485	06	.850-01			.0000			
145632	60	12	.10747273	06	.850-01			.0068			
145732	60	12	.10748058	06	.850-01			.0127			
145832	60	12	.10748841	06	.850-01			.0039			
145932	60	12	.10749622	06	.850-01			.0088			
150032	60	12	.10750401	06	.850-01			.0020			
150132	60	12	.10751178	06	.850-01			.0000			
150232	60	12	.10751953	06	.850-01			.0029			
150332	60	12	.10752725	06	.850-01			.0039			
150432	60	12	.10753496	06	.850-01			.0088			
150532	60	12	.10754264	06	.850-01			.0039			
150632	60	12	.10755029	06	.850-01			.0049			
150732	60	12	.10755793	06	.850-01			.0029			
150832	60	12	.10756554	06	.850-01			.0078			
150932	60	12	.10757313	06	.850-01			.0029			
151032	60	12	.10758069	06	.850-01			.0039			
151132	60	12	.10758824	06	.850-01			.0059			
151232	60	12	.10759576	06	.850-01			.0098			
151332	60	12	.10760325	06	.850-01			.0010			
151432	60	12	.10761072	06	.850-01			.0068			
151532	60	12	.10761817	06	.850-01			.0029			
151632	60	12	.10762559	06	.850-01			.0088			
151732	60	12	.10763299	06	.850-01			.0107			
151832	60	12	.10764036	06	.850-01			.0127			
151932	60	12	.10764771	06	.850-01			.0049			
152032	60	12	.10765503	06	.850-01			.0010			
152132	60	12	.10766233	06	.850-01			.0010			
152232	60	12	.10766961	06	.850-01			.0059			
152332	60	12	.10767685	06	.850-01			.0137			
152432	60	12	.10768407	06	.850-01			.0078			
152532	60	12	.10769127	06	.850-01			.0039			
152632	60	12	.10769844	06	.850-01			.0088			
152732	60	12	.10770558	06	.850-01			.0010			
152832	60	12	.10771270	06	.850-01			.0029			
152932	60	12	.10771979	06	.850-01			.0088			
153032	60	12	.10772686	06	.850-01			.0088			
153132	60	12	.10773389	06	.850-01			.0049			
153232	60	12	.10774090	06	.850-01			.0107			
153332	60	12	.10774789	06	.850-01			.0059			
153432	60	12	.10775484	06	.850-01			.0117			
153532	60	12	.10776177	06	.850-01			.0068			
153632	60	12	.10776867	06	.850-01			.0078			
153732	60	12	.10777555	06	.850-01			.0020			
153832	60	12	.10778239	06	.850-01			.0098			
153932	60	12	.10778921	06	.850-01			.0059			
154032	60	12	.10779600	06	.850-01			.0010			
154132	60	12	.10780276	06	.850-01			.0068			
154232	60	12	.10780949	06	.850-01			.0088			
154332	60	12	.10781619	06	.850-01			.0117			
154432	60	12	.10782287	06	.850-01			.0029			
154532	60	12	.10782951	06	.850-01			.0029			
154632	60	12	.10783613	06	.850-01			.0029			
154732	60	12	.10784272	06	.850-01			.0010			
154832	60	12	.10784927	06	.850-01			.0068			
154932	60	12	.10785580	06	.850-01			.0146			
155032	60	12	.10786230	06	.850-01			.0010			
155132	60	12	.10786877	06	.850-01			.0000			
155232	60	12	.10787516	06	.850-01			.0039			
155332	60	12	.10788159	06	.850-01			.0068			
155432	60	12	.10788799	06	.850-01			.0020			
155532	60	12	.10789433	06	.850-01			.0020			
155632	60	12	.10790065	06	.850-01			.0146			
155732	60	12	.10790693	06	.850-01			.0195			
155832	60	12	.10791319	06	.850-01			.0088			
155932	60	12	.10791941	06	.850-01			.0029			
160032	60	12	.10792560	06	.850-01			.0117			
160132	60	12	.10793176	06	.850-01			.0137			
160232	60	12	.10793789	06	.850-01			.0234			
160332	60	12	.10794399	06	.850-01			.0068			
160432	60	12	.10795005	06	.850-01			.0215			
160532	60	12	.10795609	06	.850-01			.0127			
160632	60	12	.10796209	06	.850-01			.0049			
160732	60	12	.10796806	06	.850-01			.0098			
160832	60	12	.10797399	06	.850-01			.0098			
160932	60	12	.10797990	06	.850-01			.0039			
161032	60	12	.10798577	06	.850-01			.0000			
161132	60	12	.10799160	06	.850-01			.0049			
161232	60	12	.10799741	06	.850-01			.0059			
161332	60	12	.10800318	06	.850-01			.0010			
161432	60	12	.10800892	06	.850-01			.0039			
161532	60	12	.10801463	06	.850-01			.0098			
161632	60	12	.10802030	06	.850-01			.0029			
161732	60	12	.10802594	06	.850-01			.0137			
161832	60	12	.10803154	06	.850-01			.0068			
161932	60	12	.10803711	06	.850-01			.0059			
162032	60	12	.10804265	06	.850-01			.0146			

STATION NUMBER 12		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302					
FREQUENCY 8200.0											
TIME	TC	Q	CC3								
162132	60	12	-10804815	06	.850-01		.0186				
162232	60	12	-10805362	06	.850-01		-.0010				
162332	60	12	-10805905	06	.850-01		-.0010				
162432	60	12	-10806445	06	.850-01		-.0010				
162532	60	12	-10806981	06	.850-01		-.0020				
162632	60	12	-10807514	06	.850-01		-.0107				
162732	60	12	-10808044	06	.850-01		-.0107				
162832	60	12	-10808570	06	.850-01		.0010				
162932	60	12	-10809092	06	.850-01		-.0068				
163032	60	12	-10809611	06	.850-01		.0049				
163132	60	12	-10810127	06	.850-01		.0010				
163232	60	12	-10810638	06	.850-01		-.0010				
163332	60	12	-10811146	06	.850-01		-.0165				
163432	60	12	-10811651	06	.850-01		.0039				
163532	60	12	-10812152	06	.850-01		-.0068				
163632	60	12	-10812650	06	.850-01		.0010				
163732	60	12	-10813144	06	.850-01		-.0049				
163832	60	12	-10813634	06	.850-01		.0098				
163932	60	12	-10814120	06	.850-01		-.0098				
164032	60	12	-10814603	06	.850-01		-.0020				
164132	60	12	-10815083	06	.850-01		-.0117				
164232	60	12	-10815558	06	.850-01		-.0020				
164332	60	12	-10816030	06	.850-01		-.0117				
164432	60	12	-10816499	06	.850-01		-.0049				
164532	60	12	-10816963	06	.850-01		-.0005				
164632	60	12	-10817424	06	.850-01		.0068				
164732	60	12	-10817881	06	.850-01		.0049				
164832	60	12	-10818335	06	.850-01		.0039				
164932	60	12	-10818784	06	.850-01		-.0088				
165032	60	12	-10819230	06	.850-01		.0156				
165132	60	12	-10819672	06	.850-01		-.0059				
165232	60	12	-10820110	06	.850-01		-.0049				
165332	60	12	-10820545	06	.850-01		-.0156				
165432	60	12	-10820976	06	.850-01		-.0078				
165532	60	12	-10821403	06	.850-01		.0068				
165632	60	12	-10821824	06	.850-01		.0088				
165732	60	12	-10822245	06	.850-01		-.0010				
165832	60	12	-10822660	06	.850-01		-.0049				
165932	60	12	-10823072	06	.850-01		-.0039				
170032	60	12	-10823480	06	.850-01		.0029				
170132	60	12	-10823883	06	.850-01		.0146				
170232	60	12	-10824283	06	.850-01		-.0020				
170332	60	12	-10824680	06	.850-01		.0039				
170432	60	12	-10825072	06	.850-01		-.0010				
170532	60	12	-10825460	06	.850-01		-.0156				
170632	60	12	-10825844	06	.850-01		-.0107				
170732	60	12	-10826225	06	.850-01		.0029				
170832	60	12	-10826601	06	.850-01		.0049				
170932	60	12	-10826974	06	.850-01		-.0049				
171032	60	12	-10827342	06	.850-01		.0098				
171132	60	12	-10827707	06	.850-01		-.0020				
171232	60	12	-10828067	06	.850-01		.0078				
171332	60	12	-10828424	06	.850-01		-.0088				
171432	60	12	-10828777	06	.850-01		.0156				
171532	60	12	-10829125	06	.850-01		.0127				
171632	60	12	-10829470	06	.850-01		.0146				
171732	60	12	-10829811	06	.850-01		-.0078				
171832	60	12	-10830147	06	.850-01		-.0068				
171932	60	12	-10830480	06	.850-01		.0010				
172032	60	12	-10830808	06	.850-01		-.0010				
172132	60	12	-10831135	06	.850-01		.0039				
172232	60	12	-10831453	06	.850-01		.0010				
172332	60	12	-10831770	06	.850-01		.0029				
172432	60	12	-10832082	06	.850-01		-.0020				
172532	60	12	-10832390	06	.850-01		-.0010				
172632	60	12	-10832694	06	.850-01		.0078				
172732	60	12	-10832994	06	.850-01		.0078				
172832	60	12	-10833290	06	.850-01		-.0176				
172932	60	12	-10833582	06	.850-01		.0156				
173032	60	12	-10833869	06	.850-01		.0049				
173132	60	12	-10834153	06	.850-01		-.0039				
173232	60	12	-10834432	06	.850-01		-.0078				
173332	60	12	-10834707	06	.850-01		-.0098				
173432	60	12	-10834979	06	.850-01		.0127				
173532	60	12	-10835244	06	.850-01		-.0078				
173632	60	12	-10835508	06	.850-01		-.0020				
173732	60	12	-10835767	06	.850-01		.0127				
173832	60	12	-10836021	06	.850-01		.0010				
173932	60	12	-10836272	06	.850-01		-.0020				
174032	60	12	-10836518	06	.850-01		-.0117				
174132	60	12	-10836760	06	.850-01		.0029				
174232	60	12	-10836997	06	.850-01		.0098				
174332	60	12	-10837231	06	.850-01		.0088				
174432	60	12	-10837460	06	.850-01		.0000				
174532	60	12	-10837685	06	.852-01		.0000				
174632	60	12	-10837906	06	.852-01		-.0078				
174732	60	12	-10838122	06	.852-01		.0088				
174832	60	12	-10838335	06	.852-01		.0029				
174932	60	12	-10838543	06	.852-01		-.0107				
175032	60	12	-10838746	06	.852-01		.0010				
175132	60	12	-10838944	06	.852-01		.0049				
175232	60	12	-10839141	06	.852-01		.0020				
175332	60	12	-10839332	06	.852-01		.0088				
175432	60	12	-10839519	06	.852-01		-.0088				
175532	60	12	-10839702	06	.852-01		.0000				
175632	60	12	-10839880	06	.852-01		.0020				

## JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12 6470730 ITERATION NUMBER 2 PASS NUMBER 077303  
FREQUENCY 8200.0

TIME	TC	Q	CC3
175732	60	12	.10840054 06 .852-01 -.0039
175832	60	12	.10840223 06 .852-01 -.0010
175932	60	12	.10840389 06 .852-01 -.0039
180032	60	12	.10840550 06 .854-01 -.0195
180132	60	12	.10840706 06 .854-01 -.0137
180232	60	12	.10840859 06 .854-01 -.0117
180332	60	12	.10841007 06 .854-01 -.0020
180432	60	12	.10841151 06 .854-01 -.0059
180532	60	12	.10841290 06 .854-01 -.0000
180632	60	12	.10841425 06 .854-01 -.0010
180732	60	12	.10841556 06 .854-01 -.0088
180832	60	12	.10841682 06 .857-01 -.0107
180932	60	12	.10841804 06 .857-01 -.0068
181032	60	12	.10841922 06 .857-01 -.0215
181132	60	12	.10842035 06 .857-01 -.0117
181232	60	12	.10842144 06 .857-01 -.0117
181332	60	12	.10842249 06 .857-01 -.0088
181432	60	12	.10842349 06 .859-01 -.0039
181532	60	12	.10842445 06 .859-01 -.0137
181632	60	12	.10842537 06 .859-01 -.0088
181732	60	12	.10842624 06 .862-01 -.0195
181832	60	12	.10842707 06 .862-01 -.0127
181932	60	12	.10842785 06 .862-01 -.0049
182032	60	12	.10842859 06 .862-01 -.0244
182132	60	12	.10842929 06 .864-01 -.0049
182232	60	12	.10842994 06 .864-01 -.0039
182332	60	12	.10843055 06 .867-01 -.0020
182432	60	12	.10843112 06 .867-01 -.0098
182532	60	12	.10843164 06 .869-01 -.0010
182632	60	12	.10843212 06 .869-01 -.0000
182732	60	12	.10843255 06 .872-01 -.0068
182832	60	12	.10843294 06 .872-01 -.0010
182932	60	12	.10843328 06 .874-01 -.0020
183032	60	12	.10843358 06 .876-01 -.0088
183132	60	12	.10843384 06 .879-01 -.0107
183232	60	12	.10843405 06 .881-01 -.0078
183332	60	12	.10843422 06 .881-01 -.0010
183432	60	12	.10843435 06 .884-01 -.0137
183532	60	12	.10843443 06 .889-01 -.0000
183632	60	12	.10843447 06 .891-01 -.0078
183732	60	12	.10843446 06 .894-01 -.0068
183832	60	12	.10843441 06 .898-01 -.0029
183932	60	12	.10843431 06 .901-01 -.0020
184032	60	12	.10843417 06 .905-01 -.0059
184132	60	12	.10843398 06 .911-01 -.0000
184232	60	12	.10843375 06 .916-01 -.0010
184332	60	12	.10843348 06 .920-01 -.0039
184432	60	12	.10843316 06 .928-01 -.0156
184532	60	12	.10843280 06 .933-01 -.0010
184632	60	12	.10843240 06 .940-01 -.0049
184732	60	12	.10843195 06 .950-01 -.0000
184832	60	12	.10843145 06 .957-01 -.0166
184932	60	12	.10843091 06 .967-01 -.0078
185032	60	12	.10843033 06 .979-01 -.0029
185132	60	12	.10842971 06 .991-01 -.0039
185232	60	12	.10842904 06 .100 00 -.0117
185332	60	12	.10842832 06 .102 00 -.0078
185432	60	12	.10842756 06 .104 00 -.0107
185532	60	12	.10842676 06 .105 00 -.0186
185632	60	12	.10842591 06 .107 00
185732	60	12	.10842502 06 .110 00

STATION NUMBER 12 64/07/31					ITERATION NUMBER 2	PASS NUMBER 07/311
FREQUENCY 8200.0						
TIME	TC	Q	CC3			
073432	60	12	.10297812	06	.940-01	.0078
073532	60	12	.10297912	06	.933-01	.0156
073632	60	12	.10298016	06	.925-01	.0039
073732	60	12	.10298126	06	.920-01	.0068
073832	60	12	.10298241	06	.913-01	-.0107
073932	60	12	.10298361	06	.908-01	.0205
074032	60	12	.10298487	06	.903-01	-.0010
074132	60	12	.10298617	06	.907-01	.0068
074232	60	12	.10298754	06	.896-01	.0137
074332	60	12	.10298895	06	.894-01	.0000
074432	60	12	.10299042	06	.889-01	-.0166
074532	60	12	.10299193	06	.886-01	.0137
074632	60	12	.10299351	06	.884-01	.0088
074732	60	12	.10299513	06	.881-01	.0000
074832	60	12	.10299681	06	.879-01	.0059
074932	60	12	.10299854	06	.876-01	-.0088
075032	60	12	.10300032	06	.876-01	.0234
075132	60	12	.10300216	06	.874-01	-.0146
075232	60	12	.10300405	06	.872-01	-.0049
075332	60	12	.10300600	06	.872-01	.0176
075432	60	12	.10300800	06	.869-01	-.0137
075532	60	12	.10301004	06	.869-01	.0205
075632	60	12	.10301215	06	.867-01	-.0010
075732	60	12	.10301431	06	.867-01	-.0078
075832	60	12	.10301652	06	.864-01	.0156
075932	60	12	.10301878	06	.864-01	.0010
080032	60	12	.10302110	06	.862-01	.0000
080132	60	12	.10302347	06	.862-01	.0117
080232	60	12	.10302590	06	.862-01	-.0127
080332	60	12	.10302837	06	.859-01	.0088
080432	60	12	.10303091	06	.859-01	.0098
080532	60	12	.10303349	06	.859-01	.0078
080632	60	12	.10303613	06	.859-01	.0020
080732	60	12	.10303882	06	.857-01	-.0078
080832	60	12	.10304157	06	.857-01	-.0049
080932	60	12	.10304437	06	.857-01	.0107
081032	60	12	.10304723	06	.857-01	.0059
081132	60	12	.10305014	06	.857-01	-.0029
081232	60	12	.10305310	06	.854-01	.0020
081332	60	12	.10305611	06	.854-01	.0020
081432	60	12	.10305918	06	.854-01	-.0020
081532	60	12	.10306231	06	.854-01	.0068
081632	60	12	.10306549	06	.854-01	-.0049
081732	60	12	.10306872	06	.854-01	-.0049
081832	60	12	.10307201	06	.854-01	.0088
081932	60	12	.10307535	06	.854-01	.0010

STATION NUMBER 12 64/07/31					ITERATION NUMBER 2	PASS NUMBER 07/312
FREQUENCY 8200.0						
TIME	TC	Q	CC3			
082032	60	12	.10307874	06	.852-01	-.0059
082132	60	12	.10308219	06	.852-01	-.0107
082232	60	12	.10308570	06	.852-01	.0186
082332	60	12	.10308925	06	.852-01	-.0225
082432	60	12	.10309287	06	.852-01	-.0010
082532	60	12	.10309653	06	.852-01	.0156
082632	60	12	.10310026	06	.852-01	-.0059
082732	60	12	.10310403	06	.852-01	.0186
082832	60	12	.10310786	06	.852-01	-.0049
082932	60	12	.10311175	06	.852-01	-.0137
083032	60	12	.10311569	06	.852-01	.0137
083132	60	12	.10311968	06	.852-01	-.0137
083232	60	12	.10312373	06	.852-01	.0039
083332	60	12	.10312783	06	.852-01	.0010
083432	60	12	.10313199	06	.852-01	.0098
083532	60	12	.10313620	06	.852-01	-.0029
083632	60	12	.10314047	06	.850-01	-.0039
083732	60	12	.10314479	06	.850-01	-.0098
083832	60	12	.10314917	06	.850-01	.0127
083932	60	12	.10315360	06	.850-01	-.0020
084032	60	12	.10315809	06	.850-01	-.0059
084132	60	12	.10316263	06	.850-01	.0020
084232	60	12	.10316723	06	.850-01	.0039
084332	60	12	.10317188	06	.850-01	.0020
084432	60	12	.10317659	06	.850-01	-.0049
084532	60	12	.10318135	06	.850-01	-.0010
084632	60	12	.10318617	06	.850-01	-.0020
084732	60	12	.10319104	06	.850-01	.0088
084832	60	12	.10319597	06	.850-01	-.0029
084932	60	12	.10320095	06	.850-01	-.0029
085032	60	12	.10320599	06	.850-01	-.0088
085132	60	12	.10321108	06	.850-01	.0146
085232	60	12	.10321624	06	.850-01	-.0195
085332	60	12	.10322144	06	.850-01	.0088
085432	60	12	.10322670	06	.850-01	-.0020
085532	60	12	.10323202	06	.850-01	-.0010
085632	60	12	.10323739	06	.850-01	-.0068
085732	60	12	.10324282	06	.850-01	-.0010
085832	60	12	.10324830	06	.850-01	.0000
085932	60	12	.10325384	06	.850-01	-.0068
090032	60	12	.10325943	06	.850-01	.0146
090132	60	12	.10326508	06	.850-01	-.0020
090232	60	12	.10327079	06	.850-01	-.0088
090332	60	12	.10327655	06	.850-01	.0117
090432	60	12	.10328237	06	.850-01	-.0078
090532	60	12	.10328825	06	.850-01	.0010
090632	60	12	.10329418	06	.850-01	-.0146
090732	60	12	.10330017	06	.850-01	.0146
090832	60	12	.10330621	06	.850-01	-.0117
090932	60	12	.10331231	06	.850-01	.0049
091032	60	12	.10331847	06	.850-01	-.0020
091132	60	12	.10332468	06	.850-01	.0020

## JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 12      64/07/31      ITERATION NUMBER 2      PASS NUMBER 07/312  
 FREQUENCY 8200.0

TIME	TC	Q	CC3
091232	60	12	-10333095 06 .850-01 -.0010
091332	60	12	-10333728 06 .850-01 -.0068
091432	60	12	-10334366 06 .850-01 -.0098
091532	60	12	-10335010 06 .850-01 -.0020
091632	60	12	-10335659 06 .850-01 -.0117
091732	60	12	-10336315 06 .850-01 -.0020
091832	60	12	-10336976 06 .850-01 -.0088
091932	60	12	-10337642 06 .850-01 -.0088
092032	60	12	-10338315 06 .850-01 -.0010
092132	60	12	-10338993 06 .850-01 -.0029
092232	60	12	-10339677 06 .850-01 -.0020
092332	60	12	-10340366 06 .850-01 -.0010
092432	60	12	-10341062 06 .850-01 -.0020
092532	60	12	-10341763 06 .850-01 -.0039
092632	60	12	-10342470 06 .850-01 -.0146
092732	60	12	-10343182 06 .850-01 -.0098
092832	60	12	-10343901 06 .850-01 -.0058
092932	60	12	-10344625 06 .850-01 -.0010
093032	60	12	-10345355 06 .850-01 -.0010
093132	60	12	-10346090 06 .850-01 -.0098
093232	60	12	-10346832 06 .850-01 -.0059
093332	60	12	-10347580 06 .850-01 -.0039
093432	60	12	-10348333 06 .850-01 -.0127
093532	60	12	-10349092 06 .850-01 -.0127
093632	60	12	-10349857 06 .850-01 -.0029
093732	60	12	-10350628 06 .850-01 -.0059
093832	60	12	-10351404 06 .850-01 -.0117
093932	60	12	-10352187 06 .850-01 -.0039
094032	60	12	-10352976 06 .850-01 -.0107
094132	60	12	-10353770 06 .850-01 -.0000
094232	60	12	-10354570 06 .850-01 -.0039
094332	60	12	-10355376 06 .850-01 -.0010
094432	60	12	-10356189 06 .850-01 -.0039
094532	60	12	-10357007 06 .850-01 -.0127
094632	60	12	-10357831 06 .850-01 -.0049
094732	60	12	-10358661 06 .850-01 -.0146
094832	60	12	-10359498 06 .850-01 -.0068
094932	60	12	-10360340 06 .850-01 -.0020
095032	60	12	-10361188 06 .850-01 -.0020
095132	60	12	-10362042 06 .850-01 -.0078
095232	60	12	-10362903 06 .850-01 -.0059
095332	60	12	-10363769 06 .850-01 -.0068
095432	60	12	-10364642 06 .850-01 -.0020
095532	60	12	-10365520 06 .850-01 -.0049
095632	60	12	-10366405 06 .850-01 -.0029
095732	60	12	-10367296 06 .850-01 -.0029
095832	60	12	-10368193 06 .850-01 -.0020
095932	60	12	-10369097 06 .850-01 -.0020
100032	60	12	-10370006 06 .850-01 -.0029
100132	60	12	-10370922 06 .850-01 -.0059
100232	60	12	-10371844 06 .850-01 -.0234
100332	60	12	-10372773 06 .850-01 -.0098
100432	60	12	-10373707 06 .850-01 -.0059
100532	60	12	-10374648 06 .850-01 -.0010
100632	60	12	-10375595 06 .850-01 -.0049
100732	60	12	-10376549 06 .850-01 -.0098
100832	60	12	-10377509 06 .850-01 -.0078
100932	60	12	-10378475 06 .850-01 -.0117
101032	60	12	-10379448 06 .850-01 -.0020
101132	60	12	-10380428 06 .850-01 -.0107
101232	60	12	-10381414 06 .850-01 -.0137
101332	60	12	-10382408 06 .850-01 -.0088
101432	60	12	-10383405 06 .850-01 -.0186
101532	60	12	-10384410 06 .850-01 -.0186
101632	60	12	-10385422 06 .850-01 -.0098
101732	60	12	-10386441 06 .850-01 -.0098
101832	60	12	-10387466 06 .850-01 -.0205
101932	60	12	-10388498 06 .850-01 -.0166
102032	60	12	-10389537 06 .850-01 -.0137
102132	60	12	-10390582 06 .850-01 -.0078
102232	60	12	-10391635 06 .850-01 -.0029
102332	60	12	-10392694 06 .850-01 -.0039
102432	60	12	-10393759 06 .850-01 -.0039
102532	60	12	-10394832 06 .850-01 -.0088
102632	60	12	-10395912 06 .850-01 -.0089
102732	60	12	-10396999 06 .850-01 -.0059
102832	60	12	-10398092 06 .850-01 -.0078
102932	60	12	-10399193 06 .850-01 -.0000
103032	60	12	-10400301 06 .850-01 -.0068
103132	60	12	-10401367 06 .850-01 -.0098
103232	60	12	-10402480 06 .850-01 -.0059
103332	60	12	-10403667 06 .850-01 -.0088
103432	60	12	-10404804 06 .850-01 -.0088
103532	60	12	-10406025 06 .850-01 -.0020
103632	60	12	-10407223 06 .850-01 -.0039
103732	60	12	-10408423 06 .850-01 -.0029
103832	60	12	-10409625 06 .850-01 -.0039
103932	60	12	-10410825 06 .850-01 -.0049
104032	60	12	-10412026 06 .850-01 -.0156
104132	60	12	-10413226 06 .850-01 -.0098
104232	60	12	-10414426 06 .850-01 -.0020
104332	60	12	-10415626 06 .850-01 -.0039
104432	60	12	-10416826 06 .850-01 -.0049
104532	60	12	-10418026 06 .850-01 -.0059
104632	60	12	-10419226 06 .850-01 -.0020
104732	60	12	-10420426 06 .850-01 -.0010
104832	60	12	-10421626 06 .850-01 -.0020
104932	60	12	-10422826 06 .850-01 -.0049
105032	60	12	-10424026 06 .850-01 -.0078
105132	60	12	-10425226 06 .850-01 -.0137
105232	60	12	-10426426 06 .850-01 -.0059
105332	60	12	-10427626 06 .850-01 -.0049
105432	60	12	-10428826 06 .850-01 -.0166
105532	60	12	-10430026 06 .850-01 -.0078
105632	60	12	-10431226 06 .850-01 -.0078
105732	60	12	-10432426 06 .850-01 -.0078
105832	60	12	-10433626 06 .850-01 -.0078

STATION NUMBER 12		64/07/31		ITERATION NUMBER 2		PASS NUMBER 07/313	
FREQUENCY		8200.0					
TIME	TC Q	CC3					
110232	60 12	.10439795	06 .201 00			.0625	
110332	60 12	.10441168	06 .201 00			-.0146	
110432	60 12	.10442550	06 .201 00			-.0156	
110532	60 12	.10443942	06 .201 00			-.0985	
110632	60 12	.10448173	06 .201 00			-.0146	
110932	60 12	.10449603	06 .201 00			-.0518	
111032	60 12	.10451044	06 .201 00			-.0693	
111132	60 12	.10452494	06 .201 00			.0459	
111232	60 12	.10453954	06 .201 00			.0254	
111332	60 12	.10459900	06 .202 00			.0469	
111732	60 12	.10461414	06 .202 00			-.0039	
111832	60 12	.10462938	06 .202 00			-.0313	
111932	60 12	.10464474	06 .202 00			-.0381	
112032	60 12	.10466021	06 .202 00			-.0234	
112132	60 12	.10467579	06 .202 00			-.0078	
112232	60 12	.10469149	06 .202 00			.0088	
112332	60 12	.10470731	06 .202 00			-.0107	
112632	60 12	.10475549	06 .202 00			-.0293	
112732	60 12	.10477180	06 .202 00			-.0117	
112832	60 12	.10478824	06 .202 00			.0078	
112932	60 12	.10480481	06 .202 00			-.0264	
113032	60 12	.10482151	06 .202 00			-.0596	
113132	60 12	.10483834	06 .202 00			-.0078	
113232	60 12	.10485531	06 .202 00			-.0098	
113332	60 12	.10487242	06 .202 00			-.0010	
113432	60 12	.10488966	06 .202 00			-.0488	
113532	60 12	.10490706	06 .202 00			.0596	
113632	60 12	.10492461	06 .202 00			-.0488	
113732	60 12	.10494231	06 .202 00			-.0098	
114032	60 12	.10499225	06 .202 00			-.0029	
114132	60 12	.10501456	06 .202 00			-.0107	
114232	60 12	.10503303	06 .202 00			.0361	
114332	60 12	.10505166	06 .202 00			.0000	
114432	60 12	.10507047	06 .202 00			-.0557	
114532	60 12	.10508945	06 .202 00			-.0010	
114632	60 12	.10510861	06 .202 00			-.0107	
114732	60 12	.10512794	06 .202 00			-.0078	
114832	60 12	.10514746	06 .202 00			-.0264	
114932	60 12	.10516717	06 .202 00			.0000	
115032	60 12	.10518706	06 .202 00			.0020	
115132	60 12	.10520716	06 .202 00			-.0264	
115232	60 12	.10522745	06 .202 00			-.0049	
115332	60 12	.10524795	06 .202 00			-.0049	
115432	60 12	.10526866	06 .202 00			-.0146	
115532	60 12	.10528959	06 .202 00			.0430	
115632	60 12	.10531073	06 .202 00			-.0508	
115732	60 12	.10533210	06 .202 00			-.0205	
115832	60 12	.10535370	06 .202 00			-.0459	
115932	60 12	.10537554	06 .203 00			-.0244	
120032	60 12	.10539762	06 .203 00			-.0039	
120132	60 12	.10541995	06 .203 00			.0352	
120232	60 12	.10544253	06 .203 00			-.0127	
120332	60 12	.10546537	06 .203 00			-.0234	
120432	60 12	.10548849	06 .203 00			-.0361	
120532	60 12	.10551187	06 .203 00			-.0098	
120632	60 12	.10553554	06 .203 00			-.0439	
120732	60 12	.10555951	06 .203 00			.0439	
120832	60 12	.10558377	06 .203 00			-.0518	
120932	60 12	.10560834	06 .203 00			-.0039	
121032	60 12	.10563322	06 .203 00			-.0244	
121132	60 12	.10565843	06 .203 00			.0469	
121232	60 12	.10568398	06 .203 00			-.0342	
121332	60 12	.10570988	06 .203 00			-.0117	
121432	60 12	.10573613	06 .203 00			-.0127	
121532	60 12	.10576275	06 .203 00			-.0488	
121632	60 12	.10578974	06 .203 00			.0371	
121732	60 12	.10581714	06 .203 00			-.0039	
121832	60 12	.10584493	06 .203 00			-.0479	
121932	60 12	.10587314	06 .203 00			-.0059	
122032	60 12	.10590179	06 .203 00			-.0215	
122132	60 12	.10593088	06 .203 00			.0693	
122232	60 12	.10596043	06 .203 00			.0488	
122332	60 12	.10599047	06 .203 00			-.0176	
122432	60 12	.10602099	06 .203 00			.0049	

STATION		NUMBER	64/07/31		ITERATION		NUMBER	2		PASS		NUMBER	07/314	
		FREQUENCY		R200.0										
TIME		TC	Q	CC3										
122548	60	12	.10606041	06	.203	00								.0273
122623	10	12	.10607882	06	.500	00								-.1211
122758	60	12	.10612984	06	.203	00								.0410
122833	10	12	.10614697	06	.500	00								-.0723
122958	60	12	.10619636	06	.203	00								.0166
123043	30	12	.10622193	06	.288	00								-.0000
123208	60	12	.10627129	06	.203	00								-.0244
123308	60	12	.10630694	06	.203	00								-.0117
123408	60	12	.10634331	06	.203	00								-.0146
123443	10	12	.10636484	06	.500	00								-.1445
123618	60	12	.10642473	06	.203	00								-.0215
123718	60	12	.10646358	06	.203	00								-.0166
123818	60	12	.10650330	06	.204	00								-.0371
123918	60	12	.10654391	06	.204	00								-.0088
124018	60	12	.10658466	06	.204	00								-.0098
124118	60	12	.10662860	06	.204	00								.0361
124158	20	12	.10665689	06	.354	00								.1621
124303	10	12	.10670491	06	.502	00								.0859
124408	60	12	.10675431	06	.204	00								.0195
124508	60	12	.10680111	06	.204	00								.0234
124608	60	12	.10684916	06	.204	00								-.0264
124653	30	12	.10688602	06	.288	00								.0498
124808	60	12	.10694930	06	.204	00								.0527
124908	60	12	.10700154	06	.204	00								-.0361
125008	60	12	.10705533	06	.204	00								.0156
125108	60	12	.10711078	06	.204	00								.0176
125208	60	12	.10716798	06	.204	00								-.0146
125258	40	12	.10721702	06	.250	00								-.0420
125418	60	12	.10729845	06	.204	00								.0352
125518	60	12	.10736195	06	.204	00								.0137
125608	40	12	.10741654	06	.250	00								.0791
125743	50	12	.10752507	06	.224	00								.0264
125928	40	12	.10765281	06	.250	00								-.0576
130023	10	12	.10772331	06	.502	00								-.0098
130133	30	12	.10781711	06	.289	00								-.0098
130318	40	12	.10796701	06	.250	00								.0176
130438	60	12	.10808961	06	.204	00								-.0303
130538	60	12	.10818678	06	.204	00								-.0156
130638	60	12	.10828894	06	.204	00								.0068
130718	20	12	.10835984	06	.354	00								.0625
130828	40	12	.10849066	06	.250	00								.0425
130958	60	12	.10867208	06	.205	00								-.0479
131058	60	12	.10880223	06	.205	00								.0156
131158	60	12	.10894080	06	.205	00								.0137
131258	60	12	.10908477	06	.205	00								-.0381
131358	60	12	.10924729	06	.205	00								.0967
131458	60	12	.10941770	06	.205	00								-.0889
131558	60	12	.10960163	06	.205	00								.0215
131658	60	12	.10980297	06	.205	00								.0273
131758	60	12	.11001865	06	.205	00								-.0479
131858	60	12	.11025566	06	.205	00								.0332
131938	20	12	.11042618	06	.355	00								.0166
132048	60	12	.11075673	06	.205	00								.0025
132143	50	12	.11104601	06	.225	00								-.0146
132308	60	12	.11136074	06	.205	00								.0771
132408	60	12	.11198449	06	.205	00								.0049
132443	10	12	.11225748	06	.506	00								-.0830
132533	30	12	.11269672	06	.290	00								.0459

DATA STATISTICS		STATION 3		ITERATION 2				
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/291	CC3	7/29-104132	7/29-112732	31	.116-01	.116-01	-.756-03	.135-03
07/292	CC3	7/29-113132	7/29-175032	341	.847-02	.854-02	.114-02	.730-04
07/293	CC3	7/29-175132	7/29-184132	42	.953-02	.159-01	-.127-01	.253-03
07/301	CC3	7/30-071832	7/30-082232	62	.104-01	.111-01	.381-02	.123-03
07/302	CC3	7/30-082332	7/30-175632	564	.890-02	.890-02	-.102-03	.792-04
07/303	CC3	7/30-175732	7/30-185732	61	.921-02	.953-02	-.245-02	.909-04
07/311	CC3	7/31-073432	7/31-081932	46	.971-02	.102-01	.304-02	.104-03
07/312	CC3	7/31-082032	7/31-105832	151	.885-02	.086-02	.485-03	.785-04
07/313	CC3	7/31-110232	7/31-122432	74	.334-01	.341-01	-.694-02	.116-02
07/314	CC3	7/31-122548	7/31-132533	58	.511-01	.514-01	.475-02	.264-02



STATION NUMBER 41		64/07/29		ITERATION NUMBER 2		PASS NUMBER 07/292	
FREQUENCY 8249.3							
TIME	TC	Q	CC3				
184632	60	41	-10817721	06	.136 00	.0049	
184732	60	41	-10818446	06	.136 00	.0078	
184832	60	41	-10819172	06	.136 00	.0078	
184932	60	41	-10819901	06	.136 00	.0078	
185032	60	41	-10820631	06	.136 00	.0049	
185132	60	41	-10821363	06	.136 00	.0176	
185232	60	41	-10822097	06	.136 00	-.0215	
185332	60	41	-10822833	06	.136 00	.0059	
185432	60	41	-10823570	06	.136 00	.0322	
185532	60	41	-10824309	06	.136 00	.0088	
185632	60	41	-10825050	06	.136 00	-.0322	
185732	60	41	-10825792	06	.137 00	.0273	
185832	60	41	-10826536	06	.137 00	.0029	
185932	60	41	-10827282	06	.137 00	-.0039	
190032	60	41	-10828029	06	.137 00	.0068	
190132	60	41	-10828778	06	.137 00	.0010	
190232	60	41	-10829529	06	.137 00	-.0205	
190332	60	41	-10830281	06	.137 00	.0264	
190832	60	41	-10834063	06	.137 00	.0020	
191232	60	41	-10837115	06	.137 00	.0186	
191332	60	41	-10837861	06	.137 00	.0068	
191432	60	41	-10838649	06	.137 00	.0146	
191532	60	41	-10839417	06	.137 00	.0254	
191632	60	41	-10840188	06	.137 00	.0068	
191732	60	41	-10840959	06	.137 00	-.0234	
191832	60	41	-10841731	06	.137 00	.0175	
191932	60	41	-10842505	06	.137 00	.0127	
192332	60	41	-10845612	06	.137 00	-.0049	
192432	60	41	-10846391	06	.137 00	.0166	
192532	60	41	-10847172	06	.137 00	.0117	
192632	60	41	-10847954	06	.137 00	-.0225	
192732	60	41	-10848736	06	.137 00	.0195	
192832	60	41	-10849520	06	.138 00	.0166	
192932	60	41	-10850304	06	.138 00	-.0117	
193032	60	41	-10851090	06	.138 00	-.0029	
193132	60	41	-10851876	06	.138 00	-.0332	
193232	60	41	-10852664	06	.138 00	.0264	
193332	60	41	-10853452	06	.138 00	.0264	
193432	60	41	-10854241	06	.138 00	.0176	
193532	60	41	-10855031	06	.138 00	.0010	
193632	60	41	-10855822	06	.138 00	-.0078	
193732	60	41	-10856614	06	.138 00	.0254	
193832	60	41	-10857406	06	.138 00	-.0313	
194132	60	41	-10859788	06	.138 00	-.0166	
194232	60	41	-10860584	06	.138 00	.0291	
194332	60	41	-10861380	06	.138 00	.0195	
194432	60	41	-10862176	06	.138 00	.0029	
194532	60	41	-10862974	06	.138 00	-.0049	
194632	60	41	-10863772	06	.138 00	.0156	
194732	60	41	-10864570	06	.138 00	-.0186	
195032	60	41	-10866969	06	.138 00	.0098	
195132	60	41	-10867769	06	.138 00	.0205	
195232	60	41	-10868571	06	.138 00	-.0244	
195332	60	41	-10869372	06	.138 00	-.0068	
195432	60	41	-10870174	06	.138 00	-.0098	
195532	60	41	-10870976	06	.138 00	.0176	
195632	60	41	-10871779	06	.138 00	-.0107	
195732	60	41	-10872582	06	.138 00	.0078	
200032	60	41	-10874994	06	.139 00	.0098	
200132	60	41	-10875798	06	.139 00	.0000	
200232	60	41	-10876603	06	.139 00	-.0127	
200332	60	41	-10877408	06	.139 00	.0225	
200432	60	41	-10878213	06	.139 00	-.0117	
200532	60	41	-10879018	06	.139 00	-.0146	
200632	60	41	-10879823	06	.139 00	-.0020	
200732	60	41	-10880629	06	.139 00	.0098	
200832	60	41	-10881435	06	.139 00	-.0137	
200932	60	41	-10882240	06	.139 00	.0283	
201032	60	41	-10883046	06	.139 00	.0029	
201132	60	41	-10883852	06	.139 00	-.0215	
201232	60	41	-10884658	06	.139 00	.0186	
201332	60	41	-10885464	06	.139 00	.0088	
201432	60	41	-10886270	06	.139 00	.0322	
201532	60	41	-10887076	06	.139 00	-.0088	
201632	60	41	-10887882	06	.139 00	-.0010	
201732	60	41	-10888687	06	.139 00	.0078	
201832	60	41	-10889493	06	.139 00	-.0313	
201932	60	41	-10890298	06	.139 00	.0137	
202032	60	41	-10891104	06	.139 00	.0244	
202132	60	41	-10891909	06	.139 00	-.0264	
202232	60	41	-10892714	06	.139 00	-.0098	
202332	60	41	-10893519	06	.139 00	.0244	
202432	60	41	-10894324	06	.139 00	-.0039	
202532	60	41	-10895128	06	.139 00	.0195	
202632	60	41	-10895932	06	.139 00	-.0039	
202732	60	41	-10896736	06	.139 00	.0088	
202832	60	41	-10897539	06	.140 00	.0068	
202932	60	41	-10898342	06	.140 00	-.0068	
203032	60	41	-10899145	06	.140 00	-.0010	
203132	60	41	-10899947	06	.140 00	.0088	
203232	60	41	-10900749	06	.140 00	.0234	
203332	60	41	-10901551	06	.140 00	-.0078	
203432	60	41	-10902352	06	.140 00	.0156	
203532	60	41	-10903152	06	.140 00	.0098	
203632	60	41	-10903952	06	.140 00	.0088	
203732	60	41	-10904752	06	.140 00	-.0195	
203832	60	41	-10905551	06	.140 00	-.0098	
203932	60	41	-10906349	06	.140 00	-.0283	
204232	60	41	-10908741	06	.140 00	-.0127	
204332	60	41	-10909537	06	.140 00	-.0215	
204632	60	41	-10911921	06	.140 00	-.0264	
204732	60	41	-10912714	06	.140 00	.0078	
204832	60	41	-10913508	06	.140 00	.0342	
204932	60	41	-10914298	06	.140 00	.0186	

STATION		NUMBER	41	64/07/29	ITERATION	NUMBER	2	PASS	NUMBER	07/27/92
FREQUENCY		8249.3								
TIME	TC	Q	CC3							
205032	60	41	10915089	06	140	00				-0398
205132	60	41	10915879	06	140	00				-0068
205232	60	41	10916668	06	140	00				-0156
205332	60	41	10917456	06	140	00				-0029
205432	60	41	10918244	06	140	00				-0059
205532	60	41	10919030	06	140	00				-0039
205632	60	41	10919816	06	141	00				-0068
205732	60	41	10920600	06	141	00				-0107
205832	60	41	10921384	06	141	00				-0254
205932	60	41	10922167	06	141	00				-0137
210032	60	41	10922948	06	141	00				-0029
210132	60	41	10923729	06	141	00				-0088
210232	60	41	10924509	06	141	00				-0293
210332	60	41	10925287	06	141	00				-0107
210432	60	41	10926064	06	141	00				-0039
210532	60	41	10926841	06	141	00				-0244
210632	60	41	10927616	06	141	00				-0107
210732	60	41	10928390	06	141	00				-0060
210832	60	41	10929163	06	141	00				-0225
210932	60	41	10929934	06	141	00				-0098
211032	60	41	10930705	06	141	00				-0029
211132	60	41	10931474	06	141	00				-0049
211232	60	41	10932247	06	141	00				-0186
211332	60	41	10933021	06	141	00				-0107
211432	60	41	10933794	06	141	00				-0234
211532	60	41	10934567	06	141	00				-0264
211632	60	41	10935340	06	141	00				-0371
211732	60	41	10936113	06	141	00				-0176
211832	60	41	10936886	06	142	00				-0244
211932	60	41	10937659	06	142	00				-0176
212032	60	41	10938432	06	142	00				-0059
212132	60	41	10939205	06	142	00				-0117
212232	60	41	10939978	06	142	00				-0146
212332	60	41	10940751	06	142	00				-0156
212432	60	41	10941524	06	142	00				-0137
212532	60	41	10942297	06	142	00				-0215
212632	60	41	10943070	06	142	00				-0107
212732	60	41	10943843	06	142	00				-0088
212832	60	41	10944616	06	142	00				-0010
212932	60	41	10945389	06	142	00				-0313
213032	60	41	10946162	06	142	00				-0400
213132	60	41	10946935	06	142	00				-0293
213232	60	41	10947708	06	142	00				-0137
213332	60	41	10948481	06	142	00				-0039
213432	60	41	10949254	06	142	00				-0098
213532	60	41	10950027	06	142	00				-0205
213632	60	41	10950799	06	142	00				-0176
213732	60	41	10951572	06	142	00				-0059
213832	60	41	10952345	06	142	00				-0117
213932	60	41	10953118	06	142	00				-0146
214032	60	41	10953891	06	142	00				-0156
214132	60	41	10954664	06	142	00				-0137
214232	60	41	10955437	06	142	00				-0215
214332	60	41	10956210	06	142	00				-0107
214432	60	41	10956983	06	142	00				-0088
214532	60	41	10957756	06	142	00				-0010
214632	60	41	10958529	06	142	00				-0313
214732	60	41	10959302	06	142	00				-0400
214832	60	41	10960075	06	142	00				-0293
214932	60	41	10960848	06	142	00				-0137
215032	60	41	10961621	06	142	00				-0039
215132	60	41	10962394	06	142	00				-0098
215232	60	41	10963167	06	142	00				-0205
215332	60	41	10963940	06	142	00				-0176
215432	60	41	10964713	06	142	00				-0059
215532	60	41	10965486	06	142	00				-0117
215632	60	41	10966259	06	142	00				-0146
215732	60	41	10967032	06	142	00				-0156
215832	60	41	10967805	06	142	00				-0137
215932	60	41	10968578	06	142	00				-0215
220032	60	41	10969351	06	142	00				-0107
220132	60	41	10970124	06	142	00				-0088
220232	60	41	10970897	06	142	00				-0010
220332	60	41	10971670	06	142	00				-0313
220432	60	41	10972443	06	142	00				-0400
220532	60	41	10973216	06	142	00				-0293
220632	60	41	10973989	06	142	00				-0137
220732	60	41	10974762	06	142	00				-0039
220832	60	41	10975535	06	142	00				-0098
220932	60	41	10976308	06	142	00				-0205
221032	60	41	10977081	06	142	00				-0176
221132	60	41	10977854	06	142	00				-0059
221232	60	41	10978627	06	142	00				-0117
221332	60	41	10979400	06	142	00				-0146
221432	60	41	10980173	06	142	00				-0156
221532	60	41	10980946	06	142	00				-0137
221632	60	41	10981719	06	142	00				-0215
221732	60	41	10982492	06	142	00				-0107
221832	60	41	10983265	06	142	00				-0088
221932	60	41	10984038	06	142	00				-0010
222032	60	41	10984811	06	142	00				-0313
222132	60	41	10985584	06	142	00				-0400
222232	60	41	10986357	06	142	00				-0293
222332	60	41	10987130	06	142	00				-0137
222432	60	41	10987903	06	142	00				-0039
222532	60	41	10988676	06	142	00				-0098
222632	60	41	10989449	06	142	00				-0205
222732	60	41	10990222	06	142	00				-0176
222832	60	41	10990995	06	142	00				-0059
222932	60	41	10991768	06	142	00				-0117
223032	60	41	10992541	06	142	00				-0146
223132	60	41	10993314	06	142	00				-0156
223232	60	41	10994087	06	142	00				-0137
223332	60	41	10994860	06	142	00				-0215
223432	60	41	10995633	06	142	00				-0107
223532	60	41	10996406	06	142	00				-0088
223632	60	41	10997179	06	142	00				-0010
223732	60	41	10997952	06	142	00				-0313
223832	60	41	10998725	06	142	00				-0400
223932	60	41	10999498	06	142	00				-0293
224032	60	41	11000271	06	142	00				-0137
224132	60	41	11001044	06	142	00				-0039
224232	60	41	11001817	06	142	00				-0098
224332	60	41	11002590	06	142	00				-0205
224432	60	41	11003363	06	142	00				-0176
224532	60	41	11004136	06	142	00				-0059
224632	60	41	11004909	06	142	00				-0117
224732	60	41	11005682	06	142	00				-0146
224832	60	41	11006455	06	142	00				-0156
224932	60	41	11007228	06	142	00				-0137
225032	60	41	11008001	06	142	00				-0215

STATION		NUMBER	41	64/07/29		ITERATION		NUMBER	2	PASS		NUMBER	07/292
		FREQUENCY		8249.3									
TIME	TC	Q	CC3										
225132	60	41	-10998758	06	.145	00						.0234	
225232	60	41	-10999252	06	.145	00						.0166	
225332	60	41	-10999793	06	.145	00						.0234	
225432	60	41	-11000330	06	.145	00						-.0205	
225532	60	41	-11000865	06	.145	00						.0156	
225632	60	41	-11001396	06	.145	00						.0010	
225732	60	41	-11001925	06	.145	00						.0020	
225832	60	41	-11002450	06	.145	00						.0176	
225932	60	41	-11002972	06	.145	00						-.0029	
230032	60	41	-11003490	06	.145	00						-.0225	
230132	60	41	-11004006	06	.145	00						-.0107	
230232	60	41	-11004518	06	.145	00						.0332	
230332	60	41	-11005027	06	.145	00						.0107	
230432	60	41	-11005533	06	.145	00						.0039	
230532	60	41	-11006035	06	.145	00						.0127	
230632	60	41	-11006534	06	.145	00						-.0117	
230732	60	41	-11007030	06	.145	00						.0146	
230832	60	41	-11007523	06	.146	00						.0059	
230932	60	41	-11008012	06	.146	00						-.0342	
231032	60	41	-11008499	06	.146	00						-.0225	
231132	60	41	-11008934	06	.146	00						.0215	
231232	60	41	-11009407	06	.146	00						-.0166	
231332	60	41	-11009875	06	.146	00						.0127	
231432	60	41	-11010407	06	.146	00						-.0088	
231532	60	41	-11010875	06	.146	00						.0078	
231632	60	41	-11011261	06	.146	00						-.0059	
231732	60	41	-11011716	06	.146	00						.0146	
231832	60	41	-11012167	06	.146	00						-.0117	
231932	60	41	-11012615	06	.146	00						-.0029	
232032	60	41	-11013107	06	.146	00						.0020	
232132	60	41	-11013619	06	.146	00						.0176	
232232	60	41	-11014059	06	.146	00						.0020	
232332	60	41	-11014500	06	.146	00						.0215	
232432	60	41	-11014938	06	.146	00						-.0225	
232532	60	41	-11015371	06	.146	00						.0029	
232632	60	41	-11015801	06	.146	00						.0156	
232732	60	41	-11016228	06	.146	00						.0137	
232832	60	41	-11016651	06	.146	00						.0059	
232932	60	41	-11017070	06	.146	00						-.0068	
233032	60	41	-11017486	06	.146	00						-.0107	
233132	60	41	-11017898	06	.146	00						.0088	
233232	60	41	-11018307	06	.146	00						-.0049	
233332	60	41	-11020294	06	.146	00						.0029	
233432	60	41	-11020681	06	.146	00						.0137	
233532	60	41	-11021063	06	.146	00						.0156	
233632	60	41	-11021442	06	.146	00						.0107	
233732	60	41	-11021817	06	.146	00						.0088	
233832	60	41	-11022189	06	.146	00						-.0049	
233932	60	41	-11022556	06	.146	00						.0029	
234032	60	41	-11022920	06	.146	00						.0137	
234132	60	41	-11023280	06	.147	00						-.0195	
234232	60	41	-11023636	06	.147	00						-.0176	
234332	60	41	-11023989	06	.147	00						.0107	
234432	60	41	-11024340	06	.147	00						.0137	
234532	60	41	-11024693	06	.147	00						.0156	
234632	60	41	-11025043	06	.147	00						-.0107	
234732	60	41	-11025398	06	.147	00						.0020	
234832	60	41	-11025749	06	.147	00						-.0127	
234932	60	41	-11026099	06	.147	00						-.0215	
235032	60	41	-11026449	06	.147	00						.0254	
235132	60	41	-11026797	06	.147	00						.0107	
235232	60	41	-11027143	06	.147	00						.0029	
235332	60	41	-11027489	06	.147	00						.0137	
235432	60	41	-11027833	06	.147	00						.0156	
235532	60	41	-11028176	06	.147	00						.0107	
235632	60	41	-11028518	06	.147	00						.0029	
235732	60	41	-11028859	06	.147	00						.0137	
235832	60	41	-11029200	06	.147	00						.0156	
235932	60	41	-11029540	06	.147	00						.0107	

64/07/30

000032	60	41	-11028218	06	.147	00	-.0166
000132	60	41	-11028692	06	.147	00	.0215
000232	60	41	-11029166	06	.147	00	.0156
000332	60	41	-11029640	06	.147	00	-.0176
000432	60	41	-11030114	06	.147	00	.0068
000532	60	41	-11030588	06	.147	00	.0205
000632	60	41	-11031062	06	.147	00	-.0254
000732	60	41	-11031536	06	.147	00	-.0146
000832	60	41	-11032010	06	.148	00	.0029
000932	60	41	-11032484	06	.148	00	-.0049
001032	60	41	-11032958	06	.148	00	.0098
001132	60	41	-11033432	06	.148	00	.0332
001232	60	41	-11033906	06	.148	00	-.0205
001332	60	41	-11034380	06	.148	00	.0156
001432	60	41	-11034854	06	.148	00	-.0234
001532	60	41	-11035328	06	.148	00	.0117
001632	60	41	-11035802	06	.148	00	-.0107
001732	60	41	-11036276	06	.148	00	.0225
001832	60	41	-11036750	06	.148	00	-.0186
001932	60	41	-11037224	06	.148	00	.0146
002032	60	41	-11037698	06	.148	00	-.0117
002132	60	41	-11038172	06	.148	00	.0049
002232	60	41	-11038646	06	.148	00	.0117
002332	60	41	-11039120	06	.148	00	-.0234

## JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 41		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/293	
FREQUENCY 8249.3							
TIME	TC	Q	CC3				
002432	60	41	.11034253	06	.148 00	.0010	
002532	60	41	.11034453	06	.148 00	.0000	
002632	60	41	.11034649	06	.148 00	.0068	
002732	60	41	.11034841	06	.148 00	-.0107	
002832	60	41	.11035029	06	.149 00	.0137	
002932	60	41	.11035212	06	.149 00	-.0219	
003032	60	41	.11035391	06	.149 00	-.0137	
003132	60	41	.11035566	06	.149 00	-.0127	
003232	60	41	.11035737	06	.149 00	.0127	
003332	60	41	.11035903	06	.149 00	-.0352	
003432	60	41	.11036066	06	.149 00	-.0088	
003532	60	41	.11036224	06	.149 00	-.0059	
003632	60	41	.11036378	06	.149 00	-.0107	
003732	60	41	.11036527	06	.149 00	.0107	
003832	60	41	.11036672	06	.149 00	.0068	
003932	60	41	.11036814	06	.149 00	-.0029	
004032	60	41	.11036950	06	.149 00	.0127	
004132	60	41	.11037083	06	.149 00	-.0117	
004232	60	41	.11037211	06	.150 00	-.0107	
004332	60	41	.11037335	06	.150 00	.0000	
004432	60	41	.11037454	06	.150 00	.0371	
004532	60	41	.11037570	06	.150 00	.0000	
004632	60	41	.11037681	06	.150 00	-.0098	
004732	60	41	.11037787	06	.150 00	.0068	
004832	60	41	.11037890	06	.150 00	-.0010	
004932	60	41	.11037988	06	.150 00	-.0146	
005032	60	41	.11038082	06	.150 00	-.0020	
005132	60	41	.11038171	06	.150 00	-.0127	
005232	60	41	.11038256	06	.151 00	.0039	
005332	60	41	.11038445	06	.151 00	-.0205	
005432	60	41	.11038553	06	.151 00	.0195	
005532	60	41	.11038616	06	.151 00	.0020	
005632	60	41	.11038675	06	.151 00	.0020	
005732	60	41	.11038730	06	.152 00	.0000	
005832	60	41	.11038780	06	.152 00	.0000	
010032	60	41	.11038826	06	.152 00	-.0078	
010132	60	41	.11038867	06	.152 00	-.0225	
010232	60	41	.11038904	06	.153 00	-.0254	
010332	60	41	.11038949	06	.153 00	-.0234	
010432	60	41	.11038998	06	.154 00	-.0010	
010532	60	41	.11039023	06	.154 00	-.0186	
010632	60	41	.11039034	06	.155 00	.0088	
010732	60	41	.11039055	06	.158 00	-.0186	
010832	60	41	.11038985	06	.159 00	.0019	
010932	60	41	.11038960	06	.160 00	-.0020	
011032	60	41	.11038931	06	.161 00	.0059	
011132	60	41	.11038897	06	.162 00	-.0088	
011232	60	41	.11038859	06	.163 00	-.0283	
011332	60	41	.11038817	06	.165 00	-.0117	
011432	60	41	.11038770	06	.167 00	-.0195	
011532	60	41	.11038719	06	.168 00	.0088	
011632	60	41	.11038663	06	.170 00	-.0166	
011732	60	41	.11038603	06	.173 00	.0010	
011832	60	41	.11038539	06	.175 00	.0293	
011932	60	41	.11038459	06	.202 00	.0254	
012032	60	41	.11038364	06	.209 00	-.0225	
012132	60	41	.11038264	06	.217 00	.0068	
012232	60	41	.11038160	06	.227 00	.0127	
012332	60	41	.11038052	06	.237 00	-.0215	
012432	60	41	.11037940	06	.250 00	.0361	
012532	60	41	.11037817	06	.302 00	.0029	

STATION		NUMBER	41	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/302
FREQUENCY		8149.6								
TIME	TC	Q	CC3							
190132	60	41	.10522805	06	.178	00	.0137			
190232	60	41	.10523720	06	.179	00	.0166			
190332	60	41	.10524636	06	.179	00	-.0283			
190432	60	41	.10525554	06	.179	00	.0098			
190532	60	41	.10526474	06	.179	00	-.0361			
190632	60	41	.10527395	06	.179	00	.0195			
190732	60	41	.10528317	06	.179	00	.0098			
190832	60	41	.10529241	06	.179	00	-.0322			
191232	60	41	.10532953	06	.179	00	-.0010			
191332	60	41	.10533885	06	.179	00	.0156			
191432	60	41	.10534818	06	.179	00	-.0322			
191532	60	41	.10535753	06	.179	00	.0068			
191632	60	41	.10536688	06	.179	00	.0146			
191732	60	41	.10537626	06	.179	00	-.0078			
191832	60	41	.10538564	06	.179	00	.0225			
192232	60	41	.10542332	06	.179	00	.0166			
192332	60	41	.10543277	06	.179	00	.0166			
192432	60	41	.10544223	06	.179	00	.0215			
192732	60	41	.10547068	06	.179	00	-.0029			
192832	60	41	.10548019	06	.179	00	-.0273			
192932	60	41	.10548971	06	.179	00	.0371			
193032	60	41	.10549924	06	.179	00	-.0107			
193132	60	41	.10550878	06	.179	00	-.0186			
193432	60	41	.10553747	06	.179	00	-.0039			
193532	60	41	.10554705	06	.179	00	-.0020			
193632	60	41	.10555664	06	.179	00	.0234			
193732	60	41	.10556624	06	.179	00	.0068			
193832	60	41	.10557585	06	.179	00	-.0195			
193932	60	41	.10558547	06	.179	00	.0283			
194032	60	41	.10559510	06	.179	00	-.0322			
194132	60	41	.10560473	06	.179	00	.0313			
194432	60	41	.10563369	06	.179	00	.0078			
194532	60	41	.10564336	06	.180	00	.0068			
194632	60	41	.10565303	06	.180	00	-.0010			
194732	60	41	.10566272	06	.180	00	-.0010			
194832	60	41	.10567241	06	.180	00	-.0068			
194932	60	41	.10568210	06	.180	00	-.0361			
195032	60	41	.10569181	06	.180	00	.0107			
195132	60	41	.10570151	06	.180	00	.0352			
195232	60	41	.10571123	06	.180	00	-.0137			
195332	60	41	.10572095	06	.180	00	.0146			
195432	60	41	.10573068	06	.180	00	.0049			
195532	60	41	.10574041	06	.180	00	.0059			
195832	60	41	.10576964	06	.180	00	-.0215			
195932	60	41	.10577939	06	.180	00	.0098			
200032	60	41	.10578915	06	.180	00	.0195			
200132	60	41	.10579891	06	.180	00	-.0078			
200232	60	41	.10580867	06	.180	00	.0117			
200332	60	41	.10581844	06	.180	00	-.0068			
200432	60	41	.10582821	06	.180	00	.0049			
200532	60	41	.10583799	06	.180	00	.0137			
200632	60	41	.10584773	06	.180	00	-.0039			
200932	60	41	.10587711	06	.180	00	.0176			
201032	60	41	.10588690	06	.180	00	-.0205			
201132	60	41	.10589669	06	.180	00	.0225			
201232	60	41	.10590648	06	.180	00	-.0195			
201332	60	41	.10591628	06	.180	00	.0039			
201432	60	41	.10592607	06	.180	00	-.0078			
201532	60	41	.10593587	06	.180	00	-.0039			
201932	60	41	.10597566	06	.180	00	-.0605			
202032	60	41	.10598546	06	.180	00	.0410			
202132	60	41	.10599526	06	.180	00	-.0068			
202232	60	41	.10600505	06	.180	00	.0117			
202332	60	41	.10601485	06	.180	00	-.0186			
202432	60	41	.10602465	06	.180	00	-.0137			
202532	60	41	.10603444	06	.181	00	-.0088			
202632	60	41	.10604424	06	.181	00	.0303			
202732	60	41	.10605403	06	.181	00	.0215			
202832	60	41	.10606382	06	.181	00	-.0029			
202932	60	41	.10607361	06	.181	00	-.0264			
203032	60	41	.10608340	06	.181	00	-.0264			
203132	60	41	.10609320	06	.181	00	-.0264			
203232	60	41	.10610300	06	.181	00	.0244			
203332	60	41	.10611280	06	.181	00	-.0039			
203432	60	41	.10612260	06	.181	00	.0039			
203532	60	41	.10613240	06	.181	00	.0156			
203632	60	41	.10614220	06	.181	00	.0293			
203732	60	41	.10615200	06	.181	00	-.0020			
204032	60	41	.10618049	06	.181	00	-.0059			
204132	60	41	.10619024	06	.181	00	.0137			
204232	60	41	.10619998	06	.181	00	.0205			
204332	60	41	.10620972	06	.181	00	-.0020			
204432	60	41	.10621945	06	.181	00	-.0176			
204532	60	41	.10622918	06	.181	00	-.0117			
204632	60	41	.10623890	06	.181	00	-.0166			
204732	60	41	.10624861	06	.181	00	.0342			
204832	60	41	.10625833	06	.181	00	.0068			
204932	60	41	.10626803	06	.181	00	-.0127			
205032	60	41	.10627773	06	.181	00	-.0107			
205132	60	41	.10628742	06	.181	00	-.0010			
205232	60	41	.10629710	06	.181	00	-.0010			
205332	60	41	.10630677	06	.181	00	-.0264			
205632	60	41	.10633576	06	.181	00	-.0098			
205732	60	41	.10634541	06	.181	00	-.0068			
205832	60	41	.10635504	06	.181	00	.0068			
205932	60	41	.10636467	06	.181	00	.0107			
210032	60	41	.10637429	06	.181	00	-.0078			
210132	60	41	.10638390	06	.181	00	-.0371			
210232	60	41	.10639351	06	.181	00	.0107			
210632	60	41	.10643182	06	.182	00	.0146			
210732	60	41	.10644137	06	.182	00	.0273			
210832	60	41	.10645091	06	.182	00	-.0156			
210932	60	41	.10646045	06	.182	00	.0176			
211032	60	41	.10646997	06	.182	00	.0303			

## JPL TECHNICAL REPORT NO. 32-694

STATION	NUMBER	41	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/302
FREQUENCY		8149.6							
TIME	TC	Q	CC3						
211332	60	41	.10649847	06	.182	00			-.0137
211432	60	41	.10650795	06	.182	00			-.0293
211532	60	41	.10651741	06	.182	00			-.0225
211632	60	41	.10652686	06	.182	00			-.0039
211732	60	41	.10653630	06	.182	00			-.0029
211832	60	41	.10654573	06	.182	00			-.0156
211932	60	41	.10655515	06	.182	00			-.0029
212032	60	41	.10656455	06	.182	00			-.0176
212132	60	41	.10657394	06	.182	00			-.0225
212232	60	41	.10658331	06	.182	00			-.0352
212332	60	41	.10659268	06	.182	00			-.0107
212432	60	41	.10660203	06	.182	00			-.0088
212532	60	41	.10661136	06	.182	00			-.0059
212632	60	41	.10662068	06	.182	00			-.0146
212732	60	41	.10662999	06	.182	00			-.0127
212832	60	41	.10663928	06	.182	00			-.0039
212932	60	41	.10664856	06	.182	00			-.0264
213032	60	41	.10665782	06	.182	00			-.0195
213132	60	41	.10666707	06	.182	00			-.0000
213232	60	41	.10667630	06	.182	00			-.0186
213332	60	41	.10668551	06	.182	00			-.0313
213432	60	41	.10669471	06	.182	00			-.0186
213532	60	41	.10670390	06	.182	00			-.0156
213632	60	41	.10671307	06	.182	00			-.0166
213732	60	41	.10672222	06	.182	00			-.0137
213832	60	41	.10673135	06	.183	00			-.0117
213932	60	41	.10674047	06	.183	00			-.0234
214232	60	41	.10676772	06	.183	00			-.0098
214332	60	41	.10677677	06	.183	00			-.0088
214432	60	41	.10678581	06	.183	00			-.0098
214532	60	41	.10679482	06	.183	00			-.0205
214632	60	41	.10680382	06	.183	00			-.0166
214732	60	41	.10681279	06	.183	00			-.0234
215032	60	41	.10683961	06	.183	00			-.0039
215132	60	41	.10684851	06	.183	00			-.0020
215232	60	41	.10685740	06	.183	00			-.0029
215332	60	41	.10686626	06	.183	00			-.0098
215432	60	41	.10687510	06	.183	00			-.0195
215532	60	41	.10688393	06	.183	00			-.0098
215632	60	41	.10689273	06	.183	00			-.0205
215732	60	41	.10690151	06	.183	00			-.0117
215832	60	41	.10691027	06	.183	00			-.0234
215932	60	41	.10691903	06	.183	00			-.0098
220032	60	41	.10692773	06	.183	00			-.0029
220132	60	41	.10693644	06	.183	00			-.0029
220232	60	41	.10694511	06	.183	00			-.0195
220332	60	41	.10695377	06	.183	00			-.0127
220432	60	41	.10696241	06	.183	00			-.0225
220532	60	41	.10697102	06	.183	00			-.0146
220632	60	41	.10697961	06	.183	00			-.0098
220732	60	41	.10698818	06	.183	00			-.0205
220832	60	41	.10699672	06	.183	00			-.0078
220932	60	41	.10700525	06	.183	00			-.0166
221032	60	41	.10701375	06	.183	00			-.0000
221132	60	41	.10702222	06	.184	00			-.0322
221432	60	41	.10704752	06	.184	00			-.0107
221532	60	41	.10705591	06	.184	00			-.0088
221632	60	41	.10706427	06	.184	00			-.0010
221732	60	41	.10707260	06	.184	00			-.0283
221832	60	41	.10708092	06	.184	00			-.0166
221932	60	41	.10708920	06	.184	00			-.0215
222032	60	41	.10709747	06	.184	00			-.0156
222132	60	41	.10710570	06	.184	00			-.0059
222232	60	41	.10711392	06	.184	00			-.0146
222332	60	41	.10712211	06	.184	00			-.0088
222432	60	41	.10713027	06	.184	00			-.0029
222532	60	41	.10713841	06	.184	00			-.0068
222632	60	41	.10714652	06	.184	00			-.0156
222732	60	41	.10715460	06	.184	00			-.0039
222832	60	41	.10716266	06	.184	00			-.0029
222932	60	41	.10717070	06	.184	00			-.0303
223032	60	41	.10717870	06	.184	00			-.0293
223132	60	41	.10718668	06	.184	00			-.0176
223232	60	41	.10719464	06	.184	00			-.0127
223332	60	41	.10720256	06	.184	00			-.0137
223432	60	41	.10721046	06	.184	00			-.0029
223532	60	41	.10721833	06	.184	00			-.0020
223632	60	41	.10722618	06	.184	00			-.0195
223732	60	41	.10723400	06	.184	00			-.0146
223832	60	41	.10724179	06	.184	00			-.0303
223932	60	41	.10724955	06	.184	00			-.0020
224032	60	41	.10725728	06	.184	00			-.0146
224132	60	41	.10730308	06	.185	00			-.0361
224232	60	41	.10731061	06	.185	00			-.0205
224332	60	41	.10731811	06	.185	00			-.0146
224432	60	41	.10732559	06	.185	00			-.0371
225032	60	41	.10733303	06	.185	00			-.0205
225132	60	41	.10734044	06	.185	00			-.0068
225232	60	41	.10734783	06	.185	00			-.0254
225332	60	41	.10735518	06	.185	00			-.0318
225432	60	41	.10736250	06	.185	00			-.0176
225532	60	41	.10736979	06	.185	00			-.0254
225632	60	41	.10737705	06	.185	00			-.0020
225932	60	41	.10739865	06	.185	00			-.0020
230032	60	41	.10740578	06	.185	00			-.0000
230132	60	41	.10741289	06	.185	00			-.0409
230232	60	41	.10741996	06	.185	00			-.0117
230332	60	41	.10742700	06	.185	00			-.0146
230432	60	41	.10743401	06	.185	00			-.0107
230532	60	41	.10744099	06	.185	00			-.0059
230632	60	41	.10744793	06	.185	00			-.0000
230732	60	41	.10745484	06	.185	00			-.0215
230832	60	41	.10746172	06	.185	00			-.0078
230932	60	41	.10746857	06	.185	00			-.0049

STATION NUMBER 41		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8149.6							
TIME	TC	Q	CC3				
231032	60	41	.10747539	06	.185	00	-.0195
231132	60	41	.10748217	06	.185	00	-.0000
231232	60	41	.10748891	06	.185	00	-.0352
231332	60	41	.10749563	06	.185	00	-.0117
231432	60	41	.10750231	06	.185	00	-.0234
231732	60	41	.10752215	06	.186	00	-.0332
231832	60	41	.10752869	06	.186	00	-.0205
231932	60	41	.10753521	06	.186	00	-.0068
232032	60	41	.10754168	06	.186	00	-.0156
232132	60	41	.10754813	06	.186	00	-.0068
232432	60	41	.10756724	06	.186	00	-.0049
232932	60	41	.10759841	06	.186	00	-.0068
233032	60	41	.10760453	06	.186	00	-.0313
233132	60	41	.10761062	06	.186	00	-.0244
233232	60	41	.10761668	06	.186	00	-.0195
233332	60	41	.10762270	06	.186	00	-.0186

DATA STATISTICS		STATION 4		ITERATION 2				
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/292	CC3	7/29-184632	7/30-002332	290	.170-01	.172-01	.259-02	.295-03
07/293	CC3	7/30-002432	7/30-014032	61	.151-01	.154-01	-.246-02	.236-03
07/302	CC3	7/30-190132	7/30-233332	224	.183-01	.184-01	.168-02	.337-03

STATION NUMBER 51		64/07/30		ITERATION NUMBER 2		PASS NUMBER 07/302	
FREQUENCY 8224.7							
TIME	TC	Q	CC3				
015232	60	51	.10681091	06	.150	00	-.0127
015332	60	51	.10681926	06	.150	00	-.0059
015432	60	51	.10682762	06	.150	00	-.0049
015732	60	51	.10685285	06	.150	00	-.0146
015832	60	51	.10686130	06	.150	00	-.0010
015932	60	51	.10686977	06	.150	00	-.0049
020032	60	51	.10687826	06	.150	00	-.0146
020132	60	51	.10688678	06	.150	00	.0049
020232	60	51	.10689531	06	.150	00	.0049
020532	60	51	.10692103	06	.150	00	-.0166
020632	60	51	.10692964	06	.150	00	.0039
020732	60	51	.10693828	06	.150	00	.0059
020832	60	51	.10694693	06	.150	00	-.0127
020932	60	51	.10695560	06	.150	00	.0010
021032	60	51	.10696429	06	.150	00	-.0039
021132	60	51	.10697299	06	.150	00	-.0117
021232	60	51	.10698172	06	.150	00	.0137
021332	60	51	.10699045	06	.150	00	.0205
021432	60	51	.10699922	06	.150	00	-.0059
021732	60	51	.10702561	06	.150	00	.0088
021832	60	51	.10703444	06	.150	00	-.0039
021932	60	51	.10704328	06	.150	00	.0176
022032	60	51	.10705214	06	.150	00	-.0107
022132	60	51	.10706102	06	.150	00	-.0049
022232	60	51	.10706991	06	.150	00	-.0156
022332	60	51	.10707882	06	.150	00	-.0078
022432	60	51	.10708775	06	.150	00	-.0176
022532	60	51	.10709669	06	.151	00	.0088
022632	60	51	.10710564	06	.151	00	-.0127
022732	60	51	.10711461	06	.151	00	.0176
022832	60	51	.10712360	06	.151	00	-.0010
022932	60	51	.10713260	06	.151	00	.0010
023032	60	51	.10714161	06	.151	00	.0205
023132	60	51	.10715064	06	.151	00	-.0059
023232	60	51	.10715968	06	.151	00	.0029
023332	60	51	.10716873	06	.151	00	-.0010
023432	60	51	.10717780	06	.151	00	-.0010
023532	60	51	.10718688	06	.151	00	-.0313
023632	60	51	.10719597	06	.151	00	-.0078
023932	60	51	.10722333	06	.151	00	.0059
024032	60	51	.10723247	06	.151	00	-.0195
024132	60	51	.10724162	06	.151	00	-.0215
024232	60	51	.10725079	06	.151	00	.0137
024332	60	51	.10725996	06	.151	00	.0039
024432	60	51	.10726915	06	.151	00	.0010
024532	60	51	.10727835	06	.151	00	-.0127
024632	60	51	.10728755	06	.151	00	.0127
024732	60	51	.10729677	06	.151	00	.0117
024832	60	51	.10730600	06	.151	00	-.0342
024932	60	51	.10731524	06	.151	00	-.0049
025032	60	51	.10732448	06	.151	00	-.0029
025132	60	51	.10733374	06	.151	00	.0088

# JPL TECHNICAL REPORT NO. 32-694

STATION		NUMBER	51	64/07/30		ITERATION		NUMBER	2	PASS		NUMBER	07/302
FREQUENCY 8224.7													
TIME	TC	Q	CC3										
025232	60	51	.10734301	06	.151	00							-.0068
025332	60	51	.10735228	06	.151	00							.0010
025432	60	51	.10736156	06	.151	00							.0010
025532	60	51	.10737086	06	.151	00							-.0244
025632	60	51	.10738016	06	.151	00							.0264
025732	60	51	.10738946	06	.151	00							.0010
025832	60	51	.10739878	06	.151	00							.0205
025932	60	51	.10740810	06	.152	00							.0137
030032	60	51	.10741743	06	.152	00							-.0166
030132	60	51	.10742677	06	.152	00							-.0195
030232	60	51	.10743611	06	.152	00							.0029
030332	60	51	.10744546	06	.152	00							-.0146
030432	60	51	.10745482	06	.152	00							-.0039
030532	60	51	.10746418	06	.152	00							.0000
030632	60	51	.10747356	06	.152	00							.0146
030732	60	51	.10748293	06	.152	00							-.0098
030832	60	51	.10749230	06	.152	00							-.0049
030932	60	51	.10750169	06	.152	00							-.0078
031032	60	51	.10751108	06	.152	00							.0039
031132	60	51	.10752047	06	.152	00							.0088
031232	60	51	.10752987	06	.152	00							-.0059
031332	60	51	.10753928	06	.152	00							.0078
031432	60	51	.10754868	06	.152	00							.0010
031532	60	51	.10755809	06	.152	00							.0068
031632	60	51	.10756751	06	.152	00							-.0244
031732	60	51	.10757692	06	.152	00							.0088
031832	60	51	.10758634	06	.152	00							.0225
031932	60	51	.10759577	06	.152	00							-.0010
032032	60	51	.10760519	06	.152	00							-.0273
032132	60	51	.10761462	06	.152	00							-.0215
032232	60	51	.10762405	06	.152	00							.0156
032332	60	51	.10763348	06	.152	00							-.0176
032432	60	51	.10764292	06	.152	00							-.0156
032532	60	51	.10765235	06	.152	00							-.0029
032632	60	51	.10766179	06	.152	00							.0283
032732	60	51	.10767123	06	.152	00							-.0098
032832	60	51	.10768068	06	.152	00							.0029
032932	60	51	.10769013	06	.153	00							-.0098
033032	60	51	.10770000	06	.153	00							.0205
033132	60	51	.10770988	06	.153	00							.0010
033232	60	51	.10771976	06	.153	00							-.0156
033332	60	51	.10772964	06	.153	00							-.0137
033432	60	51	.10773952	06	.153	00							-.0117
033532	60	51	.10774940	06	.153	00							-.0059
033632	60	51	.10775928	06	.153	00							.0020
033732	60	51	.10776916	06	.153	00							.0127
033832	60	51	.10777904	06	.153	00							-.0088
033932	60	51	.10778892	06	.153	00							-.0098
034032	60	51	.10779880	06	.153	00							.0098
034132	60	51	.10780868	06	.153	00							-.0020
034232	60	51	.10781856	06	.153	00							.0049
034332	60	51	.10782844	06	.153	00							-.0098
034432	60	51	.10783832	06	.153	00							.0127
034532	60	51	.10784820	06	.153	00							-.0098
034632	60	51	.10785808	06	.153	00							-.0020
034732	60	51	.10786796	06	.153	00							.0244
034832	60	51	.10787784	06	.153	00							.0049
034932	60	51	.10788772	06	.153	00							-.0098
035032	60	51	.10789760	06	.153	00							.0127
035132	60	51	.10789739	06	.153	00							-.0225
035232	60	51	.10790678	06	.153	00							.0049
035332	60	51	.10791616	06	.153	00							-.0264
035432	60	51	.10792553	06	.153	00							-.0166
035532	60	51	.10793490	06	.153	00							.0137
035632	60	51	.10794427	06	.153	00							-.0156
035732	60	51	.10795362	06	.153	00							-.0059
035832	60	51	.10796297	06	.153	00							.0098
040132	60	51	.10797235	06	.153	00							.0137
040232	60	51	.10798173	06	.153	00							-.0098
040332	60	51	.10800062	06	.153	00							.0078
040432	60	51	.10800952	06	.153	00							.0215
040732	60	51	.10804681	06	.154	00							-.0127
041032	60	51	.10807461	06	.154	00							-.0107
041132	60	51	.10808386	06	.154	00							.0166
041232	60	51	.10809310	06	.154	00							-.0293
041332	60	51	.10810233	06	.154	00							.0176
041432	60	51	.10811155	06	.154	00							-.0078
041532	60	51	.10812076	06	.154	00							.0088
041632	60	51	.10812996	06	.154	00							-.0127
041732	60	51	.10813915	06	.154	00							.0088
041832	60	51	.10814832	06	.154	00							.0264
041932	60	51	.10815749	06	.154	00							.0039
042032	60	51	.10816665	06	.154	00							-.0068
042132	60	51	.10817579	06	.154	00							-.0391
042232	60	51	.10818492	06	.154	00							.0244
042332	60	51	.10819404	06	.154	00							.0010
042432	60	51	.10820315	06	.154	00							-.0303
042532	60	51	.10821225	06	.154	00							.0039
042632	60	51	.10822133	06	.154	00							-.0166
042732	60	51	.10823040	06	.154	00							.0088
042832	60	51	.10823946	06	.154	00							-.0010
042932	60	51	.10824850	06	.154	00							.0020
043032	60	51	.10825753	06	.154	00							.0020
043132	60	51	.10826655	06	.154	00							-.0010
043232	60	51	.10827555	06	.154	00							-.0068
043332	60	51	.10828454	06	.154	00							.0029
043432	60	51	.10829351	06	.155	00							.0088
043532	60	51	.10830247	06	.155	00							-.0029
043632	60	51	.10831142	06	.155	00							-.0156
043732	60	51	.10832035	06	.155	00							.0039
044032	60	51	.10834704	06	.155	00							-.0146
044132	60	51	.10835591	06	.155	00							.0176
044232	60	51	.10836477	06	.155	00							-.0010
044332	60	51	.10837360	06	.155	00							-.0039
044432	60	51	.10838242	06	.155	00							.0117
044532	60	51	.10839122	06	.155	00							-.0059
044632	60	51	.10840001	06	.155	00							-.0068
044732	60	51	.10840877	06	.155	00							-.0244
044832	60												



STATION NUMBER		51	64/07/30		ITERATION NUMBER		2	PASS NUMBER		07/302
FREQUENCY		8224.7								
TIME	TC	Q	CC3							
045232	60	51	-10845235	06	.155	00	-.0303			
045332	60	51	-10846101	06	.155	00	-.0068			
045432	60	51	-10846965	06	.155	00	-.0156			
045532	60	51	-10847827	06	.155	00	-.0127			
045832	60	51	-10850402	06	.155	00	-.0090			
045932	60	51	-10851257	06	.155	00	-.0352			
050032	60	51	-10852109	06	.155	00	-.0068			
050132	60	51	-10852960	06	.155	00	-.0020			
050232	60	51	-10853808	06	.155	00	-.0322			
050332	60	51	-10854654	06	.156	00	-.0205			
050432	60	51	-10855499	06	.156	00	-.0234			
050532	60	51	-10856341	06	.156	00	-.0117			
050632	60	51	-10857181	06	.156	00	-.0117			
050732	60	51	-10858019	06	.156	00	-.0244			
050832	60	51	-10858855	06	.156	00	-.0166			
050932	60	51	-10859689	06	.156	00	-.0195			
051032	60	51	-10860520	06	.156	00	-.0176			
051132	60	51	-10861349	06	.156	00	-.0244			
051232	60	51	-10862176	06	.156	00	-.0293			
051332	60	51	-10863001	06	.156	00	-.0254			
051432	60	51	-10863823	06	.156	00	-.0166			
051532	60	51	-10864643	06	.156	00	-.0015			
051632	60	51	-10865461	06	.156	00	-.0117			
051732	60	51	-10866276	06	.156	00	-.0176			
051832	60	51	-10867090	06	.156	00	-.0029			
051932	60	51	-10867900	06	.156	00	-.0039			
052032	60	51	-10868709	06	.156	00	-.0127			
052132	60	51	-10869515	06	.156	00	-.0137			
052232	60	51	-10870318	06	.156	00	-.0146			
052332	60	51	-10871119	06	.156	00	-.0088			
052432	60	51	-10871917	06	.156	00	-.0098			
052532	60	51	-10872713	06	.156	00	-.0029			
052632	60	51	-10873507	06	.156	00	-.0049			
052732	60	51	-10874298	06	.156	00	-.0020			
052832	60	51	-10875086	06	.156	00	-.0176			
052932	60	51	-10875874	06	.157	00	-.0098			
053032	60	51	-10876660	06	.157	00	-.0039			
053132	60	51	-10877442	06	.157	00	-.0273			
053232	60	51	-10878226	06	.157	00	-.0078			
053332	60	51	-10879009	06	.157	00	-.0264			
053432	60	51	-10879762	06	.157	00	-.0029			
053532	60	51	-10880504	06	.157	00	-.0186			
053632	60	51	-10881286	06	.157	00	-.0137			
053732	60	51	-10882064	06	.157	00	-.0010			
053832	60	51	-10882826	06	.157	00	-.0234			
053932	60	51	-10883585	06	.157	00	-.0059			
054032	60	51	-10884345	06	.157	00	-.0137			
054132	60	51	-10885104	06	.157	00	-.0068			
054232	60	51	-10885861	06	.157	00	-.0342			
054332	60	51	-10886619	06	.157	00	-.0313			
054432	60	51	-10887378	06	.157	00	-.0068			
054532	60	51	-10888135	06	.157	00	-.0098			
054632	60	51	-10888891	06	.157	00	-.0029			
054732	60	51	-10889646	06	.157	00	-.0059			
054832	60	51	-10890400	06	.157	00	-.0137			
054932	60	51	-10891154	06	.157	00	-.0068			
055032	60	51	-10891907	06	.157	00	-.0342			
055132	60	51	-10892659	06	.157	00	-.0313			
055232	60	51	-10893410	06	.157	00	-.0068			
055332	60	51	-10894161	06	.157	00	-.0098			
055432	60	51	-10894911	06	.157	00	-.0029			
055532	60	51	-10895661	06	.158	00	-.0059			
055632	60	51	-10896410	06	.158	00	-.0137			
055732	60	51	-10897159	06	.158	00	-.0068			
055832	60	51	-10897907	06	.158	00	-.0098			
055932	60	51	-10898656	06	.158	00	-.0029			
056032	60	51	-10899404	06	.158	00	-.0059			
056132	60	51	-10899652	06	.158	00	-.0137			
056232	60	51	-10900400	06	.158	00	-.0068			
056332	60	51	-10901148	06	.158	00	-.0098			
056432	60	51	-10901896	06	.158	00	-.0029			
056532	60	51	-10902644	06	.158	00	-.0059			
056632	60	51	-10903392	06	.158	00	-.0137			
056732	60	51	-10904140	06	.158	00	-.0068			
056832	60	51	-10904888	06	.158	00	-.0098			
056932	60	51	-10905636	06	.158	00	-.0029			
057032	60	51	-10906384	06	.158	00	-.0059			
057132	60	51	-10907132	06	.158	00	-.0137			
057232	60	51	-10907880	06	.158	00	-.0068			
057332	60	51	-10908628	06	.158	00	-.0098			
057432	60	51	-10909376	06	.158	00	-.0029			
057532	60	51	-10910124	06	.158	00	-.0059			
057632	60	51	-10910872	06	.158	00	-.0137			
057732	60	51	-10911620	06	.158	00	-.0068			
057832	60	51	-10912368	06	.158	00	-.0098			
057932	60	51	-10913116	06	.158	00	-.0029			
058032	60	51	-10913864	06	.158	00	-.0059			
058132	60	51	-10914612	06	.158	00	-.0137			
058232	60	51	-10915360	06	.158	00	-.0068			
058332	60	51	-10916108	06	.158	00	-.0098			
058432	60	51	-10916856	06	.159	00	-.0029			
058532	60	51	-10917604	06	.159	00	-.0059			
058632	60	51	-10918352	06	.159	00	-.0137			
058732	60	51	-10919100	06	.159	00	-.0068			
058832	60	51	-10919848	06	.159	00	-.0098			
058932	60	51	-10920596	06	.159	00	-.0029			
059032	60	51	-10921344	06	.159	00	-.0059			
059132	60	51	-10922092	06	.159	00	-.0137			
059232	60	51	-10922840	06	.159	00	-.0068			
059332	60	51	-10923588	06	.159	00	-.0098			
059432	60	51	-10924336	06	.159	00	-.0029			
059532	60	51	-10925084	06	.159	00	-.0059			
059632	60	51	-10925832	06	.159	00	-.0137			
059732	60	51	-10926580	06	.159	00	-.0068			
059832	60	51	-10927328	06	.159	00	-.0098			
059932	60	51	-10928076	06	.159	00	-.0029			
060032	60	51	-10928824	06	.159	00	-.0059			
060132	60	51	-10929572	06	.159	00	-.0137			
060232	60	51	-10930320	06	.159	00	-.0068			
060332	60	51	-10931068	06	.159	00	-.0098			
060432	60	51	-10931816	06	.159	00	-.0029			
060532	60	51	-10932564	06	.159	00	-.0059			
060632	60	51	-10933312	06	.159	00	-.0137			
060732	60	51	-10934060	06	.159	00	-.0068			
060832	60	51	-10934808	06	.159	00	-.0098			
060932	60	51	-10935556	06	.159	00	-.0029			
061032	60	51	-10936304	06	.159	00	-.0059			
061132	60	51	-10937052	06	.159	00	-.0137			
061232	60	51	-10937800	06	.159	00	-.0068			
061332	60	51	-10938548	06	.159	00	-.0098			
061432	60	51	-10939296	06	.159	00	-.0029			
061532	60	51	-10940044	06	.159	00	-.0059			
061632	60	51	-10940792	06	.159	00	-.0137			
061732	60	51	-10941540	06	.159	00	-.0068			
061832	60	51	-10942288	06	.159	00	-.0098			
061932	60	51	-10943036	06	.159	00	-.0029			
062032	60	51	-10943784	06	.159	00	-.0059			
062132	60	51	-10944532	06	.159	00	-.0137			
062232	60	51	-10945280	06	.159	00	-.0068			
062332	60	51	-10946028	06	.159	00	-.0098			
062432	60	51	-10946776	06	.159	00	-.0029			
062532	60	51	-10947524	06	.159	00	-.0059			
062632	60	51	-10948272	06	.159	00	-.0137			
062732	60	51	-10949020	06	.159	00	-.0068			
062832	60	51	-10949768	06	.159	00	-.0098			
062932	60	51	-10950516	06	.159	00	-.0029			
063032	60	51	-10951264	06	.159	00	-.0059			
063132	60	51	-10952012	06	.159	00	-.0137			
063232	60	51	-10952760	06	.159	00	-.0068			
063332	60	51	-10953508	06	.159	00	-.0098			
063432	60	51	-10954256	06	.159	00	-.0029			
063532	60	51	-10955004	06	.159	00	-.0059			
063632	60	51	-10955752	06	.159	00	-.0137			
063732	60	51	-10956500	06	.159	00	-.0068			
063832	60	51	-10957248	06	.159	00	-.0098			
063932	60	51	-10957996	06	.159	00	-.0029			
064032	60	51	-10958744	06	.159	00	-.0059			
064132	60	51	-10959492	06	.159	00	-.0137			
064232	60	51								

# JPL TECHNICAL REPORT NO. 32-694

STATION		NUMBER	51	64/07/30	ITERATION	NUMBER	2	PASS	NUMBER	07/312
FREQUENCY		8168.0								
TIME	TC	Q	CC3							
234432	60	51	.10344472	06	.187	00	-.0020			
234932	60	51	.10347554	06	.187	00	.0068			
235032	60	51	.10348084	06	.187	00	-.0078			
235132	60	51	.10348618	06	.187	00	-.0166			
235232	60	51	.10349157	06	.187	00	-.0020			
235332	60	51	.10349700	06	.187	00	-.0313			
235432	60	51	.10350247	06	.187	00	.0117			
235532	60	51	.10350799	06	.187	00	-.0049			
235632	60	51	.10351355	06	.187	00	.0020			
235732	60	51	.10351915	06	.187	00	-.0176			
235832	60	51	.10352480	06	.187	00	-.0029			
235932	60	51	.10353049	06	.187	00	-.0215			
64/07/31										
000032	60	51	.10353622	06	.187	00	.0293			
000132	60	51	.10354200	06	.187	00	-.0137			
000232	60	51	.10354781	06	.187	00	-.0146			
000332	60	51	.10355367	06	.187	00	.0078			
000432	60	51	.10355958	06	.187	00	-.0117			
000532	60	51	.10356552	06	.187	00	-.0234			
000632	60	51	.10357151	06	.187	00	.0225			
000732	60	51	.10357754	06	.187	00	-.0244			
000832	60	51	.10358361	06	.187	00	-.0127			
000932	60	51	.10358973	06	.187	00	.0059			
001032	60	51	.10359588	06	.187	00	-.0146			
001132	60	51	.10360208	06	.187	00	.0049			
001232	60	51	.10360832	06	.187	00	.0166			
001332	60	51	.10361461	06	.187	00	-.0049			
001432	60	51	.10362096	06	.187	00	-.0146			
001732	60	51	.10364012	06	.187	00	.0088			
001832	60	51	.10364661	06	.187	00	-.0088			
001932	60	51	.10365313	06	.187	00	.0156			
002032	60	51	.10365979	06	.187	00	-.0137			
002032	60	51	.10366630	06	.187	00	.0020			
002132	60	51	.10367295	06	.187	00	-.0303			
002232	60	51	.10367963	06	.187	00	-.0025			
002332	60	51	.10368633	06	.187	00	-.0039			
002932	60	51	.10372057	06	.187	00	-.0137			
003032	60	51	.10372753	06	.187	00	.0059			
003332	60	51	.10374864	06	.187	00	-.0078			
003432	60	51	.10375576	06	.187	00	-.0678			
003532	60	51	.10376291	06	.187	00	-.0273			
003632	60	51	.10377010	06	.187	00	-.0156			
003732	60	51	.10377733	06	.187	00	-.0127			
003832	60	51	.10378459	06	.187	00	-.0117			
003932	60	51	.10379190	06	.187	00	.0010			
004032	60	51	.10379924	06	.187	00	-.0107			
004132	60	51	.10380662	06	.187	00	-.0176			
004232	60	51	.10381403	06	.187	00	-.0156			
004332	60	51	.10382148	06	.187	00	-.0029			
004432	60	51	.10382897	06	.187	00	.0254			
004532	60	51	.10383650	06	.187	00	.0003			
004632	60	51	.10384405	06	.188	00	-.0049			
004732	60	51	.10385166	06	.188	00	-.0107			
004832	60	51	.10385929	06	.188	00	-.0117			
004932	60	51	.10386696	06	.188	00	.0010			
005032	60	51	.10387467	06	.188	00	-.0117			
005132	60	51	.10388241	06	.188	00	.0029			
005232	60	51	.10389019	06	.188	00	-.0078			
005332	60	51	.10389800	06	.188	00	-.0205			
005432	60	51	.10390585	06	.188	00	-.0013			
005532	60	51	.10391373	06	.188	00	.0166			
005632	60	51	.10392165	06	.188	00	-.0342			
005732	60	51	.10392960	06	.188	00	-.0029			
005832	60	51	.10393759	06	.188	00	-.0059			
005932	60	51	.10394561	06	.188	00	-.0273			
010032	60	51	.10395366	06	.188	00	.0176			
010132	60	51	.10396175	06	.188	00	-.0225			
010232	60	51	.10396988	06	.188	00	.0059			
010332	60	51	.10397805	06	.188	00	.0186			
010432	60	51	.10400270	06	.188	00	-.0205			
010532	60	51	.10401099	06	.188	00	-.0098			
010632	60	51	.10401931	06	.188	00	.0020			
010732	60	51	.10402767	06	.188	00	-.0029			
010832	60	51	.10403626	06	.188	00	-.0225			
010932	60	51	.10404467	06	.188	00	-.0088			
011032	60	51	.10405293	06	.188	00	.0068			
011132	60	51	.10406141	06	.188	00	-.0098			
011232	60	51	.10406992	06	.188	00	-.0078			
011332	60	51	.10407847	06	.188	00	-.0205			
011432	60	51	.10408705	06	.188	00	.0352			
011532	60	51	.10409566	06	.188	00	.0098			
011632	60	51	.10410430	06	.188	00	-.0127			
011732	60	51	.10411297	06	.188	00	-.0010			
011832	60	51	.10412167	06	.188	00	-.0078			
011932	60	51	.10413040	06	.188	00	.0068			
012032	60	51	.10413915	06	.188	00	-.0568			
012132	60	51	.10414792	06	.188	00	-.0166			
012232	60	51	.10415671	06	.188	00	-.0059			
012332	60	51	.10416553	06	.188	00	-.0029			
012432	60	51	.10417437	06	.188	00	.0088			
012532	60	51	.10418323	06	.188	00	-.0058			
012632	60	51	.10419211	06	.188	00	-.0205			
012732	60	51	.10420101	06	.188	00	.0156			
012832	60	51	.10421003	06	.188	00	-.0078			
012932	60	51	.10421913	06	.188	00	-.0137			
013032	60	51	.10422832	06	.188	00	.0088			
013132	60	51	.10423758	06	.188	00	-.0058			
013232	60	51	.10424690	06	.188	00	-.0205			
013332	60	51	.10425629	06	.188	00	.0156			
013432	60	51	.10426575	06	.188	00	-.0078			
013532	60	51	.10427527	06	.188	00	-.0137			
013632	60	51	.10428486	06	.188	00	.0088			
013732	60	51	.10429450	06	.188	00	-.0117			
013832	60	51	.10430421	06	.188	00	-.0127			
013932	60	51	.10431398	06	.188	00	-.0068			
014032	60	51	.10432381	06	.188	00	-.0039			
014132	60	51	.10433369	06	.188	00	.0117			
014232	60	51	.10434362	06	.188	00	-.0215			
014332	60	51	.10435360	06	.188	00	-.0049			
014432	60	51	.10436363	06	.188	00	.0078			
014532	60	51	.10437371	06	.188	00	-.0127			
014632	60	51	.10438384	06	.188	00	.0078			

STATION		NUMBER	51	64/07/31	ITERATION	NUMBER	2	PASS	NUMBER	07/312
FREQUENCY		8168.0								
TIME	TC	Q	CC3							
014632	60	51	10435802	06	188	00	-0049			
014732	60	51	10436748	06	188	00	-0117			
014832	60	51	10437696	06	188	00	-0078			
014932	60	51	10438646	06	188	00	-0156			
015032	60	51	10439599	06	188	00	-0293			
015132	60	51	10440555	06	188	00	-0156			
015232	60	51	10441513	06	188	00	-0025			
015332	60	51	10442473	06	188	00	-0029			
015432	60	51	10443436	06	188	00	-0137			
015532	60	51	10444402	06	188	00	-0010			
015632	60	51	10445369	06	188	00	-0078			
015732	60	51	10446339	06	188	00	-0078			
015832	60	51	10447311	06	188	00	-0127			
015932	60	51	10448286	06	188	00	-0088			
020032	60	51	10449263	06	188	00	-0068			
020132	60	51	10450242	06	188	00	-0010			
020232	60	51	10451223	06	188	00	-0020			
020332	60	51	10452206	06	188	00	-0156			
020432	60	51	10453192	06	188	00	-0098			
020532	60	51	10454181	06	188	00	-0186			
020632	60	51	10455170	06	188	00	-0195			
020732	60	51	10456162	06	188	00	-0078			
020832	60	51	10457157	06	189	00	-0010			
020932	60	51	10458153	06	189	00	-0186			
021032	60	51	10459152	06	189	00	-0003			
021132	60	51	10460152	06	189	00	-0215			
021232	60	51	10461155	06	189	00	-0029			
021332	60	51	10462159	06	189	00	-0098			
021432	60	51	10463166	06	189	00	-0214			
021532	60	51	10464174	06	189	00	-0283			
021632	60	51	10465185	06	189	00	-0156			
021732	60	51	10466197	06	189	00	-0068			
021832	60	51	10467212	06	189	00	-0000			
021932	60	51	10468228	06	189	00	-0059			
022032	60	51	10469246	06	189	00	-0254			
022132	60	51	10470266	06	189	00	-0088			
022232	60	51	10471287	06	189	00	-0078			
022332	60	51	10472311	06	189	00	-0098			
022432	60	51	10473336	06	189	00	-0127			
022532	60	51	10474363	06	189	00	-0020			
022632	60	51	10475392	06	189	00	-0049			
022732	60	51	10476422	06	189	00	-0098			
023032	60	51	10479524	06	189	00	-0078			
023132	60	51	10480561	06	189	00	-0117			
023232	60	51	10481600	06	189	00	-0010			
023332	60	51	10482640	06	189	00	-0195			
023432	60	51	10483682	06	189	00	-0039			
023532	60	51	10484725	06	189	00	-0117			
023632	60	51	10485770	06	189	00	-0215			
023732	60	51	10486817	06	189	00	-0020			
023832	60	51	10487865	06	189	00	-0137			
023932	60	51	10488914	06	189	00	-0098			
024032	60	51	10489965	06	189	00	-0025			
024132	60	51	10491017	06	189	00	-0029			
024232	60	51	10492070	06	189	00	-0107			
024332	60	51	10493125	06	189	00	-0215			
024432	60	51	10494182	06	189	00	-0000			
024532	60	51	10495239	06	189	00	-0098			
024632	60	51	10496298	06	189	00	-0017			
024732	60	51	10497358	06	189	00	-0010			
024832	60	51	10498420	06	189	00	-0137			
025132	60	51	10501611	06	189	00	-0049			
025232	60	51	10502677	06	189	00	-0234			
025332	60	51	10503882	06	189	00	-0068			
025632	60	51	10506953	06	190	00	-0000			
025732	60	51	10508035	06	190	00	-0000			
025832	60	51	10509098	06	190	00	-0107			
030132	60	51	10512322	06	190	00	-0146			
030232	60	51	10513398	06	190	00	-0176			
030332	60	51	10514476	06	190	00	-0078			
030432	60	51	10515554	06	190	00	-0264			
030532	60	51	10516634	06	190	00	-0137			
030632	60	51	10517714	06	190	00	-0127			
030732	60	51	10518795	06	190	00	-0146			
030832	60	51	10519876	06	190	00	-0322			
030932	60	51	10520959	06	190	00	-0254			
031032	60	51	10522042	06	190	00	-0410			
031132	60	51	10523126	06	190	00	-0146			
031232	60	51	10524212	06	190	00	-0023			
032032	60	51	10532912	06	190	00	-0068			
032132	60	51	10534003	06	190	00	-0283			
032232	60	51	10535094	06	190	00	-0303			
032332	60	51	10536185	06	190	00	-0146			
032432	60	51	10537276	06	190	00	-0029			
032532	60	51	10538368	06	190	00	-0186			
032632	60	51	10539461	06	190	00	-0234			
032732	60	51	10540554	06	190	00	-0049			
032832	60	51	10541647	06	190	00	-0039			
032932	60	51	10542741	06	190	00	-0107			
033032	60	51	10543834	06	190	00	-0107			
033132	60	51	10544928	06	190	00	-0020			
033432	60	51	10548212	06	190	00	-0088			
033532	60	51	10549307	06	190	00	-0078			
033632	60	51	10550403	06	190	00	-0068			
033732	60	51	10551498	06	190	00	-0146			
033832	60	51	10552594	06	190	00	-0039			
034132	60	51	10555881	06	191	00	-0078			
034232	60	51	10556976	06	191	00	-0010			
034332	60	51	10558072	06	191	00	-0078			
034432	60	51	10559168	06	191	00	-0000			
034532	60	51	10560264	06	191	00	-0078			
034632	60	51	10561360	06	191	00	-0156			
034732	60	51	10562456	06	191	00	-0059			
034832	60	51	10563551	06	191	00	-0049			

## JPL TECHNICAL REPORT NO. 32-694

STATION NUMBER 51 64/07/91 ITERATION NUMBER 2 PASS NUMBER 07/312  
 FREQUENCY 8168.7

TIME TC Q CC3

034932 60 51 .10564647 06 .191 00 .0156  
 035032 60 51 .10565742 06 .191 00 .0117  
 035132 60 51 .10566837 06 .191 00 -.0234  
 035232 60 51 .10567932 06 .191 00 -.0234  
 035332 60 51 .10571216 06 .191 00 .0059  
 035832 60 51 .10574497 06 .191 00 -.0078  
 035932 60 51 .10575572 06 .191 00 .0117  
 040232 60 51 .10578867 06 .191 00 -.0098  
 040532 60 51 .10582141 06 .191 00 -.0088  
 041432 60 51 .10591932 06 .191 00 -.0013  
 041532 60 51 .10593016 06 .191 00 -.0146  
 041632 60 51 .10594100 06 .191 00 -.0215  
 041732 60 51 .10595184 06 .191 00 .0273  
 041832 60 51 .10596266 06 .191 00 .0039  
 042132 60 51 .10599509 06 .192 00 -.0234  
 042232 60 51 .10603588 06 .192 00 .0166  
 042332 60 51 .10601667 06 .192 00 -.0332  
 042432 60 51 .10602744 06 .192 00 .0244  
 042532 60 51 .10603821 06 .192 00 .0244  
 042632 60 51 .10604896 06 .192 00 -.0322  
 042732 60 51 .10605971 06 .192 00 .0205  
 042832 60 51 .10607045 06 .192 00 -.0166  
 042932 60 51 .10608118 06 .192 00 .0225  
 043032 60 51 .10609199 06 .192 00 .0049  
 043132 60 51 .10610260 06 .192 00 -.0186  
 043232 60 51 .10611330 06 .192 00 .0010  
 043332 60 51 .10612398 06 .192 00 -.0020  
 043432 60 51 .10613466 06 .192 00 -.0098  
 043532 60 51 .10614532 06 .192 00 -.0400  
 043632 60 51 .10615598 06 .192 00 -.0283  
 043732 60 51 .10616666 06 .192 00 -.0117  
 044032 60 51 .10618786 06 .192 00 -.0166  
 044132 60 51 .10619846 06 .192 00 -.0078  
 044232 60 51 .10620906 06 .192 00 .0127  
 044332 60 51 .10622000 06 .192 00 -.0371  
 044432 60 51 .10623076 06 .192 00 -.0234  
 044532 60 51 .10625129 06 .192 00 .0371  
 044632 60 51 .10626182 06 .192 00 -.0234  
 044732 60 51 .10627233 06 .192 00 .0020  
 045032 60 51 .10630719 06 .192 00 .0273  
 045132 60 51 .10633511 06 .192 00 .0205  
 045432 60 51 .10634552 06 .192 00 -.0068  
 045532 60 51 .10635592 06 .192 00 .0137  
 045832 60 51 .10638701 06 .193 00 .0215  
 045932 60 51 .10639734 06 .193 00 .0059  
 050032 60 51 .10640766 06 .193 00 .0088  
 050132 60 51 .10641796 06 .193 00 -.0388  
 050232 60 51 .10642824 06 .193 00 .0107  
 050332 60 51 .10643851 06 .193 00 .0283  
 050432 60 51 .10644875 06 .193 00 .0029  
 050532 60 51 .10645898 06 .193 00 .0166  
 050632 60 51 .10646920 06 .193 00 .0049  
 050732 60 51 .10647938 06 .193 00 .0059  
 050832 60 51 .10648957 06 .193 00 .0010  
 050932 60 51 .10649973 06 .193 00 .0332  
 051232 60 51 .10653010 06 .193 00 -.0186  
 051332 60 51 .10654018 06 .193 00 -.0176  
 052032 60 51 .10661323 06 .193 00 -.0273  
 052132 60 51 .10662016 06 .193 00 .0166  
 052232 60 51 .10663007 06 .193 00 -.0186  
 052332 60 51 .10663995 06 .193 00 .0010  
 052432 60 51 .10664981 06 .193 00 .0078  
 052532 60 51 .10665966 06 .193 00 -.0146  
 052632 60 51 .10666948 06 .193 00 -.0303  
 052732 60 51 .10667928 06 .193 00 -.0088  
 052832 60 51 .10668906 06 .193 00 -.0156  
 052932 60 51 .10669881 06 .193 00

FREQUENCY 8200.0

054232 60 51 .10682358 06 .194 00 -.0381  
 054332 60 51 .10683301 06 .194 00 -.0088  
 054432 60 51 .10684242 06 .194 00 .0176  
 054532 60 51 .10685180 06 .194 00 .0205  
 054632 60 51 .10686115 06 .194 00 .0137  
 054732 60 51 .10687048 06 .194 00 .0010  
 054832 60 51 .10687979 06 .194 00 .0273  
 054932 60 51 .10688907 06 .194 00 .0029  
 055232 60 51 .10691876 06 .194 00 .0098  
 055332 60 51 .10692593 06 .194 00 .0010  
 055432 60 51 .10693508 06 .194 00 .0156  
 055532 60 51 .10694421 06 .194 00 .0068  
 055632 60 51 .10695331 06 .194 00 .0098  
 055732 60 51 .10696238 06 .194 00 .0059  
 055832 60 51 .10697142 06 .194 00 .0117  
 055932 60 51 .10698044 06 .194 00 .0059  
 060032 60 51 .10698943 06 .194 00 .0049  
 060132 60 51 .10699839 06 .194 00 .0098  
 060232 60 51 .10700732 06 .194 00 .0088  
 060332 60 51 .10701623 06 .194 00 .0352  
 060432 60 51 .10702511 06 .194 00 .0049  
 060532 60 51 .10703396 06 .195 00 .0205  
 060632 60 51 .10704278 06 .195 00 -.0186  
 060732 60 51 .10705158 06 .195 00 .0205  
 060832 60 51 .10706034 06 .195 00 .0205  
 060932 60 51 .10706908 06 .195 00 .0000  
 061032 60 51 .10707779 06 .195 00 -.0088  
 061132 60 51 .10708647 06 .195 00 .0283  
 061232 60 51 .10709512 06 .195 00 -.0225  
 061332 60 51 .10710374 06 .195 00 .0234  
 061432 60 51 .10711233 06 .195 00 -.0020  
 061532 60 51 .10712090 06 .195 00 .0010  
 061632 60 51 .10712943 06 .195 00 .0020  
 061732 60 51 .10713793 06 .195 00 .0010

STATION NUMBER 51		64/07/31		ITERATION NUMBER 2		PASS NUMBER 07/312	
FREQUENCY 8200.0							
TIME	TC	Q	CC3				
061832	60	51	.10714441	06	.195 00	.0264	
061932	60	51	.10715445	06	.195 00	.0166	
062032	60	51	.10716326	06	.195 00	-.0127	
062132	60	51	.10717164	06	.195 00	.0049	
062232	60	51	.10717999	06	.195 00	.0039	
062332	60	51	.10718832	06	.195 00	-.0010	
062432	60	51	.10719661	06	.195 00	.0088	
062532	60	51	.10720487	06	.195 00	-.0176	
062632	60	51	.10721309	06	.195 00	.0349	
062732	60	51	.10722129	06	.195 00	-.0088	
062832	60	51	.10722946	06	.195 00	.0078	
062932	60	51	.10723759	06	.195 00	-.0088	
063032	60	51	.10724569	06	.195 00	.0049	
063132	60	51	.10725376	06	.195 00	-.0156	
063232	60	51	.10726180	06	.195 00	.0117	
063332	60	51	.10726981	06	.195 00	-.0117	
063432	60	51	.10727779	06	.195 00	-.0029	
063532	60	51	.10728573	06	.195 00	-.0293	
063632	60	51	.10729384	06	.196 00	.0107	
063732	60	51	.10730171	06	.196 00	-.0244	
064032	60	51	.10732495	06	.196 00	-.0039	
064132	60	51	.10733270	06	.196 00	-.0342	
064232	60	51	.10734041	06	.196 00	.0029	
064332	60	51	.10734809	06	.196 00	-.0177	
064432	60	51	.10735574	06	.196 00	-.0244	
064532	60	51	.10736335	06	.196 00	.0293	
064632	60	51	.10737093	06	.196 00	-.0176	
064732	60	51	.10737848	06	.196 00	-.0137	
064832	60	51	.10738599	06	.196 00	-.0088	
064932	60	51	.10739347	06	.196 00	-.0039	
065032	60	51	.10740091	06	.196 00	-.0313	
065132	60	51	.10740832	06	.196 00	.0254	
065432	60	51	.10743135	06	.196 00	.0342	
065532	60	51	.10743762	06	.196 00	-.0215	
065632	60	51	.10744486	06	.196 00	.0074	
065732	60	51	.10745206	06	.196 00	-.0117	
065832	60	51	.10745923	06	.196 00	.0205	
070132	60	51	.10748052	06	.196 00	.0254	
070232	60	51	.10748755	06	.196 00	-.0186	
070332	60	51	.10749454	06	.196 00	-.0197	
070432	60	51	.10750153	06	.196 00	-.0186	
070532	60	51	.10750842	06	.196 00	-.0059	
070632	60	51	.10751531	06	.196 00	.0088	
070732	60	51	.10752216	06	.197 00	.0078	
070832	60	51	.10752897	06	.197 00	-.0059	
070932	60	51	.10753575	06	.197 00	.0166	
071032	60	51	.10754248	06	.197 00	-.0264	
071132	60	51	.10754920	06	.197 00	.0010	
071232	60	51	.10755587	06	.197 00	.0146	
071332	60	51	.10756250	06	.197 00	-.0361	
071432	60	51	.10756910	06	.197 00	.0000	

DATA STATISTICS			STATION 5		ITERATION 2			
PASS	DATA TYPE	BEGINNING TIME	END TIME	NUMBER OF POINTS	STD DEV	RMS	FIRST MOMENT	SECOND MOMENT
07/302	CC3	7/30-015232	7/30-264632	256	.140-01	.141-01	-.156-02	.199-03
07/312	CC3	7/30-234432	7/31-071432	357	.156-01	.158-01	-.265-02	.249-03

## JPL TECHNICAL REPORT NO. 32-694

[illegible]

CASE 1		SPACE TRAJECTORIES									
EPHEMERIS TAPE IV WITH MARS VELOCITIES. B-8 IS											
GME	.39860138 06	J	.16234500-02	H	-.57499999-05	D	.78749999-05	RE	.63781650 04	REM	.63783080 04
G	.66709998-19	A	.88782497 29	B	.88800499 29	C	.88837498 29	DME	.41780741-02	AU	.14959900 09
GMM	.49025900 04	GMS	.13271544 12	GMV	.32476952 06	GMA	.42977799 05	GMC	.37918700 08	GMJ	.12671062 09
EGM	.39860320 06	HGM	.49027779 04	JA	.29200000-02	HA	.00000000 00	DA	.00000000 00	KA	.34710800 04
ARA	.35670000 01	GB	.39224036 00	MAS	.37410000 03	GB1	.00000000 00	GB2	.00000000 00	SC	.10200000 09
INJECTION CONDITIONS		MOON		235666506353202400000000		J.D. = 2438605.93608796		JULY 29, 1964 10 27 58.000			
GEOCENTRIC		XO .15667452 06 YO .63041633 05 ZO .80776773 04 DXO .14342616 01 DYO .97257020 00 DZO .28116151 00		EARTH		IS THE CENTRAL BODY FOR INTEGRATION		COWELL EQUATIONS OF MOTION			
DATE OF RUN 111464A 000000		EARTH		235666506353202400000000		J.D. = 2438605.93608796		JULY 29, 1964 10 27 58.000			
0 DAYS 0 HRS. 0 MIN. 0.000 SEC.											
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.15667452 06	Y	.63041632 05	Z	.80776772 04	DX	.14342615 01	DY	.97257017 00	DZ	.28116150 00
R	.16907513 06	DEC	.27383859 01	RA	.21918756 02	V	.17555770 01	PTH	.76231923 02	AZ	.61412209 02
R	.16907513 06	LAT	.27383859 01	LON	.27782480 03	VE	.12070911 02	PTE	.81207508 01	AZE	.27095862 03
XS	.89949617 08	YS	.11227379 09	ZS	.48686774 08	DXS	-.23516068 02	DYS	-.16077728 02	DZS	-.69720238 01
XM	.38246390 06	YM	.27456503 05	ZM	-.26012533 05	DXM	-.83439838-01	DYM	.93230140 00	DZM	.40985468 00
AT	.38246390 06	YT	.27456503 05	ZT	-.26012533 05	DXT	-.83439838-01	DYT	.93230140 00	DZT	.40985468 00
RS	.15187738 09	VS	.29327596 02	RM	.38432947 06	VM	.10218263 01	RT	.38432947 06	VT	.10218263 01
GED	.27570187 01	ALT	.16269697 06	LDS	.24806886 02	RAS	.12870004 03	NAM	.11061312 01	LDM	.26001239 03
DUT	.35000000 02	DY	.12000000 03	DR	.17051341 01	SHA	.16335721 06	DES	.18697176 02	DEM	-.38809100 01
DAC	.00000000 00	CCL	.25840728 03	MCL	.11049581 00	TCL	.11049581 00				
GEOCENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE		235666506353202400000000		J.D. = 2438605.21642591		JULY 28, 1964 17 11 39.199					
SMA	.244008708 06	ECC	.97401692 00	B	.55279679 05	SLR	.12519479 05	APD	.48183203 06	RCA	.63421336 04
VM	.14661110 00	C3	-.16330294 01	CI	.70641925 05	TFP	.62178801 05	TF	-.17271889 02	PER	.20002138 05
TA	.16192552 03	MTA	.00000000 00	EA	.71608125 02	MA	.18651646 02	C3J	-.20370906 01	TFI	.00000000 00
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE											
X	.15667452 06	Y	.63041632 05	Z	.80776772 04	DX	.14342615 01	DY	.97257017 00	DZ	.28116150 00
IMC	.28707628 02	LAM	.16908152 02	APF	.20378266 03	MX	.34898466 00	MY	.80607934 00	MZ	.47795831 00
WX	.13797013 00	WY	-.45957610 00	WZ	.87778221 00	PX	-.77265530 00	PY	-.60455082 00	PZ	-.19370605 00
QX	.61926354 00	QY	-.65062117 00	QZ	-.43955047 00	RX	.15255751 00	RY	.11936599 00	RZ	-.98105958 00
BX	-.61926359 00	BY	.65062121 00	BZ	.43955050 00	TX	-.61622233 00	TY	.78757225 00	TZ	.00000000 00
DAP	-.11169144 02	RAP	.21804079 03								
BTQ	.49420877 05	BRQ	-.24767313 05	B	.55279679 05	THA	.33338222 03				
HELIOCENTRIC						EQUATORIAL COORDINATES					
X	.90106291 08	Y	-.11221075 09	Z	-.48678696 08	DX	.24950329 02	DY	.17050298 02	DZ	.72531853 01
R	.15192106 09	LAT	-.18688384 02	LON	.30876480 03	V	.31077970 02	PTH	-.21990135 00	AZ	.75813411 02
XE	.89949617 08	YE	-.11227379 09	ZE	-.48686774 08	DXE	.23516068 02	DYE	-.16077728 02	DZE	.69720238 01
XT	.90332080 08	YT	-.11224633 09	ZT	-.48712787 08	DXT	.23432628 02	DYT	.17010029 02	DZT	.73818785 01
LTE	-.18697176 02	LOE	.30878004 03	LTY	-.18680127 02	LDT	.30882594 03	RST	.15209227 09	VST	.29881768 02
EPS	.74995022 02	ESP	.60570802-01	SEP	.10494337 03	EPH	.16723360 03	EMP	.13773992 02	MEP	.18992397 02
NPS	.13777124 03	NSP	.57674939-01	SMP	.42170242 02	SEM	.12393571 03	ENS	.55944169 02	ESH	.11992408 00
RPM	.23110450 06	SPN	.72833150 02								
SAC	.58666985-10										
GCE	.10159271 03	GCT	.28170321 03	SIP	.13734035 03	CPT	.92025127 02	SIM	.91594235 02	D1	.22561861 00
REP	.16907513 06	VEP	.17555770 01	CPE	.97484329 02	CPS	.76877848 02	D2	.16806176 00	D3	.16732549-02
1 DAYS 19 HRS. 5 MIN. 21.120 SEC. 235666622147202617300001 J.D. = 2438607.73147129 JULY 31, 1964 05 33 19.120											
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.29850499 06	Y	.17412139 06	Z	.43994134 05	DX	.64990292 00	DY	.52828978 00	DZ	.18216479 00
R	.34836615 06	DEC	.72530883 01	RA	.30253502 02	V	.85711604 00	PTH	.79948541 02	AZ	.59406054 02
R	.34836615 06	LAT	.72530883 01	LON	.35805418 03	VE	.25085318 02	PTE	.19279506 01	AZE	.27017413 03
XS	.93556355 08	YS	.10972886 09	ZS	.47583237 08	DXS	-.22981690 02	DYS	-.16731646 02	DZS	.72550923 01
XM	.33704213 06	YM	.16531779 06	ZM	.37879808 05	DXM	-.49758343 00	DYM	.81818858 00	DZM	.40181758 00
XT	.33704213 06	YT	.16531779 06	ZT	.37879808 05	DXT	-.49758343 00	DYT	.81818858 00	DZT	.40181758 00
RS	.15184656 09	VS	.29338412 02	RM	.37730922 06	VM	.10384905 01	RT	.37730922 06	VT	.10384905 01
GED	.73039989 01	ALT	.34178822 05	LDS	.38250049 02	RAS	.13045137 03	NAM	.26127761 02	LDM	.33592644 03
DUT	.35000000 02	DT	.48000000 03	DR	.84393963 00	SHA	.34553736 06	DES	.18262074 02	DEM	.57618937 01
DAC	.00000000 00	CCL	.25940595 03	MCL	.24403796 00	TCL	.24403796 00				
GEOCENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE		235666533342027855000001		J.D. = 2438605.29545172		JULY 28, 1964 19 05 23.919					
SMA	.25654037 06	ECC	.98661000 00	B	.41841011 05	SLR	.68241528 04	APD	.50964567 06	RCA	.34350742 04
VM	.10233529 00	C3	-.15537569 01	CI	.52154738 05	TFP	.21047520 06	TF	-.15376133 02	PER	.21552239 05
TA	.17357379 03	MTA	.00000000 00	EA	.11127205 03	MA	.58594840 02	C3J	-.20580705 01	TFI	.43089200 02
ALL VECTORS REFERENCED TO EARTH EQUATOR PLANE											
X	.29850499 06	Y	.17412139 06	Z	.43994134 05	DX	.64990292 00	DY	.52828978 00	DZ	.18216479 00
IMC	.31361147 02	LAM	.18198752 02	APF	.20046971 03	MX	-.48923478 00	MY	.71115935 00	MZ	.50487550 00
WX	.16253819 00	WY	-.49439772 00	WZ	.85390389 00	PX	-.79673050 00	PY	-.57627783 00	PZ	-.18200095 00
QX	.58206676 00	QY	-.65074910 00	QZ	-.48756889 00	RX	.14746868 00	RY	.10666459 00	RZ	-.98329834 00
BX	-.58206690 00	BY	.65074925 00	BZ	.48756901 00	TX	-.58606610 00	TY	.81026325 00	TZ	.00000000 00
DAP	-.10486331 02	RAP	.21587834 03								
BTQ	.36335064 05	BRQ	-.20746888 05	B	.41841011 05	THA	.33027415 03				
HELIOCENTRIC						EQUATORIAL COORDINATES					
X	.93854859 08	Y	-.10955474 09	Z	-.47539242 08	DX	.23631593 02	DY	.17299936 02	DZ	.74372570 01
R	.15189126 09	LAT	-.18239035 02	LON	.31058646 03	V	.30193879 02	PTH	-.33144005 00	AZ	.75081511 02
XE	.93556355 08	YE	-.10972886 09	ZE	-.47583237 08	DXE	.22981690 02	DYE	-.16731646 02	DZE	.72550923 01
XT	.93893397 08	YT	-.10956354 09	ZT	-.47545357 08	DXT	.22484106 02	DYT	.17549835 02	DZT	.76569098 01
LTE	-.18262074 02	LOE	.31045137 03	LTY	-.18237476 02	LDT	.31059580 03	RST	.15192334 09	VST	.29532355 02
EPS	.82563077 02	ESP	.13028593 00	SEP	.97306579 02	EPH	.13412486 03	EMP	.41510751 02	MEP	.43643786 01
NPS	.14331163 03	NSP	.98911702-02	SMP	.36679354 02	SEM	.10167094 03	ENS	.78189705 02	ESH	.13970734 00
RPM	.39999995 05	SPN	.81514029 02								
SAC	.58690012-10										
GCE	.10059405 03	GCT	.28083808 03	SIP	.14082134 03	CPT	.94021776 02	SIM	.91531491 02	D1	.13047323 01
REP	.34836615 06	VEP	.18711604 06	CPE	.98550263 02	CPS	.77055566 02	D2	.10732507 01	D3	.76185481-01
1 DAYS 19 HRS. 5 MIN. 21.120 SEC. 235666622147202617300001 J.D. = 2438607.73147129 JULY 31, 1964 05 33 19.120											
CHANGE OF PHASE OCCURS AT THIS POINT		EARTH		IS THE CENTRAL BODY FOR INTEGRATION		COWELL EQUATIONS OF MOTION					
2 DAYS 2 HRS. 57 MIN. 50.728 SEC.											

CASE 1		SPACE TRAJECTORIES									
GEOCENTRIC						EQUATORIAL COORDINATES					
X	.32029138 06	Y	-.18771490 06	Z	.48627684 05	DX	-.20228714 01	DY	-.43325396 00	DZ	.28010291 00
R	.37441702 06	DEC	.74624127 01	RA	.30373517 02	V	.20876244 01	PTH	.71875039 02	AZ	.27199568 03
K	.37441701 06	LAT	.74624127 01	LON	.23972544 03	VE	-.27791636 02	PTE	.40938121 01	AZE	.27006674 03
XS	-.94206473 08	YS	.10925284 09	ZS	.47376826 08	DXS	-.22881651 02	DYS	-.16849780 02	DZS	-.73062334 01
XM	.32192654 06	YM	.18798435 06	ZM	.49143394 05	DXM	-.56837355 00	DYM	.78001521 00	DZM	.39238635 00
XT	.32192654 06	YT	.18798435 06	ZT	.49143394 05	DXT	-.56837355 00	DYT	.78001521 00	DZT	.39238635 00
XS	.15184607 09	YS	.29340519 02	ZS	.37601845 06	VM	.10418442 01	RT	.37601845 06	VT	.10418442 01
GEO	.75126885 01	ALT	.36803917 06	LOS	.34012244 03	RAS	.13077052 03	RAM	.30282171 02	LON	.23963409 03
DUT	.35000000 02	DI	.30000000 02	DK	.19860371 01	SHA	.37126506 06	DES	.18180800 02	DEM	.75097001 01
DAC	.00000000 00	CCL	.25948618 03	MCL	.34216015 03	TCL	.34216015 03				
HELIOCENTRIC						EQUATORIAL COORDINATES					
X	.94526764 08	Y	-.10906513 09	Z	-.47328198 08	DX	-.24904522 02	DY	-.17283033 02	DZ	.75863364 01
R	.15188966 09	LAT	-.18155433 02	LON	.31091548 03	V	.31248855 02	PTH	.13294289 01	AZ	.74741741 02
XE	.94206473 08	YE	-.10925284 09	ZE	-.47376826 08	DXE	-.22881651 02	DYE	-.16849780 02	DZE	.73062334 01
XT	.94528399 08	YT	-.10906513 09	ZT	-.47327682 08	DXT	-.22313277 02	DYT	.17629795 02	DZT	.76986197 01
LTE	-.18180800 02	LOE	.31077052 03	LTY	-.18155146 02	LDT	.31091604 03	RST	.15189032 09	VST	.29461173 02
EPS	.82420237 02	ESP	.13988231 00	SEP	.97439692 02	EPH	.15727339 03	EMH	.22624433 02	MEH	.10207574 00
MPS	.11247391 03	MSP	.27453512 18	SWP	.67525483 02	SEM	.97509211 02	EMS	.82350162 02	ESM	.14110097 00
KPM	.17355955 04	SPN	.81444206 02								
SAC	.58691248 10										
GCE	.10051381 03	CLT	.26267396 03	SIP	.11247391 03	CPT	.10155228 03	SIN	.10155228 03	DI	.57052062 03
REP	.37441702 06	VEP	.20876244 01	CPE	.98443460 02	CPS	.77089278 02	D2	.15379714 03	D3	-.44884791 04
SELENDICENTRIC						EQUATORIAL COORDINATES					
X	-.16351562 04	Y	-.26944140 03	Z	-.51571044 03	DX	-.25912450 01	DY	-.34676125 00	DZ	-.11228344 00
R	.17355955 04	DEC	-.17285752 02	RA	.18935712 03	V	.26167540 01	PTH	-.64108583 02	AZ	.13607622 03
R	.17355983 04	LAT	-.10701728 02	LON	.33933150 03	VP	.26149379 01	PTP	-.64190717 02	AZP	.11489046 03
LTS	.94280089 00	LWS	.27242310 03	LTE	.58450094 01	LNE	.35482939 03				
ALT	-.24044647 01	SHA	-.16037764 04	ALP	.51316673 01	DR	-.23540927 01	DP	.37721356 01	ASD	.90000000 02
HGE	.27757974 03	SVL	-.16444751 02	HNG	.11348861 03	STA	.67273393 02				
SAC	.58691248 10										
SELENDICENTRIC CONIC											
EPOCH OF PERICENTER PASSAGE											
SHA	-.40925170 04	ECG	.10936285 01	B	.18119414 04	SLR	.80222820 03	APU	.05000000 00	RCA	.38317602 03
WH	.10945045 01	C3	.11979400 01	CL	.19831782 04	TFP	-.57248478 03	TF	.51123114 02	LIF	.51030153 02
YA	-.11945492 03	MTA	.15611886 03	EA	-.43489774 02	MA	-.87723029 01	C3J	-.21690962 01	TFI	.50964090 02
ZAE	.13175626 03	ZAP	.14584324 03	ZAC	.93425533 02	DEF	.13223773 03	IR	.41528584 04	GP	.78472725 00
OPI	.00000000 00	OY	.00000000 00	OP2	.38000000 02						
ALL VECTORS REFERENCED TO ORBIT PLANE OF TARGET											
X	.15283875 04	Y	.64233764 03	Z	-.51349394 03	DX	-.24025240 03	DY	.44640617 01	DZ	.26854581 00
INC	.28507691 02	LAN	.16802832 03	APF	.33776319 03	MX	-.23108888 02	MY	-.79848262 00	MZ	.42450748 00
WX	.99000600 01	WY	.46689615 00	WZ	.67875304 00	PX	-.83651524 00	PY	.51731931 00	PZ	-.18061830 00
QX	-.53892587 00	QY	-.71720899 00	QZ	.44178066 00	RX	-.13465108 01	RY	.25020790 02	RZ	-.99990618 00
BX	.15413177 00	BY	.86523861 00	BZ	-.47708024 00	TX	.18269214 00	TY	.98317017 00	TZ	.00000000 00
SXI	-.98307794 00	SYI	.18267500 00	SZI	.13699603 01	DAT	.78472470 00	RAI	.16947339 03		
SXO	.54671994 00	SYO	-.76338544 00	SZO	.34400577 00	DAO	.20121115 02	RAO	.30560941 03		
EYE	.17929939 03	ETS	.35560462 03	ETC	.28369053 03						
ALL VECTORS REFERENCED TO TRUE LUNAR EQU. PLANE											
BTU	.15923983 04	BRU	.86452249 03	B	.18119414 04	THA	.28497795 02				
X	.15956481 04	Y	-.60194270 03	Z	-.32229408 03	DX	-.18813898 01	DY	.18184161 01	DZ	-.33690097 01
INC	.26869962 02	LAN	.13743131 03	APF	.32371395 03	MX	.39578507 01	MY	-.74956443 00	MZ	-.26613122 00
WX	.30574372 00	WY	.33285882 00	WZ	.89203459 00	PX	-.23652132 00	PY	.93408305 00	PZ	-.26748164 00
QX	-.92226808 00	QY	-.12920432 00	QZ	.36431824 00	RX	.57520664 01	RY	-.78217345 01	RZ	-.89527551 00
BX	.74755624 00	BY	.49629831 00	BZ	-.44141550 00	TX	.80561212 00	TY	.59244333 00	TZ	.00000000 00
SXI	.58964434 00	SYI	.80180603 00	SZI	-.97090577 01	DAT	-.55716576 01	RAI	.12633039 03		
SXO	-.15710036 00	SYO	-.90644205 00	SZO	.39207283 00	DAO	.23083539 02	RAO	.26016720 03		
ETE	.34498668 03	ETS	.14469928 03	ETC	.23295810 03						
BTY	.16239820 04	BRT	.80361322 03	B	.18119359 04	THA	.26328101 02				



[illegible]

## IMPACT PARAMETERS 64/07731 132548

## N MATRIX (TARGET ORBITAL PLANE)

	B.RU	B.TO	TL	C3	S.TS	S.RS
B.RU	.32567331 02	-.17931574 02	-.15664598-03	.36250858-01	-.35001573-02	.20614282-02
B.TO	-.17931574 02	.10351956 02	-.11733032-03	-.20811617-01	.20081267-02	-.11816563-02
TL	.15664593-03	-.11733030-03	.29589390-08	.23679449-06	-.22815368-07	.13315637-07
C3	.36250857-01	-.20811617-01	.23679453-06	.42162143-04	-.40702855-05	.23933820-05
S.TS	-.35001566-02	.20081264-02	-.22815365-07	-.40702847-05	.39317680-06	-.23121759-06
S.RS	.20614276-02	-.11816559-02	.13315637-07	.23933814-05	-.23121759-06	.13599567-06

## NORMALIZED N MATRIX

	B.RU	B.TO	TL	C3	S.TS	S.RS
B.RU	.99999999 00	-.97699862 00	.50461493 00	.97828606 00	-.97814363 00	.97952285 00
B.TO	-.97699861 00	.10000000 01	-.67039540 00	-.99616954 00	.99537345 00	-.99590380 00
TL	.50461483 00	-.67039531 00	.10000000 01	.67041273 00	-.66890684 00	.66379105 00
C3	.97828602 00	-.99616954 00	.67041284 00	.99999998 00	-.99970000 00	.99995122 00
S.TS	-.97814344 00	.99537332 00	-.66890677 00	-.99969982 00	.10000000 01	-.99991825 00
S.RS	.97952258 00	-.99590353 00	.66379105 00	.99951199 00	-.99991825 00	.10000000 01

## DM7DQO MATRIX

	B.RU	B.TO	TL	C3	S.TS	S.RS
X	.41882097-02	-.13192300 01	-.13722824 01	.13644447-04	.19479215-03	.25684024-04
Y	.19841481 00	-.95093483 00	-.31187259 00	.12471368-04	.54902795-04	.87218704-05
Z	-.42064566 00	-.25896343 00	.82498427-02	.35388161-05	.14478806-04	-.18264600-05
DX	-.12347015 05	-.98304786 05	-.16077389 06	.27874441 01	.21518375 02	.29709148 01
DY	.69016132 05	-.17811702 06	.18506068 05	.17691553 00	.14253490 01	-.17516613 00
DZ	-.16050349 06	-.66460121 05	.22881221 05	-.18420148 00	-.43086767-01	.70506358 00

B .18119257 04

B.RU .86451081 03

B.TO .15923868 04

B.RY .80361322 03

B.TY .16239820 04

TL .51030154 02

SMAX .65232521 01

SMIA .60536616 00

THETA .60888041 02

DEL I .19582607 00

DEL B .85512814 01

DEL S .21433610 00

TF .50964090 02

## N MATRIX (TARGET EQUATORIAL PLANE)

	B.RY	B.TY	TL
B.RY	.33892177 02	-.17039781 02	.16097540-03
B.TY	-.17039781 02	.90271094 01	-.11131613-03
TL	.16097536-03	-.11131611-03	.29589390-08

## APPENDIX G

### ODP format description

Block No. references are to Appendixes E and F. All units are in kilometers and seconds unless otherwise specified.

- Block No. 1 Control card input.
- Block No. 2 Input covariance matrix of estimated parameters from postmaneuver data a priority.
- Block No. 3 Inverse of Block No. 2
- Block No. 4 Trajectory based on injection conditions from previous iteration. Its format is explained in Appendix D.
- Block No. 5 The normal equation coefficients combined with the a priori matrix at injection epoch.
- Block No. 6 Correlation matrix based on Block No. 5
- Block No. 7 Solution vector and statistics of estimated parameters from last iteration (see next page for explanation of format).
- Block No. 8 Covariance matrix of estimated parameters, at injection epoch, from last iteration.
- Block No. 9 Correlation matrix of estimated parameters, at injection epoch, from last iteration.
- Block No. 10 Residual listings and data statistics for the tracking stations. First the residuals will be listed and then followed by the statistics.

#### BLOCK 8

The above sequence is repeated until the orbit converges. In the last iteration a trajectory based on the converged estimated parameters is run out to lunar encounter. See Appendix D for explanation of trajectory format.

Following the trajectory printout is the  $U$  matrix which maps the covariance matrix at injection to encounter. Immediately below the  $U$  matrix is the covariance matrix on the estimated parameters at impact or closest approach epoch. This is formed by mapping the covariance matrix at injection to impact in double precision.

There are three blocks following the covariance matrix. The first block is a covariance matrix  $N$  formed by mapping the upper  $6 \times 6$  matrix of the covariance of impact into a new coordinate system (explained in Appendix A of this Report) ( $\sigma_{TL}^2$  is in  $\text{hr}^2$ ). The second block is simply the correlation matrix of the first block covariance matrix. The third block is a mapping matrix which maps injection components into the  $\mathbf{B} \cdot \mathbf{T}$ ,  $\mathbf{B} \cdot \mathbf{R}$ , etc. system.

$\mathbf{B}$  = The vector measured from the center of the Moon perpendicular to the incoming asymptote (in kilometers).

$\mathbf{B} \cdot \mathbf{RO}$  = The  $\mathbf{B}$  vector dotted on the  $\mathbf{R}$  axis in km ( $\mathbf{T}$  axis in the Moon's orbital plane).

$\mathbf{B} \cdot \mathbf{TO}$  = The  $\mathbf{B}$  vector dotted on the  $\mathbf{T}$  axis in km ( $\mathbf{T}$  axis in the Moon's orbital plane).

$\mathbf{B} \cdot \mathbf{RT}$  = The  $\mathbf{B}$  vector dotted on the  $\mathbf{R}$  axis in km ( $\mathbf{T}$  axis in the equatorial plane of the Moon).

#### RESIDUAL LISTING FORMAT

Frequency XXXX.X Last digits in transmitter, frequency 2966 XXXX.X in cps

GMT	TC	Q		CC3	
XX XX XX	X	X	.XXXXXXXX XX	.XXX XX	.XXXX <sup>16</sup>
hr min sec	Doppler	Trans-	Two-way	Associated	Residual
	count	mitting	doppler (CC3)	weight	(observed
	time	station	value in cps	in	minus
	in sec		(floating point	floating	calculated)
			number)	point	in cps

<sup>16</sup>Residuals followed by an asterisk (\*) have been deleted from fit.

**B • TT** = The **B** vector dotted on the **T** axis in km **T** axis in the equatorial plane of the Moon).

**TL** = Linearized time of flight in hours.

**SMAA** = The largest eigenvalue of the upper  $2 \times 2$  of the **N** matrix (commonly called the semimajor axis of a 40% dispersion ellipse in the **B** plane).

**SMIA** = The semiminor axis of the dispersion ellipse or the other eigenvalue of the upper  $2 \times 2$ .

**THETA** = The orientation angle of the semimajor axis of the dispersion ellipse measured counterclockwise from the **T** axis.

**DEL T** = Uncertainty in the time of flight in sec.

**DEL B** =  $(N_{11} + N_{22})^{1/2}$  where **N**'s are from the first block of this sheet.

**DEL S** =  $V_{\infty} (\text{DEL T})$  The position uncertainty in the direction of the incoming asymptote. Where  $V_{\infty}$  = hyperbolic excess velocity in km/sec.

**TF** = Orbital time of flight, in hours from injection epoch to impact or closest approach.

The block following the **B** plane parameters is formed by rotating the upper  $3 \times 3$  of the covariance matrix **N** (target orbital plane) into the target equatorial plane.

## BLOCK 7

## JOB TITLE

Iteration number	Epoch	year/month/day	XX XX XX	Clack XXXXXX	SOS* XXXXX QSOS** XXXXX
	GMT		hr, min, sec	(PC time now) hr, min, sec	Floating pointing numbers
Q	DQ	STDEV DQ	OLD Q	NEW Q	DQ (NOM)
<p>X, Y, Z = Position space-fixed Cartesian component in km</p> <p>DX, DY, DZ = Velocity space-fixed Cartesian in km/sec</p> <p>RI = Radius in KE = <math>GM_e</math> in km <math>\text{km}^2/\text{sec}^2</math></p> <p>LA = Latitude RE in = Radius of Earth to scale ephemeris in km</p> <p>LO = Longitude KM = <math>GM_\zeta</math> in deg <math>\text{km}^2/\text{sec}^2</math></p>	<p>Difference in estimated parameters from previous iteration and this iteration</p> <p>Standard deviations on estimated parameters</p> <p>Value of estimated parameters from previous iteration (Initial estimate on 1st iteration)</p> <p>Value of estimated parameters on this iteration</p> <p>Initial estimate of parameters</p> <p>Total difference in new Q and nominal Q</p>				
<p>*Weighted sum of the squares of the residuals.</p> <p>**Weighted sum of the squares of the residuals plus the product <math>\delta x^T \Gamma^{-1} \delta x</math> where <math>\delta x</math> is the difference in the a priori Q and the value of Q on the particular iteration, and <math>\Gamma</math> is on a priori covariance on Q.</p>					

## REFERENCES

1. Hudson, R. H., Nead, M. W., and Warner, M. R., *The Orbit Determination Program of the Jet Propulsion Laboratory*, Technical Memorandum No. 33-168, Jet Propulsion Laboratory, Pasadena, March 18, 1964.
2. Holzman, R. E., and Coltharp, C. D., *JPL Tracking Data Editing Program for the IBM 7094*, Technical Memorandum No. 33-170, Jet Propulsion Laboratory, Pasadena, August 1, 1964.
3. Noton, A. R. M., Cutting, E., and Barnes F. L., *Analysis of Radio-Command Midcourse Guidance*, Technical Report No. 32-28, Jet Propulsion Laboratory, Pasadena, September 8, 1960.
4. Magness, T. A., and McGuire, J. B., "Comparison of Least Squares and Minimum Variance Estimates of Regression Parameters," *The Annals of Mathematical Statistics*, Vol. 33, No. 2, June 1962.
5. Holdridge, D. B., *Space Trajectories Program for the IBM 7090 Computer*, Technical Report No. 32-223, Jet Propulsion Laboratory, Pasadena, March 2, 1962.
6. Kizner, W. A., *A Method of Describing Miss Distances for Lunar and Interplanetary Trajectories*, External Publication No. 674, Jet Propulsion Laboratory, Pasadena, August 1, 1959.
7. Clarke, V. C. Jr., "Earth Radius/Kilometer Conversion Factor for the Lunar Ephemeris," *AIAA Journal*, Vol. 2, February 1964.
8. Brouwer, D., "Relation Among Some Important Astronomical Constants," *The System of Astronomical Constants*, International Astronomical Union Symposium No. 21, Paris, France, May 1963.
9. Anderson, J. D., Null, G. W., Thornton, C. T., "The Evaluation of Certain Astronomical Constants From the Radio Tracking of Mariner II," *Progress in Astronautics and Aeronautics*, Vol. 14, Academic Press, Inc., New York, 1964.
10. Sjogren, W. L., Curkendall, D. W., Hamilton, T. W., Kirhofer, W. E., Liu, A. S., Trask, D. W., Winneberger, R. A., Wollenhaupt, W. R., *The Ranger VI Flight Path and Its Determination from Tracking Data*, Technical Report No. 32-605, Jet Propulsion Laboratory, Pasadena, December 15, 1964.
11. *Lunar Chart LAC 60*, First Edition, Aeronautical Chart and Information Center, United States Air Force, St. Louis, Missouri, September 1962.
12. Clarke, V. C., Jr., *Constants and Related Data for Use in Trajectory Calculations*, Technical Report No. 32-604, Jet Propulsion Laboratory, Pasadena, March 6, 1964.
13. *Lunar Chart LAC 76*, First Edition, Aeronautical Chart and Information Center, United States Air Force, St. Louis, Missouri, April 1964.
14. Yaplee, B. S., Knowles, S. H., Shapiro, A., and Craig, K. J., *The Mean Distance Determined by Radar*, NRL Report 6134, U.S. Naval Research Laboratory, Washington, D.C., September 16, 1964.

## REFERENCES (Cont'd)

15. Rindfleisch, T. C., and Willingham, D. E., *Figure of Merit as a Measure of Picture Resolution*, Technical Report 32-666, Jet Propulsion Laboratory, Pasadena (to be published).
16. Mann, H. P., *The Accuracy of AMR Instrumentation*, Technical Documentary Report No. MTC-TDR-64-1, Air Force Missile Test Center, Air Force Systems Command, Patrick Air Force Base, Florida, December 13, 1963.

## ACKNOWLEDGEMENT

The authors gratefully acknowledge the support of personnel in JPL Sections 312, 317, 318 and 332, especially the trajectory program developer D. B. Holdridge; the orbit determination program developers J. D. Anderson, M. R. Warner and M. W. Nead; the tracking data editing program developer R. E. Holzman, and the maneuver programmer R. W. Carpenter.

The advance unedited proofs of the new lunar charts were made available through the courtesy of the United States Air Force Aeronautical Chart and Information Center, St. Louis, Missouri.

Additional contributors who helped to analyze, program, and expedite this Report were D. L. Cain, T. W. Hamilton, W. E. Kirhofer, V. C. Clarke, J. D. Anderson, C. B. Solloway, T. Moyer, D. E. Willingham, J. P. Fearey, W. D. Chaney, C. Cary, G. L. Bolta, L. Dicken, J. M. Carnakis, J. Borthwick and P. M. Muller. The authors regret that the above list is incomplete and extend their appreciation to all other contributors.